

# The 101st ISIJ Meeting Programme

## Poster Sessions

### — IRONMAKING —

April 3, 1981 10:00~12:00

- 1 Technical development on nuclear steelmaking plant—III. (Commercial plant).  
Toshihiro Inatani, *et al.* ..... S1
- 2 Mathematical modeling of natural convection of molten iron in the blast furnace hearth and prediction of  
hearth erosion. Fumiaki Yoshikawa, *et al.* ..... S2
- 3 COM injection into blast furnaces. Tomio Miyazaki, *et al.* ..... S3
- 4 Measurement system of BF raceway applying high speed shutter ITV. Katsujiro Watanabe, *et al.* ..... S4
- 5 Some characteristic phenomena during cutting oil injection to all coke operation.  
Yutaka Yamada, *et al.* ..... S5
- 6 All coke operation with high flame temperature of Tobata No. 4 B.F., Nippon Steel Corp.  
Kazuyoshi Shimano, *et al.* ..... S6

### — STEELMAKING —

April 4, 1981 10:00~15:00

- 7 Development of top and bottom blowing process in BOF. Seiichi Masuda, *et al.* ..... S7
- 8 Development of LD process with circulating lance (LD-CL process) and top/bottom combined blowing  
process (NK-CB process) in Nippon Kokan K.K. Goji Toyoda, *et al.* ..... S8
- 9 Development of the top and bottom blowing converter (LD-OTB). Masahiko Ōgami, *et al.* ..... S9
- 10 On the metallurgical characteristics of large LD-OB converter. Syozo Murakami, *et al.* ..... S10
- 11 Mechanism of dephosphorization of hot metal in Q-BOP. (Development of pretreatments of hot metal  
with lime base fluxes—V). Shuji Takeuchi, *et al.* ..... S11

### — PLASTIC WORKING AND OTHER FABRICATION PROCESSES —

April 3, 1981 10:00~12:00

- 12 Experimental results of flat rolling loads with dogbone shape. Shigeru Chino, *et al.* ..... S12
- 13 An experimental study on extending width of a slab in a hot strip mill. Takashi Ariizumi, *et al.* ..... S13
- 14 Study on width control system in hot strip mills. Tetsuo Kajiwarra, *et al.* ..... S14

### — PROPERTIES OF IRON AND STEEL —

April 3, 1981 13:30~15:30

- 15 Effect of rare earth elements on hot corrosion of stainless steels and heat resistant alloys.  
Rikio Nemoto, *et al.* ..... S415
- 16 Stress corrosion cracking of high purity 19Cr-2Mo steel in 3%NaCl solution at 80°C.  
Shigeo Tsujikawa, *et al.* ..... S416
- 17 The sensitization and its effects on the susceptibility of stainless steels to stress corrosion cracking in high  
temperature pure water. Masatsune Akashi, *et al.* ..... S417
- 18 Effect of misorientation on intergranular corrosion and intergranular stress corrosion cracking of type  
304 steel. Kenzo Kon, *et al.* ..... S418
- 19 Effects of Nb or Ti stabilization on the formability, corrosion resistance and weldability of  
low-C-17Cr-Cu stainless steel sheets. Masayoshi Ogaya, *et al.* ..... S419
- 20 A quantitative evaluation of fracture toughness of type 4340 steel causing ductile-brittle mixed fracture  
due to hydrogen embrittlement, using fractography and AE techniques. Akira Nozue, *et al.* ..... S420
- 21 Stress corrosion cracking of spot-welded specimens of austenitic stainless steels in dilute NaCl  
solutions. Haruki Watanabe, *et al.* ..... S421
- 22 Rupture strength and creep fracture mechanism diagram of type 304 stainless steel.  
Junro Kyono, *et al.* ..... S422

*Tetsu-to-Hagané*, 67 (1981), No. 4 contains S1 to S413 abstracts in Japanese of Poster Sessions and Paper Presentations and *Tetsu-to-Hagané*, 67 (1981), No. 5 does S415 to S650.

- 23 Relation between solid solution strengthening and substructure of carbon free 25Cr-35Ni steels with additions of Group VIb elements. Masao Takeyama, *et al.* ..... S423

## Paper Presentations

### — IRONMAKING —

#### April 2, 1981

- 1 Behavior of charging material in the furnace top bunker. (Bell-less top). Tsutomu Fujita, *et al.* ..... S15
- 2 Microwave stock line meter in the blast furnace. Mitsuhiro Kusunoki, *et al.* ..... S16
- 3 Burden profile meter on the blast furnace top by microwave. Hiroshi Sakimura, *et al.* ..... S17
- 4 Burden distribution model considering the mixed layer formation in the center of the blast furnace. Yoshimasa Kajiwara, *et al.* ..... S18
- 5 Properties of burden distribution on the bell and the bell-less top charging. Ken-ichi Sato, *et al.* ..... S19
- 6 Simulation of burden distribution in bell-less top charging. Ken-ichi Okimoto, *et al.* ..... S20
- 7 Mathematical simulation of burden distribution in blast furnace. Toshimitsu Koitabashi, *et al.* ..... S21
- 8 Fundamental characteristics of burden and gas distribution under conditions of 30% pellets. (Studies on the control of burden and gas distribution in blast furnace shaft—VI). Tatsuro Ariyama, *et al.* ..... S22
- 9 Effect of the wear of refractory on the descending behavior of burden studied by a cold slice model. (Study on the descending behavior of burden in the peripheral part of blast furnace—I). Seigi Matsuda, *et al.* ..... S23
- 10 Exhaust gas recovery equipments in small bell hopper and its operation at Nos. 2 & 3 B.F.s in Mizushima Works, Kawasaki Steel Corp. Hideaki Oomori, *et al.* ..... S24
- 11 Top pressure recovery common turbine at Wakayama Nos. 2 & 3 blast furnaces, Sumitomo Metal Industries, Ltd. Takahisa Miyake, *et al.* ..... S25
- 12 Operation results of blast furnace facilities for saving energy at Yawata Works, Nippon Steel Corp. Shoji Nomura, *et al.* ..... S26
- 13 Burn out mechanism of blast furnace cooling plate. Hideaki Inoue, *et al.* ..... S27
- 14 Cooling down of Kakogawa No. 1 BF's hot stoves, Kobe Steel, Ltd. Ryuzo Oshima, *et al.* ..... S28
- 15 Studies on structural stability of hot stove partition wall by brick wall models. Kiyosi Ookawa, *et al.* ..... S29
- 16 Technical development on nuclear steelmaking plant—I. (R & D). Keiki Fujita, *et al.* ..... S30
- 17 Technical development on nuclear steelmaking plant—II. (Pilot plant). Tadao Matsumoto, *et al.* ..... S31
- 18 Step-wise reduction of iron oxide pellets having various porosities with CO-CO<sub>2</sub> gas mixtures at 800°C and 900°C. Takeaki Murayama, *et al.* ..... S32
- 19 Variation of the rate of CO reduction of iron ore pellets with the brand of the pellets. Takeaki Murayama, *et al.* ..... S33
- 20 Reduction rate of blended iron ores at elevating temperature. Ryo Watanabe, *et al.* ..... S34
- 21 Effect of phosphorus vapour on the reduction of hematite pellet. Kensuke Sassa, *et al.* ..... S35
- 22 Effects of sulfur on high temperature softening properties of iron ore pellets. Rokurō Kuwano, *et al.* ..... S36
- 23 Influence of additives upon the crushing strength of metallized pellets obtained by athermal reduction of green pellets. Shigeji Taniguchi, *et al.* ..... S37
- 24 Removal of alkalis in pellets with an addition of chloride and their properties. Hidetoshi Yamaguchi, *et al.* ..... S38
- 25 Improvement of softening and melting properties of pellets by means of two-layered structure. Katsuhiko Inoue, *et al.* ..... S39
- 26 Solubility state and crystallization process of quaternary calcium ferrite in processed iron ore. Tsutomu Ikeda, *et al.* ..... S40

#### April 3, 1981

- 27 The production of low SiO<sub>2</sub>-FeO sinter at Muroran No. 6 sinter machine, Nippon Steel Corp. (The investigation of the sintering mechanism—IV). Yozo Hosotani, *et al.* ..... S41
- 28 Operational results and conception of low SiO<sub>2</sub>-low FeO sinter ore at Oita Works, Nippon Steel Corp Jun Kitayama, *et al.* ..... S42
- 29 The effect of CaO/SiO<sub>2</sub>, MgO on the high temperature properties of sinter. (The study on the high temperature properties of blast furnace burdens—IV). Hirohisa Hotta, *et al.* ..... S43
- 30 The effect of SiO<sub>2</sub>, TiO<sub>2</sub> on the high temperature properties of sinter. (The study on the high temperature properties of blast furnace burdens—V). Hirohisa Hotta, *et al.* ..... S44
- 31 The effect of SiO<sub>2</sub> volume and basicity of sintered ore on the softening behavior under load. (The study on the property of high temperature of B.F. burdens—III). Kazuhiro Yamamoto, *et al.* ..... S45

32	The effect of SiO <sub>2</sub> amount and basicity in sinter property. Kazuhiro Yamamoto, <i>et al.</i> .....	S46
33	Influence of SiO <sub>2</sub> and Al <sub>2</sub> O <sub>3</sub> in sinter. Junsuke Haruna, <i>et al.</i> .....	S47
34	Relation between the reduction degradation index (RDI) and FeO in sinter. Masami Wajima, <i>et al.</i> .....	S48
35	The disintegration of agglomerates. Ichiro Shigaki, <i>et al.</i> .....	S49
36	Blow off of No. 1 blast furnace (second), Nagoya Works, Nippon Steel Corp. (Report on the dissection of No. 1 blast furnace (second), Nagoya Works, Nippon Steel Corp.—I). Kunihiro Imada, <i>et al.</i> .....	S50
37	Behavior of cold pellets in lumpy zone of blast furnace. (Report on the dissection of No. 1 Blast Furnace (second), Nagoya Works, Nippon Steel Corp.—II). Kengi Nosima, <i>et al.</i> .....	S51
38	Property of burden materials sampled from the blast furnace shaft during shut-down. (Study on the property of burden materials in the shaft of blast furnace—I). Junji Mochida, <i>et al.</i> .....	S52
39	Simulation study on the movement of solid particles in the lower part of the blast furnace. Koichi Isobe, <i>et al.</i> .....	S53
40	Cold model experiment and theoretical analysis on the two-phase flows of gas and liquid through the dropping zone of the blast furnace. Yu-Sheng Hsieh, <i>et al.</i> .....	S54
41	Numerical simulation of two-dimensional slag flow in the blast furnace hearth. Isao Ichihara, <i>et al.</i> .....	S55
42	Effect of the reactor geometry on the gas utilization coefficient in a countercurrent single-stage fluidized rotary bed. Kazuhiko Kobayashi, <i>et al.</i> .....	S56
43	Effect of catalytic action of reduced iron on CH <sub>4</sub> reforming reaction. Yoshimichi Takenaka, <i>et al.</i> .....	S57
44	Chemical failure of carbon blocks in blast-furnace bottom lining. Mitsuo Saitou, <i>et al.</i> .....	S58
45	Development of new carbon blocks for the blast furnace hearth. Tsunemi Ochiai, <i>et al.</i> .....	S59
46	Ultrasonic inspection of carbon blocks for blast furnaces. Kazuo Fujisawa, <i>et al.</i> .....	S60
47	Effect of temperature fluctuations on damage of silicon carbide refractories in the lower stack of blast furnace. Masato Kumagai, <i>et al.</i> .....	S61
48	Damage of silicon carbide refractories in the lower stack of blast furnace. Masato Kumagai, <i>et al.</i> .....	S62
49	Uniaxial tensile strength of refractories at high temperature. Fuminori Hikami, <i>et al.</i> .....	S63
50	Preferential attack of runner materials by slags at slag surface. Tatsuhiko Masuda, <i>et al.</i> .....	S64
51	Slag flow meter and apply to the slag granulation process. (Development of the slag flow meter—II). Haruo Ito, <i>et al.</i> .....	S65
52	Improvement of casting methods for blast furnace runners. Noboru Sumida, <i>et al.</i> .....	S66
53	Decrease of consumption unit of the refractory materials for trough at No. 6 BF, Chiba Works, Kawasaki Steel Corp. Toshio Nakamura, <i>et al.</i> .....	S67
54	Development of the dry type vibration process for blast furnace runner. Haruo Ito, <i>et al.</i> .....	S68

#### April 4, 1981

55	Development of cohesive zone sensor for blast furnace. (Development of estimating technique for profile of cohesive zone in blast furnace—I). Takashi Kobayashi, <i>et al.</i> .....	S69
56	Measurement of cohesive zone by a sensor and its correlation with shaft pressure change. (Development of estimating technique for profile of cohesive zone in blast furnace—II). Yutaka Yamada, <i>et al.</i> .....	S70
57	Mathematical model of gas flow and pressure distribution in blast furnace. (Development of estimating technique for profile of cohesive zone in blast furnace—III). Yutaka Yamada, <i>et al.</i> .....	S71
58	Formation of softening and melting zone after blowing-in of Kakogawa No. 2 BF, Kobe Steel, Ltd. Ryuichi Hori, <i>et al.</i> .....	S72
59	Examination of presuming the cohesive zone in blast furnace. (Experimental study on cohesive zone in blast furnace with hot model—III). Toshiyuki Irita, <i>et al.</i> .....	S73
60	Development of shaft diameter probe. (The development of a device for detecting the movement of burdens in the blast furnace—II). Isao Ogata, <i>et al.</i> .....	S74
61	Analysis of operating conditions of blast furnace using He-gas tracer. Atsushi Yamaguchi, <i>et al.</i> .....	S75
62	Reaction of SiO <sub>2</sub> in coke. Hiroji Sato, <i>et al.</i> .....	S76
63	A study of chemical reactions in the dripping zone in the blast furnace by a small hot model. Hideshi Katayama, <i>et al.</i> .....	S77
64	Production of pig iron with low silicon content. Kazuo Ichifuji, <i>et al.</i> .....	S78
65	A dynamic one-dimensional mathematical model of blast furnace operation. Hideho Kubo, <i>et al.</i> .....	S79
66	On the oil-less blast furnace operation with high shaft efficiency. Noriyuki Maekawa, <i>et al.</i> .....	S80
67	Technique for blast furnace operation with low fuel rate. Yoshinori Umezu, <i>et al.</i> .....	S81
68	Operation with low fuel rate at Kimitsu No. 4 blast furnace, Nippon Steel Corp. Hajime Ono, <i>et al.</i> .....	S82
69	Effect of size-segregated sinter charging on gas distribution in blast furnace. Masashi Isoyama, <i>et al.</i> .....	S83
70	Low fuel rate operation of Muroran No. 4 blast furnace, Nippon Steel Corp. Eiji Chikamatsu, <i>et al.</i> .....	S84
71	Low fuel rate operation of Oita No. 2 B.F., Nippon Steel Corp. Masatoshi Uchida, <i>et al.</i> .....	S85
72	Oita on-line data screening system for blast furnace, Nippon Steel Corp. Atsushi Kawasaki, <i>et al.</i> .....	S86
73	Automatic operation of stacker and collision avoidance system. (Automatization of stacker and	

	reclaimer—II). Noboru Yamashita, <i>et al.</i> .....	S87
74	Reduction of heat energy consumption in the sintering plant. Takeo Yamagata, <i>et al.</i> .....	S88
75	On the waste heat recovery system of Fukuyama No. 5 sinter plant, Nippon Kokan K.K. Kazushi Kitajima, <i>et al.</i> .....	S89
76	Mixcrushing test of serpentine with iron ore. Seiichi Isozaki, <i>et al.</i> .....	S90
77	The effect of particle size distribution of iron ore on sinter properties. Osamu Komatsu, <i>et al.</i> .....	S91
78	Effect of temperature on granulation using burnt-lime. Katsuhiro Takemoto, <i>et al.</i> .....	S92
79	Study of decrease of NO <sub>x</sub> gas in manganese sinter plant. Kazumasa Kato, <i>et al.</i> .....	S93
80	Influence of pore structure in coke on the CO and NO formation. (Combustion behavior of coke particle in the sintered layer—II). Yukihiro Hida, <i>et al.</i> .....	S94
81	Mineralogical characterization of fine iron ores for sintering. Jun Okazaki, <i>et al.</i> .....	S95
82	The quantification of iron ore sinter structure and the reductional quality. Satoru Suzuki, <i>et al.</i> .....	S96
83	Test operation of sintering using burnt dolomite. (Study on melting reaction of sintering—I). Wataru Fujiki, <i>et al.</i> .....	S97
84	Mineralogical phase distribution in the sinter bed. Kenji Torii, <i>et al.</i> .....	S98
85	The development of quality monitoring system of iron ore bed. (The project for quality stabilization of raw materials—I). Shin-ichiro Yamana, <i>et al.</i> .....	S99
86	The investigation of chemical composition fluctuation in raw material used for sinter. (The project for quality stabilization of raw materials—II). Shin-ichiro Yamana, <i>et al.</i> .....	S100
87	The effect of heat pattern on qualities of sinter. (Studies of heat pattern in sintering bed—III). Syunzi Yasumoto, <i>et al.</i> .....	S101
88	The result of measurement on air velocity along the sinter machine. Mitsuo Nozawa, <i>et al.</i> .....	S102
89	Simulation model of induration process of pellets. Noboru Sakamoto, <i>et al.</i> .....	S103
90	The reducibility of coke contained cold pellet. Junsuke Haruna, <i>et al.</i> .....	S104
91	Max fluidity estimation of high fluidity coal. Tatsuo Fukuyama, <i>et al.</i> .....	S105
92	Estimation of coke strength with petrographic properties of semi-coke. Tatsuo Fukuyama, <i>et al.</i> .....	S106
93	Basic studies for dilatation of coal. Kunihiko Nishioka, <i>et al.</i> .....	S107
94	Basic studies for coke strength. Shuhei Yoshida, <i>et al.</i> .....	S108
95	Effects of pretreating methods for coal charge on coke strength and their features. Tokuji Yamaguchi, <i>et al.</i> .....	S109
96	Effective components of SRC for producing coke. (Application of SRC for making blast furnace coke—IV). Mitsuhiro Sakawa, <i>et al.</i> .....	S110
97	Methods for the evaluation of metallurgical coals—II. —The evaluation of additive— Takashi Miyazu, <i>et al.</i> .....	S111
98	Effect of binder addition on coke strength after gasification of metallurgical coke. Haruhisa Iwakiri, <i>et al.</i> .....	S112
99	Reactivities of cokes from co-carbonization of coals with some pitches and residual oil. Kouji Sakata, <i>et al.</i> .....	S113
100	Study of coke quality in preheated coal charge. Takao Yamaki, <i>et al.</i> .....	S114
101	Influence of coal properties on the bulk density in reheated coal charge. Takao Yamaki, <i>et al.</i> .....	S115
102	Preheated coal charge operation in Muroran No. 6 coke ovens, Nippon Steel Corp. Kiyoshi Kushioka, <i>et al.</i> .....	S116
103	Automatic combustion control system of coke oven. Yasutaka Shihara, <i>et al.</i> .....	S117
104	High productivity operation of No. 2 coke oven in Nakayama Steel Works, Ltd. Mitsuo Ueda, <i>et al.</i> ...	S118
105	Improvement of the strength after CO <sub>2</sub> gasification of formed coke. (New development of formed coke process by two stage heating—VI). Katsuaki Kobayashi, <i>et al.</i> .....	S119
106	Degradation of cokes and chars during solution loss reaction. Mamoru Kamishita, <i>et al.</i> .....	S120
107	Size reduction of lump coke after CO <sub>2</sub> gasification. Tetsu Nishi, <i>et al.</i> .....	S121

— STEELMAKING —

April 2, 1981

108	Raman spectroscopic study on the structure of MnO—SiO <sub>2</sub> , FeO—SiO <sub>2</sub> and CaO—MeO—SiO <sub>2</sub> systems. Yasutaka Iguchi, <i>et al.</i> .....	S122
109	Instantaneous viscosity measurements of melts by an oscillating-plate viscometer using non-contact electro-optical system. Takamichi Iida, <i>et al.</i> .....	S123
110	Measurement of diffusivity of phosphorus in steelmaking slags. Kazuhiro Nagata, <i>et al.</i> .....	S124
111	Influence of sulfur and phosphorus on the dissolution rate of graphite into Fe—C alloy. Yoshihito Shigeno, <i>et al.</i> .....	S125
112	Distribution of phosphorus between 2CaO·SiO <sub>2</sub> and molten CaO—SiO <sub>2</sub> —Fe <sub>2</sub> O <sub>3</sub> slag. Kimihisa Ito, <i>et al.</i> .....	S126
113	Dephosphorization of hot metal with 2CaO·SiO <sub>2</sub> . Hitoshi Ono, <i>et al.</i> .....	S127

114	Dephosphorization of molten iron by calcium-silicate. Manabu Otori, <i>et al.</i> .....	S128
115	Dephosphorization of high-carbon-ferromanganese. Tooru Matsuo, <i>et al.</i> .....	S129
116	Removal of tramp elements in carbon steel by CaC <sub>2</sub> . Kazuo Kitamura, <i>et al.</i> .....	S130
117	Improvement of surface in C.C. slab. Akio Sato, <i>et al.</i> .....	S131
118	Improvement of surface quality of high-tensile strength steel on vertical-bending type slab caster. Hideaki Kojima, <i>et al.</i> .....	S132
119	The effect of secondary cooling on internal quality of continuously cast blooms. (Nippon Kokan K.K. large cross sectional bloom caster—IV). Yasutoshi Sasajima, <i>et al.</i> .....	S133
120	Considerations on longitudinal facial cracks of continuously cast slabs. Ken-ichi Sorimachi, <i>et al.</i> .....	S134
121	Formation of longitudinal facial cracks during continuous casting of slabs. Hakaru Nakato, <i>et al.</i> .....	S135
122	On the surface cracks caused by the bending test of small ingot. (The study on the surface cracks of continuously cast steel—II). Hiroyuki Yasunaka, <i>et al.</i> .....	S136
123	Method of inspection by laser for hot continuous slabs. Shin-ichi Gima, <i>et al.</i> .....	S137
124	Longitudinal surface crack. (Automatic detection of surface defects on hot continuous cast slabs—I). Haruo Miyano, <i>et al.</i> .....	S138
125	Development of temperature measurement in molten steel by BN insulating tube. Genpei Yaji, <i>et al.</i> ...	S139
126	Measurement of equilibrium distribution coefficient of phosphorus in carbon steel. Hisao Esaka, <i>et al.</i> .....	S140
127	Critical oxygen concentration for the formation of CO macroblowholes during solidification of iron. Masashi Hashiura, <i>et al.</i> .....	S141
128	Solidus temperature calculation equation of steel. Takateru Umeda, <i>et al.</i> .....	S142
129	Tundish board for C.C. Jun-ichi Fukumi, <i>et al.</i> .....	S143
130	Numerical flow simulation by outer nordal model. Minoru Yao, <i>et al.</i> .....	S144
131	Effect of tundish capacity and weir on non-metallic inclusions removal. Tokio Kato, <i>et al.</i> .....	S145
132	Studies on floatation of inclusions in tundish by water model. Yasutaka Yao, <i>et al.</i> .....	S146
133	Decrease of nonmetallic inclusions in slab casting by using shelter board in mold. Yūkoku Katou, <i>et al.</i> .....	S147
134	Improving fluid flow in mold with shelter board. (Study on minimizing technique and the behavior of nonmetallic inclusions in continuously slabs and measures taken to reduce them—III). Shigeaki Ogibayashi, <i>et al.</i> .....	S148

#### April 3, 1981

135	Influence of the mold powder in mold on the longitudinal cracks in continuously cast steel slabs. (Study on the mold powder technology in continuous casting—I). Taketo Nakano, <i>et al.</i> .....	S149
136	The necessary minimum thickness of the molten powder pool. (Study on the mold powder technology in continuous casting—II). Taketo Nakano, <i>et al.</i> .....	S150
137	Melting of mold powder and formation of the molten powder pool. (Study on the mold powder technology in continuous casting—III). Taketo Nakano, <i>et al.</i> .....	S151
138	Analyzing the behavior of continuous casting mold powder by a simulator. (Study on the mold powder technology in continuous casting—IV). Keisuke Asano, <i>et al.</i> .....	S152
139	Study of mould powder for continuous casting process. Michihiko Fujine, <i>et al.</i> .....	S153
140	Influence of mold powder on breakout caused by sticking. Hiromitsu Yamanaka, <i>et al.</i> .....	S154
141	New method to prevent break out during continuous casting operation. Akira Tsuneoka, <i>et al.</i> .....	S155
142	Elements of surface mark formation in continuous casting of steel. Wilfred Kurz, <i>et al.</i> .....	S156
143	Influence of oscillation on the solidification of steel in continuous casting mold. Toshikazu Sakuraya, <i>et al.</i> .....	S157
144	Improving mold cooling in continuous casting. Mamoru Yamada, <i>et al.</i> .....	S158
145	The application of tungsten carbide plasma spraying for coating mould surface of continuous caster. Tadasu Ookubo, <i>et al.</i> .....	S159
146	Application of Be-Cu for narrow face of C.C.-mold. Takashi Mori, <i>et al.</i> .....	S160
147	Shot blast machine for cleaning ingot mould. Hiroyuki Matsuyama, <i>et al.</i> .....	S161
148	Infiltration of slag in refractory with slagging phenomenon. Yoshimoto Wanibe, <i>et al.</i> .....	S162
149	An experiment on the wear of casting-pit refractories in vacuum. Hiroshi Nagayama. ....	S163
150	Repair to snorkel and throat lining of DH vessel by LAVAFLAME system. Hiromi Fukuoka, <i>et al.</i> .....	S164
151	The construction and operation of jumbo bloom caster. Katuyosi Matuo, <i>et al.</i> .....	S165
152	Operation aspects of No. 1 bloom-CCM in Wakayama Steel Works of Sumitomo Metal Industries, Ltd. Hiroki Sakamoto, <i>et al.</i> .....	S166
153	Development of the automatic control system for the wire-crane in Wakayama No. 1 bloom C.C. plant, Sumitomo Metal Industries, Ltd. Taro Uramoto, <i>et al.</i> .....	S167
154	Revamping of Fukuyama No. 4 slab C.C.M., Nippon Kokan K.K. Masaru Ishikawa, <i>et al.</i> .....	S168
155	High efficient operation of the slab caster in steelmaking plant III, Yawata Works, Nippon Steel Corp. Kenji Minami, <i>et al.</i> .....	S169

156	On shape of roll slit pieces of slabs. (Development of method for lengthwise slitting of continuously cast hot slabs—III). Kazumi Yasuda, <i>et al.</i> .....	S170
157	Embrittlement of steels at elevated temperature related to the continuous casting. Hirowo G. Suzuki, <i>et al.</i> .....	S171
158	Formation mechanism of surface cracks along the oscillation mark of C.C. slabs. Shigenori Tanaka, <i>et al.</i> .....	S172
159	Operation of continuous casting with air atomizing spray system. (A study on surface cracks of CC slab—I). Tatsuo Kuwabara, <i>et al.</i> .....	S173
160	Investigation of soft cooled slab surface cracks. (A study on surface cracks of CC slab—II). Hideyuki Misumi, <i>et al.</i> .....	S174
161	Improvement of slab surface cracks by air atomizing spray cooling. (A study on surface cracks of CC slab—III). Toshiki Yamamoto, <i>et al.</i> .....	S175
162	Improvements in surface quality of continuously cast special steels. (Establishment of technique about non-conditioning of continuously cast slabs—I). Ken Sugawara, <i>et al.</i> .....	S176
163	Improvements in surface conditioning method of continuously cast special steels. (Establishment of technique about non-conditioning of continuously cast slabs—II). Minoru Watanabe, <i>et al.</i> .....	S177
164	Improvement of surface quality of continuously cast stainless steel slabs. Yuji Tanaka, <i>et al.</i> .....	S178
165	Improvement of surface quality in continuously cast low alloy steel. Youichi Maruta, <i>et al.</i> .....	S179
166	Desulfurizing reaction of molten pig iron by Mg addition. Masaki Nariishi, <i>et al.</i> .....	S180
167	Dephosphorizing and desulphurizing treatment of pig iron at the large scale. Sigeaki Tonomura, <i>et al.</i> ...	S181
168	Optimum conditions for dephosphorization of pig iron. Kazusige Umezawa, <i>et al.</i> .....	S182
169	Desiliconization and desulfurization of hot metal. (Dephosphorization of hot metal and molten steel—II). Akihiko Hikosaka, <i>et al.</i> .....	S183
170	Dephosphorization of hot metal by injection of CaO flux. (Dephosphorization of hot metal and molten steel—IV). Jun-ichiro Katsuta, <i>et al.</i> .....	S184
171	Refining behaviour in dephosphorization process by injection of CaO flux. (Dephosphorization of hot metal and molten steel—IV). Hiroshi Matsumoto, <i>et al.</i> .....	S185
172	A study on the optimum slag composition for hot metal dephosphorization by the CaO based flux. Hideo Nakamura, <i>et al.</i> .....	S186
173	Dephosphorization and desulfurization of 4%C-Fe molten alloy with CaO-based fluxes containing halides. Kazuomi Harashima, <i>et al.</i> .....	S187
174	Dephosphorization of molten chromium-containing pig iron by $\text{Li}_2\text{CO}_3$ -CaO-CaF <sub>2</sub> -FeO flux. Takashi Yamauchi, <i>et al.</i> .....	S188
175	Mechanism of dephosphorization by soda slag and the oxygen pressure at the metal-slag interface. Kazuhiro Nagata, <i>et al.</i> .....	S189
176	Behaviour of vanadium during the pretreatment of hot metals by sodium carbonate. Yoshiyasu Shirota, <i>et al.</i> .....	S190
177	Removal of vanadium dissolved in liquid 4%C-Fe alloy with Na <sub>2</sub> CO <sub>3</sub> flux. Yoshimori Fukuda, <i>et al.</i> .....	S191
178	Study on entrapping and accumulating mechanism of inclusions in continuous casting slabs. Morio Kawasaki, <i>et al.</i> .....	S192
179	Influence of operating condition on the trapping of large skin inclusions in continuously cast bloom. Yasunari Tanefuji, <i>et al.</i> .....	S193
180	Countermeasure of semi-micro-inclusions in high-speed continuous casting slabs at turning points of ladles. Norio Sato, <i>et al.</i> .....	S194
181	Influence of sulfur and oxygen on erosion of immersion nozzle and blowhole formation in continuous casting of resulfurized steel. Yutaka Sinjo, <i>et al.</i> .....	S195
182	Behaviour of sulphides and oxides in low carbon sulphur free cutting steel by continuous casting process. Yoshiji Yamamoto, <i>et al.</i> .....	S196
183	Single heating rolling of wire rods from as-cast small size C.C. billets without grinding. (Continuous casting of stainless steel billets—VI). Tamaki Fujiyama, <i>et al.</i> .....	S197
184	Mould level control with tundish sliding nozzle for small size C.C. billets. (Continuous casting of stainless steel billets—VII). Kazuo Fukuda, <i>et al.</i> .....	S198
185	The formation and the suppression of blowholes during the solidification of aerated water. Eiichi Takeuchi, <i>et al.</i> .....	S200
186	The composition and the shape of non metallic inclusions in continuous casting slabs equivalent to rimmed steel. Eiichi Takeuchi, <i>et al.</i> .....	S201
187	Influence of electro-magnetic stirring in the mold on the negative segregation near the surface of C.C. bloom. (The technique of electro-magnetic stirring of C.C. bloom—IX). Kenzo Ayata, <i>et al.</i> .....	S202
188	Improvement of low carbon Al-killed steel by electro-magnetic stirring. (The technique of electro-magnetic stirring of C.C. bloom—X). Yasuhiko Ohta, <i>et al.</i> .....	S203
189	Development of mold level sensor for mold electromagnetic stirring. Hideki Yokoyama, <i>et al.</i> .....	S204

- 190 Influence of electro-magnetic stirring during initial stage of solidification. (Investigation of electro-magnetic stirring in mould in bloom-continuous-casting—I). Kou Miyamura, *et al.* ..... S205
- 191 Influence of electro-magnetic stirring in mould on the quality of continuous-casting bloom. (Investigation of electro-magnetic stirring in mould in bloom-continuous-casting—II). Shigenori Koga, *et al.* ..... S206
- 192 Quality improvement of continuously cast slab through conduction current electromagnetic stirring. Ken-ichi Tada, *et al.* ..... S207
- 193 Improvement of CC slab quality by conduction current/permanent magnet type E.M.S. (Application for SUS430 grade for improvement of roping). Yasuo Hitomi, *et al.* ..... S208
- 194 Electromagnetic stirring in horizontal continuous casting process. (Development of horizontal continuous casting—VI). Seishi Mizuoka, *et al.* ..... S209
- 195 Improvement of inner quality of steel by electromagnetic stirring in latter stage of solidification. (On the application of electromagnetic stirrer to continuous casting—II). Hideaki Mizukami, *et al.* ..... S210
- 196 Improvement of inner quality for CC slab by electromagnetic stirring. Yasunori Kato, *et al.* ..... S211
- 197 Improvement of internal quality of high carbon C.C. bloom by electromagnetic stirring. Koichi Kudo, *et al.* ..... S212
- 198 Twin round billet casting by S-type slab caster for seamless tube application—II. Ken-ichi Tada, *et al.* ..... S213
- 199 Estimation of gas entrainment of molten steel during teeming. Takao Choh, *et al.* ..... S214
- 200 Recirculating flow and mixing time in the gas injection process. Masamichi Sano, *et al.* ..... S215
- 201 Effects of stirring by gas blowing on metallurgical reactions. Noboru Demukai, *et al.* ..... S216
- 202 Development of new type secondary refining process by means of water model and some results of trial operation. Akira Notoh, *et al.* ..... S217
- 203 Mixing efficiencies in the gas injection agitation and the mechanical agitation. Shigeo Asai, *et al.* ..... S218
- 204 Penetration behavior of a solid particle into molten metal. Yoshio Watanabe, *et al.* ..... S219
- 205 Dispersion of gas injected with powder into mercury bath. Yoshiei Kato, *et al.* ..... S220
- 206 Behavior of penetration of solid particle into liquid metal. Yasuhisa Ozawa, *et al.* ..... S221
- 207 Induction of process computer to LD shop. Kenzō Hanada, *et al.* ..... S222
- 208 Development of the slag level gauge using microwaves. (Measurement of the slag foaming level in BOF—I). Akio Hatono, *et al.* ..... S223
- 209 Prediction of slopping by the slag level gauge. (Measurement of the slag foaming level in BOF—II). Kiyoshi Ichihara, *et al.* ..... S224
- 210 Detecting slopping of BOF by monitoring vessel pressure. Minoru Ishikawa, *et al.* ..... S225
- 211 Production of low-alloy steel (2.25%Cr-1%Mo) with low phosphorous content by LD-OTB process. Hideaki Fujimoto, *et al.* ..... S226
- 212 Development of slab separation technique by siphon tapping hole in LD converter. (Development of siphon tapping hole for converter—I). Hisashi Ohmori, *et al.* ..... S227
- 213 Plant experiment of siphon tapping hole. (Development of siphon tapping hole for converter—II). Toshiro Fujiyama, *et al.* ..... S228
- 214 The physicochemical interactions among Sn, S, Si and Cu during the vacuum melting of iron alloys. Rodolfo Morales, *et al.* ..... S229
- 215 Some characteristics of melting in vacuum induction melting. Yasuo Hirooka, *et al.* ..... S230
- 216 Development of ladle refining process on the production of low phosphorus steel. Yoshiteru Kikuchi, *et al.* ..... S231
- 217 Desulfurization and deoxidation of steel with flux. Hiroyuki Ichihashi, *et al.* ..... S232
- 218 Application of flux injection method for a super clean steel production. Kiyoshi Ichihara, *et al.* ..... S233
- 219 Deoxidation of molten steel in ladle by pulsating mixing. (Development of quick ladle refining of molten steel—III). Tetsuya Fujii, *et al.* ..... S234
- April 4, 1981**
- 220 Development of new slag disposal method. Shin-ichi Sasaki, *et al.* ..... S235
- 221 LD slag as an activator in supersulfated slag cement. Kazuyoshi Satō, *et al.* ..... S236
- 222 Study on stabilization of bottom blowing converter slag by aging. Takahisa Koshida, *et al.* ..... S237
- 223 Relations between disintegration characteristics and CaO phase distributions in slags. (Stabilization of LD converter slags by field aging—V). Katsura Tsuchiya, *et al.* ..... S238
- 224 Testing method of aging LD slags. (Stabilization of LD converter slags by field aging—VI). Koichi Arai, *et al.* ..... S239
- 225 Testing method of aging LD slags. Yoshikazu Nagao, *et al.* ..... S240
- 226 Effect of unslagged particle index (brown lump index) on swelling of LD slags. (Effect of unslagged brown particles on swelling of LD slags—I). Masaaki Matsushima, *et al.* ..... S241
- 227 Change in unslagged particle index (brown lump index) on field aging. (Effect of unslagged brown particles on swelling of LD slags—II). Masaaki Matsushima, *et al.* ..... S242

228	Effect of free lime of remelted LD slag on its swelling. (Effect of unslagged brown particles on swelling of LD slags—III). Masaaki Matsushima, <i>et al.</i> .....	S243
229	Effect of Mn, Al on the shape of high C and high Si ferro-nickel shot. Hiroshi Suzuki, <i>et al.</i> .....	S244
230	Thermodynamics of chromium oxide in CaO–MgO–Al <sub>2</sub> O <sub>3</sub> –SiO <sub>2</sub> melts. Masafumi Maeda, <i>et al.</i> .....	S245
231	Partition of chromium and sulphur between high chromium molten bath and slag. Hiroyuki Katayama, <i>et al.</i> .....	S246
232	Oxidizing behavior of high chromium molten bath in medium carbon range. Masatoshi Kuwabara, <i>et al.</i> .....	S247
233	Nitrogen addition to stainless steel melt by nitrogen gas injection in VOD process. Yoshioki Kamidate, <i>et al.</i> .....	S248
234	Improvement of packing powder and mechanical opening method for ladle sliding nozzles suitable for high temperature–long time refining in VOD. Masakazu Yoshida, <i>et al.</i> .....	S249
235	Oxidation of elements during refining of extra low C high Cr steel in VOD. Tsukasa Suzuki, <i>et al.</i> .....	S250
236	Application of magnesia dolomite brick for VOD ladle refractory. Naoki Shigematsu, <i>et al.</i> .....	S251
237	Measurement of oxygen pressure and temperature in metal slag and gas phases in Q-BOP converter by oxygen concentration cell. Kazuhiro Nagata, <i>et al.</i> .....	S252
238	Laboratory investigations on %sol. Al estimation through the use of oxygen probe. Hajime Nakamura, <i>et al.</i> .....	S253
239	Improvement of Al control of low carbon Al-killed steel by the oxygen probe. Koichi Ozawa, <i>et al.</i> .....	S254
240	Electroslag remelting of steels containing Ti and Al. Kazuo Hirose, <i>et al.</i> .....	S255
241	Heat transfer characteristics in ESR mold. Yasuo Kondo, <i>et al.</i> .....	S256
242	Study on the critical conditions for the formation of microporosity. Hitohisa Yamada, <i>et al.</i> .....	S257
243	Study on quality and mechanical property of unidirectionally solidified ingot. Mitsuo Tomonaga, <i>et al.</i> .....	S258
244	Effect of partition structure on the internal quality of steel ingot. Isamu Takagi, <i>et al.</i> .....	S259
245	Consideration of the formation mechanism of V-type segregation by cold model experiments. Hajime Inoue, <i>et al.</i> .....	S260
246	On the improvement of surface quality of bottom poured capped ingot. Masanori Uchikawa, <i>et al.</i> .....	S261
247	Improvement of slabbing yield by new shaped capped mold. Chitoshi Matsumura, <i>et al.</i> .....	S262
248	Development of unshaped riser insulating sleeve in pressure casting. Yusuke Iwanaga, <i>et al.</i> .....	S263
249	The influence of Mn contents in hot metal in Q-BOP. Hitoshi Morishita, <i>et al.</i> .....	S264
250	Wearing mechanism of tuyeres for Q-BOP/OBM. Ryoji Uchimura, <i>et al.</i> .....	S265
251	Elongation of bottom life on Q-BOP. Sumio Yamada, <i>et al.</i> .....	S266
252	Metallurgical feature of top and bottom blowing converter. (Development of top and bottom blowing converter—V). Rinso Tachibana, <i>et al.</i> .....	S267
253	Dephosphorization of hot metal by lime base flux. (Development of top and bottom blowing converter—VI). Rinso Tachibana, <i>et al.</i> .....	S268
254	Characteristics of the stirring of bath in basic oxygen furnace with combined blowing. Youichi Nimura, <i>et al.</i> .....	S269
255	Effects of the position of bottom-blowing nozzles on the characteristics of metallurgical reaction in 200-T LD-OTB converter. (Development of top and bottom blowing converter—VI). Hideaki Fujimoto, <i>et al.</i> .....	S270
256	Results of operation of combined blowing by 250 <sup>tr</sup> BOF. Yasuyuki Tozaki, <i>et al.</i> .....	S271
257	Development of stainless steel refining process by STB-process. Hidemasa Nakajima, <i>et al.</i> .....	S272
258	Mechanical properties of solidified steel at elevated temperatures near the melting point. Hiroshi Ogawa, <i>et al.</i> .....	S273
259	Mathematical model analysis of stress and strain in freely shrinking slabs in continuous casting mould. (Improvement in surface cracks in continuously cast slabs—II). Tooru Matsumiya, <i>et al.</i> .....	S274
260	Mathematical model analysis of growth of retarded solidification region in slabs in continuously casting mould and stress–strain concentration. (Improvement in surface cracks in continuously cast slabs—III). Tooru Matsumiya, <i>et al.</i> .....	S275
261	An analysis on side buldgings of continuous casting strands. Kunio Nagai, <i>et al.</i> .....	S276
262	Dynamical method of the analytical calculation of slab buldging during continuous casting by use of bending and shearing beam theory. Tooru Matsumiya, <i>et al.</i> .....	S277
263	Strain due to squeezing phenomena on bloom caster. Nobuyoshi Takashiba, <i>et al.</i> .....	S278
264	The measurement of load on rolls in continuous caster. Minoru Sakamoto, <i>et al.</i> .....	S279
265	On-line breaking test for roll bearings of CCM. (Study on a diagnosis of a low speed revolution machine—IV). Shigeru Izawa, <i>et al.</i> .....	S280
266	Development of roll-gap measuring apparatus in slab caster. Shigeru Imamura, <i>et al.</i> .....	S281



## — PLASTIC WORKING AND OTHER FABRICATION PROCESSES —

**April 2, 1981**

267	The experimental study on roll slitting of hot slabs. Yoneaki Fujita, <i>et al.</i> .....	S282
268	Method of on-line roll slitting of hot slabs. Ikuo Wakamatsu, <i>et al.</i> .....	S283
269	Characteristics of hot slabs slitting by disk-rolls. Shōhei Kanari, <i>et al.</i> .....	S284
270	Non-heat-rolling by up-set and insulate method. Hiroshi Wakasa, <i>et al.</i> .....	S285
271	Application of continuously cast beam blank for H-shapes with large web height. Hiroshi Okumura, <i>et al.</i> .....	S286
272	New flange spreading method of wide flange beam rolling. Shin-ichi Nagahashi, <i>et al.</i> .....	S287
273	Metal deformation in universal rolling of H-beam. Ken-ichi Yamamoto, <i>et al.</i> .....	S288
274	The application of zeroing by kissing roll to structural mill. Kiyotaka Morioka, <i>et al.</i> .....	S289
275	Production of sheet pilings by continuous rolling. Yūzō Numata, <i>et al.</i> .....	S290
276	Behaviors of nitrogen, nitrides and carbides in weld heat-affected zone. (Researches on improvement of toughness in weld heat-affected zone—I). Makoto Sato, <i>et al.</i> .....	S291
277	Mechanical properties and weldabilities of accelerating cooled BS1501-271B steel plate. Hidetoshi Imon, <i>et al.</i> .....	S292
278	Effects of welding defects and crystal grain size on impact characteristics of ERW-welded zone. Yoshihiro Watanabe, <i>et al.</i> .....	S293
279	Weldability of thick wall pipes with high frequency contact welding process. Koji Suzuki, <i>et al.</i> .....	S294
280	Properties of electron beam welded joint on line pipe steels. Kazuyoshi Ume, <i>et al.</i> .....	S295
281	Relation between welding condition and strength of welded joint in maraging steel sheet. Mitsutane Fujita, <i>et al.</i> .....	S296
282	Strength of welded joint in various maraging steels. Mitsutane Fujita, <i>et al.</i> .....	S297
283	Spot weldability of high strength steel sheets. Yoshiki Tanaka, <i>et al.</i> .....	S298
284	The relation between welding condition and quality on continuous butt welded (C.B.W.) tube. Makoto Inoue, <i>et al.</i> .....	S299

**April 3, 1981**

285	Web buckling of H-shapes. (Prevention of the residual deformation during cooling in hot-rolled sections—I). Ichiro Nakauchi, <i>et al.</i> .....	S300
286	Analysis of residual stress in rolled H-beam. Hiroshi Yoshida, <i>et al.</i> .....	S301
287	Development of the measurement device of dimensions and section of a large flange beam. Kiyotaka Inada, <i>et al.</i> .....	S302
288	Camber gauge meter for structural sections. Seita Terao, <i>et al.</i> .....	S303
289	Improvement of macro-band structure of plate from continuously cast slab by break-down process. Shiro Imai, <i>et al.</i> .....	S304
290	Improvement of weldability of plate from continuously cast slab by break-down process. Shiro Imai, <i>et al.</i> .....	S305
291	Hot extruded pipe production by direct piercing method. Jun Matsushima, <i>et al.</i> .....	S306
292	Piercing and elongating of seamless steel pipe in the ( $\alpha+\gamma$ ) temperature range. Fusao Togashi, <i>et al.</i> ....	S307
293	Effect of low temperature piercing and elongation on the toughness of seamless pipes. Kiyoshi Ishimoto, <i>et al.</i> .....	S308
294	Design of the elongator roll. (Plastic deformation analysis in cross rolling—III). Seishiro Yoshiwara, <i>et al.</i> .....	S309
295	Design of the elongator plug. (Plastic deformation analysis in cross rolling—IV). Seishiro Yoshiwara, <i>et al.</i> .....	S310
296	Design of the reeler pass. (Plastic deformation analysis in cross rolling—V). Seishiro Yoshiwara, <i>et al.</i> .....	S311
297	Development of the ultrasonic dimensional tube-ends measuring system. Masakazu Sano, <i>et al.</i> .....	S312
298	A study on forming load of 160 mm diameter thick-walled U.O. pipes. (Development of new method of stepped O-pressing for U.O. pipes—III). Wataru Mizutani, <i>et al.</i> .....	S313
299	Tensile properties of UOE pipe with round bar specimen. Isao Takada, <i>et al.</i> .....	S314
300	A study on forming load in 26 inch cage forming ERW pipe mill. Eiichi Yokoyama, <i>et al.</i> .....	S315
301	Effect of fin pass forming conditions on edge waves of thin wall thickness and large diameter ERW pipe. Eiichi Yokoyama, <i>et al.</i> .....	S316
302	Automatic control system of circumferential length using the length measuring device on spiral pipe mill. Katsuya Kondo, <i>et al.</i> .....	S317
303	Computer control of strip temperature for non-oxidizing furnace of continuous galvanizing line. Kazuo Maehara, <i>et al.</i> .....	S318
304	Computer control of strip temperature for jet cooling furnace of continuous galvanizing line.	

	Kazuo Maehara, <i>et al.</i> .....	S319
305	Study of oxygen concentration control box by flood flow experiment. (Study of coating weight control in galvanized steel strip—I). Katsushi Saito, <i>et al.</i> .....	S320
306	Zinc recovery system from top dross. Saburo Ito, <i>et al.</i> .....	S321
307	Fe-Zn reaction properties in galvanizing of P contained steel. Masaki Abe, <i>et al.</i> .....	S322
308	Effect of oxidizing-reducing conditions on the wettability of steel sheets containing Si. (Wettability of steels containing silicon by molten zinc—II). Jiro Sumiya, <i>et al.</i> .....	S323
309	Study on galvanizing and aluminizing of Si-contained steel sheets. Haruo Mori, <i>et al.</i> .....	S324
310	Production of Al/aluminized steel clad sheet by roll bonding. (Research and development of Al-clad steel sheet—I). Kazuhiro Takaki, <i>et al.</i> .....	S325
311	Mechanical properties and coating adhesion in Al-clad steel sheet. (Research and development of Al-clad steel sheet—II). Hisao Kawase, <i>et al.</i> .....	S326
312	DI formability and the structure of the surface film of phosphorus compound formed at high temperature. (Studies on the materials for DI can—II). Hirohumi Nakano, <i>et al.</i> .....	S327
313	Effect of non-metallic inclusions on flange cracking of DI can from tinplate. Hideo Kobayashi, <i>et al.</i> .....	S328
314	Mechanism of the formation of sulfide stains on tinplate. Tadashi Nemoto, <i>et al.</i> .....	S329
315	Plating conditions of Fe-Zn alloy electroplated steel sheet. (Development of Fe-Zn alloy electroplated steel sheet—I). Toshiyuki Honma, <i>et al.</i> .....	S330
316	Corrosion-resistance after painting of Fe-Zn alloy electroplated steel sheet. (Development of Fe-Zn alloy electroplated steel sheet—II). Masaru Omura, <i>et al.</i> .....	S331
317	Manufacturing method of Fe-Zn alloy electroplated steel sheet. (Development of Fe-Zn alloy electroplated steel sheet—III). Tatsuro Anan, <i>et al.</i> .....	S332
318	Influence of plating conditions on the alloy composition of Ni-Zn electroplated steel sheet. Tatsuo Kurimoto, <i>et al.</i> .....	S333
319	Examination of high efficiency of plating cell in electrogalvanizing line. Kito Oda, <i>et al.</i> .....	S334
320	Improvement of electrolytic deposition characteristics in Cu-plating from copper sulfate solution. Masaaki Urai, <i>et al.</i> .....	S335
321	Chromium-free conversion coating by the composite material of organic compounds and silicate for galvanized steel sheet. Masaaki Yamashita, <i>et al.</i> .....	S336
322	On the corrosion evaluation of painted galvanized steel. Yoshiaki Shimizu, <i>et al.</i> .....	S337
323	Gloss, hardness and flexibility of precoated metal for appliance use. Takeo Umetada, <i>et al.</i> .....	S338
324	Productive technique of ultra heavy gage plate. (Fundamental study on the central heavy reduction rolling method—I). Takeshi Hirasawa, <i>et al.</i> .....	S339
325	Application of on-line accelerated cooling (OLAC) to steel plate. (Utilization of OLAC in plate mill—I). Koshiro Tsukada, <i>et al.</i> .....	S340
326	Gaugemeter model for plate mill. Kazuo Omata, <i>et al.</i> .....	S341
327	Formation of scale marks of SUS 304 stainless steel during hot rolling. Masahiko Morita, <i>et al.</i> .....	S342
328	Mathematical model in hot rolling for stainless steel. Koji Kusumoto, <i>et al.</i> .....	S343
329	The effects of pre-shaping press method with parallel part. (Improvement of yield ratio in hot strip rolling—II). Hideki Tokita, <i>et al.</i> .....	S344
330	Reduction of fish-tail and width necking on the heavy width reduction rolling. Haruhiro Iyata, <i>et al.</i> .....	S345
331	Experimental results of continuous rolling loads in high reduction width rolling. Shuichi Hamauzu, <i>et al.</i> .....	S346
332	Study of skew rolling in hot strip mill. Teruo Hiramatu, <i>et al.</i> .....	S347
333	The facilities of the roll shop of Ohgishima hot strip mill, Nippon Kokan K.K.—I. (Philosophy & layout). Hiroshi Shibayama, <i>et al.</i> .....	S348
334	The facilities of roll shop of Ohgishima hot strip mill, Nippon Kokan K.K.—II. (Full automatic grinder of rolls with chock attached). Hiroshi Shibayama, <i>et al.</i> .....	S349
335	Strip profile control by chamfer-BR on a single stand. (Profile control for hot strip rolling—I). Sadakazu Masuda, <i>et al.</i> .....	S350
336	Development and actual operation to automatic width control system. (Automatic width control system at rougher in hot strip mill—I). Yoshimasa Yamasaki, <i>et al.</i> .....	S351
337	Model and technique of the automatic width control system. (Automatic width control system at rougher in hot strip mill—II). Masaharu Yamamoto, <i>et al.</i> .....	S352
338	Minus gauge deviation control by feed-forward AGC. Terumi Taniguchi, <i>et al.</i> .....	S353
339	Measurement of strip flatness in cold strip tandem mill. (Development of shape sensor applying an electromagnetic principle—II). Kazuhiro Hirohata, <i>et al.</i> .....	S354
340	Establishment of shape control system by shape sensor applying an electromagnetic principle. (Development of shape sensor applying an electromagnetic principle—III). Shuiti Hirasaki, <i>et al.</i> .....	S355
341	Shape controllability of cold rolling mill with variable crown back up rolls. Eizo Yasui, <i>et al.</i> .....	S356

- 342 An experimental comparison of shape control of skinpass mill. (A study on shape control of skinpass mill—I). Yuji Hirose, *et al.* ..... S357
- 343 Analysis on shape control of skinpass mill. (A study on shape control of skinpass mill—II). Kazuaki Hamada, *et al.* ..... S358
- 344 Computerized production control system of pickling line and cold tandem mill. Masao Wakamatsu, *et al.* ..... S359

#### April 4, 1981

- 345 Improved type of continuous reheating furnace. Tomio Tanaka, *et al.* ..... S360
- 346 Energy saving by revamping bottom soaking zone. Eishu Shimomukai, *et al.* ..... S361
- 347 Analysis of heat transfer in a reheating furnace by zoning method. Masahiro Abe, *et al.* ..... S362
- 348 An application of new-type bottom cooling method to hot strip. Takao Noguchi, *et al.* ..... S363
- 349 Effect of skid shift in hot skid pusher furnace. Kiyoshi Takagi, *et al.* ..... S364
- 350 Temperature measurement of hot slab or coil surface in furnace by radiation pyrometer. Yoshiaki Kaneda, *et al.* ..... S365
- 351 Application of the prediction of coil heating to the operation. (Optimum operation of Batch annealing furnace—III). Singo Fuzii, *et al.* ..... S366
- 352 Evaluation of sticker break of cold strip after batch annealing. Takashi Shibahara, *et al.* ..... S367
- 353 Plasma-arc gouging of billets. Saburo Tsurutani, *et al.* ..... S368
- 354 A rolling method of a selective cooled sheet to prevent loose structure defects in plate mill. Osamu Tsuda, *et al.* ..... S369
- 355 Study of optimum rolling process on improving loose structure. Syunji Saito, *et al.* ..... S370
- 356 Toughness design by controlling of directional forging ratio ( $l/l_0$ ). Masakazu Ohata, *et al.* ..... S371
- 357 Effect of forging condition on grain size of 18Cr-8Ni stainless steel forgings. Ishige Shigematsu, *et al.* ... S372
- 358 Use of Charpy test on workability. Tsunemichi Imai, *et al.* ..... S373
- 359 On the cold bending formability of plate. Takeo Suzuki, *et al.* ..... S374
- 360 Study of bow appearance in gang slitting. Kōji Ono, *et al.* ..... S375
- 361 UST defects on directly quenched steels. (Discussion on seamless materials). Hiroyoshi Suenaga, *et al.* ..... S376
- 362 Ultrasonic flaw detecting behavior of austenitic stainless steel welded pipe and tubing. (Ultrasonic flaw detection of austenitic stainless steel welded pipe and tubing—I). Taro Maeda, *et al.* ... S377
- 363 A new magnetization method for thin plate inclusion test using parallel conductor and ferromagnetic frame. Yoshiyuki Nagakura, *et al.* ..... S378
- 364 Roll wear in hot strip test mill. Junji Kihara, *et al.* ..... S379
- 365 Effect of oil lubrication on roll wear in hot strip test mill. Kazumoto Nakamura, *et al.* ..... S381
- 366 Effects of lubricant rolling on hot strip mill. Osamu Inayoshi, *et al.* ..... S382
- 367 Effect of rolling oil on plate rolling. Hiromichi Ban, *et al.* ..... S383
- 368 The effect of edge lubricant system at finishing stands of hot strip mill. Masayuki Miyatake, *et al.* ..... S384
- 369 Elastohydrodynamic properties of  $O/W$  emulsion. Yoshikazu Seino, *et al.* ..... S385
- 370 Production of mill-clean sheet with tallow based rolling oil. Shuichi Iwadoh, *et al.* ..... S386
- 371 Effects of C and Cr contents on fracture toughness and wear resistance of cold-rolling roll steel. Kazuo Yoshikawa, *et al.* ..... S387
- 372 Control of decarburization of wire rod during rolling. Toyoaki Eguchi, *et al.* ..... S388
- 373 Study on the characteristics of full continuous rolling of bars and rods. Matsuo Ataka, *et al.* ..... S389
- 374 Wear and deterioration on caliber roll surface of square and round bars with ultra high reduction. Akira Ohnuki, *et al.* ..... S390
- 375 On the application of magnetic marking method for fine wire drawing. Tuneo Kuwahata, *et al.* ..... S391
- 376 Properties of scales on steel wire rods and bars. Kimio Mine, *et al.* ..... S392
- 377 Electrolytic descaling of wires by indirect current flow method. Hiroo Nagano, *et al.* ..... S393
- 378 Electrolytic descaling of wires by direct current flow method. Hiroo Nagano, *et al.* ..... S394
- 379 Pitting in acid pickling of low carbon hot band. Masanobu Matubara, *et al.* ..... S395
- 380 Dissolution rate and performance of the Cr depleted layer of SUS304 hot rolled strip in pickling process. Masayuki Hino, *et al.* ..... S396
- 381 Control method on annealing scale of austenitic stainless steel. Wataru Murata, *et al.* ..... S397

#### — ANALYSES —

#### April 4, 1981

- 382 Determination of phosphorus and boron in steel, Fe-Ni alloy and Cu alloy by I.C.P. emission spectrometric analysis. Tetsuji Hayakawa, *et al.* ..... S398
- 383 Selection of internal standard for steel analysis by ICP-AES. Noritaka Sakao, *et al.* ..... S399
- 384 Influence of microstructure of samples on emission spectrometric analysis of steels.

	Takashi Sugihara, <i>et al.</i> .....	S400
385	Determination of aluminum in stainless steel with spectrochemical analysis. Hiroshi Fushida, <i>et al.</i> .....	S401
386	Automatic instrument for emission spectrometric analysis. Nobukatsu Fujino, <i>et al.</i> .....	S402
387	Application of optical fiber to emission spectrochemical analysis of steel. Akihiro Ono, <i>et al.</i> .....	S403
388	Hierarchical laboratory automation system by a minicomputer and microcomputers. Haruo Yamamura, <i>et al.</i> .....	S404
389	A new method for state analysis by X-ray micro analyzer. Isamu Taguchi, <i>et al.</i> .....	S405
390	New type of fluorescent X-ray spectrometer. Tadahiro Abe, <i>et al.</i> .....	S406
391	Determination of chlorine in slags by mercury thiocyanate-spectrophotometry and fluorescent X-ray spectrometry. Isamu Tanaka, <i>et al.</i> .....	S407
392	Sampling method for determination of micro amounts of nitrogen in molten iron. Yoshio Uzuki, <i>et al.</i> .....	S408
393	Improvement of the preciseness of slime method. Hiromu Kamio, <i>et al.</i> .....	S409
394	State analysis of Ca in steel by application of electrochemical separation. Yoshiko Funahashi, <i>et al.</i> .....	S410
395	Study on polishing method for trace analysis of oxygen in steel. Takamasa Takahashi, <i>et al.</i> .....	S411
396	Determination of nitrogen in gas soft nitriding steel by ion sensitive electrode method. Akemi Muraoka, <i>et al.</i> .....	S412
397	Determination of trace amounts of elements in steel by differential pulse anodic stripping voltametry. Hirofumi Kurayasu, <i>et al.</i> .....	S413

— PROPERTIES OF IRON AND STEEL —

**April 2, 1981**

398	Study on the makeup condition and the leak property of a 13 $\frac{3}{8}$ " surface casing pipe joint for a oil well. Kazushi Maruyama, <i>et al.</i> .....	S424
399	Study on the leak resistance and makeup property of tin, zinc plated and phosphate treated API oil well connections. Fuzimasa Kohyama, <i>et al.</i> .....	S425
400	Corrosion mechanism of reinforcement steel in concrete. Satoshi Ito, <i>et al.</i> .....	S426
401	Effect of load variation on stress corrosion cracking propagation in high strength 4340 steel. Shin Okayama, <i>et al.</i> .....	S427
402	Improvement of sulfide stress corrosion cracking resistivity of quenched and tempered 60 kg/mm <sup>2</sup> high tensile strength steels by surface decarburization. Osamu Furukimi, <i>et al.</i> .....	S428
403	Development of steel resistance to stress corrosion cracking in liquid ammonia. Yasuji Uesugi, <i>et al.</i> .....	S429
404	Mechanical properties of isothermally transformed Fe-C-V alloys. Yoshinao Mishima, <i>et al.</i> .....	S430
405	Mechanical properties of continuously cooled Fe-C-V-Ni alloys. Yoshinao Mishima, <i>et al.</i> .....	S431
406	Properties of low silicon 2 $\frac{1}{4}$ Cr-1Mo heavy section forged ring steel. Tutomu Sibata, <i>et al.</i> .....	S432
407	A 2 $\frac{1}{4}$ Cr-1Mo pressure vessel steel with improved elevated temperature strength. Toru Ishiguro, <i>et al.</i> .....	S433
408	Properties of heat treated BS1501-271B steel plates for pressure vessels at intermediate and moderate temperature services. Saburo Tani, <i>et al.</i> .....	S434
409	Effect of cold forming on mechanical properties of steel plates for pressure vessel. Takesi Kohriyama, <i>et al.</i> .....	S435
410	Temper embrittlement of simulated heat affected zone of 2 $\frac{1}{4}$ Cr-1Mo steel. Tomio Takagi, <i>et al.</i> .....	S436
411	The effect of applied stress on the temper embrittlement of 2 $\frac{1}{4}$ Cr-1Mo steels. Masahide Suzuki, <i>et al.</i> .....	S437
412	Irradiation embrittlement in 2 $\frac{1}{4}$ Cr-1Mo steel and its recovery during postirradiation annealing. Tatsuo Oku, <i>et al.</i> .....	S438
413	State analysis of nitrogen and its effect on creep properties of carbon and low alloy steels. Norio Shinya, <i>et al.</i> .....	S439
414	Principal component analysis of elevated-temperature data for carbon and Mo steels. Yoshio Monma, <i>et al.</i> .....	S410
415	100 000 h creep curve of carbon steel at 400°C. (Long-term creep test data at NRIM—XXII). Shin Yokoi, <i>et al.</i> .....	S441
416	Safety factor and predicted 100 000~300 000 h rupture strength for Cr-Mo steel. (Long-term creep test data at NRIM—XXIII). Akimitsu Miyazaki, <i>et al.</i> .....	S442
417	Influence of foreign oxides in sintered iron sheets on tensile strength at elevated temperature and fatigue strength. Yoshikazu Suzuki, <i>et al.</i> .....	S443
418	Creep properties and microstructure changes of Cr-Mo and Cr-Mo-V cast steels used for steam turbine casing. Satoshi Igari, <i>et al.</i> .....	S444
419	Effect of hydrogen on creep rupture properties of A.387 Gr.D steel in 9.91 MPa hydrogen at 773 K. Kiyoshi Yokogawa, <i>et al.</i> .....	S445
420	The calculative extrapolation method for creep rupture data for any stress and temperature.	

	H. B. Chen, <i>et al.</i> .....	S446
421	High-temperature strength of composite tubes. (Thermal strain analysis by a three-bar-assembly analogy—I). Katsuyuki Tokimasa, <i>et al.</i> .....	S447
422	Cracking behaviour in full size SSC test. (Study on fracture behaviour of line pipe steel under sour gas environment—III). Tadaaki Taira, <i>et al.</i> .....	S448
423	Correlation of cracking behaviour between full size SSC test and laboratory HIC test. (Study on fracture behaviour of line pipe steel under sour gas environment—IV). Tadaaki Taira, <i>et al.</i> .....	S449
424	Hydrogen induced cracking on seamless line pipe steel produced by continuous casting process. Hiromi Fujii, <i>et al.</i> .....	S450
425	Effect of metallurgical factors on the HIC susceptibility of the segregated zone in line pipe steel. Kazuaki Matsumoto, <i>et al.</i> .....	S451
426	Evaluation of environmental condition and steels in sour gas line pipe. Toshihide Kotera, <i>et al.</i> .....	S452
427	Prevention of hydrogen induced cracking in ERW line pipe. Toshio Nakazawa, <i>et al.</i> .....	S453
428	Exposure test of large size line pipe in wet H <sub>2</sub> S environment. Akira Yamashita, <i>et al.</i> .....	S454
429	Effect of manufacturing condition of hot rolled steel sheet on formability of steel tube. Jun-ichi Karasawa, <i>et al.</i> .....	S455
430	Mechanical properties of ERW high strength line pipe API5LXX70 in Nb-V-Ti steel. Fumihiko Onishi, <i>et al.</i> .....	S456
431	Effect of carbide morphology and phosphorus on the deep-drawability of cold-rolled steels. Satoshi Ono, <i>et al.</i> .....	S457
432	Development of 55 kgf/mm <sup>2</sup> class cold-rolled high strength steel sheets for deep drawing. (Development of UAD-annealed HSLA steel sheets—III). Katsumi Kamenno, <i>et al.</i> .....	S458
433	Effect of retained austenite on tempering behavior of box-annealed dual phase steel sheet. Atsuki Okamoto, <i>et al.</i> .....	S459
434	Spot weldability of high strength sheet steels. (Research and development of high strength steel sheet for automobiles—XIX). Arinobu Yamada, <i>et al.</i> .....	S460
435	Rephosphorized high strength cold-rolled steel sheets with high $\bar{r}$ value and high bake-hardenability produced by continuous annealing. (Research and development of high strength steel sheet for automobiles—XII). Kazuo Koyama, <i>et al.</i> .....	S461
436	Effects of continuous annealing conditions on yield point elongation and bake-hardenability. (Research and development of high strength steel sheet for automobiles—XV). Osamu Akisue, <i>et al.</i> .....	S462
437	Present status of continuous annealing process and products—I. (Research and development of high strength steel sheet for automobiles—XVI). Tōru Toshimitsu, <i>et al.</i> .....	S463
438	Present status of continuous annealing process and products—II. (Research and development of high strength steel sheet for automobiles—XVII). Kunishige Kaneko, <i>et al.</i> .....	S464
439	Effect of heat treatment on galvanealed dual phase steel. (Research and development of high strength steel sheet for automobiles—XVIII). Koji Kishida, <i>et al.</i> .....	S465
440	Effect of wave form on the low cycle fatigue life of a low alloy steel at elevated temperature. Asao Narumoto, <i>et al.</i> .....	S466
441	Fatigue behavior of SUS316 stainless steel proper to FBR temperature. Isamu Nonaka, <i>et al.</i> .....	S467
442	Fatigue properties of the materials for BWR piping system. (Low-cycle fatigue and crack growth properties—I). Ken-ichi Tanaka, <i>et al.</i> .....	S468
443	High-temperature, high-cycle fatigue strength of a corrosion-resisting and heat-resisting superalloy NCF2B. Kenji Kanazawa, <i>et al.</i> .....	S469
444	Influence of metallurgical factors on fatigue characteristics of seam welds in electric resistance welded STK41 steel pipe. Kunihiro Kobayashi, <i>et al.</i> .....	S470
445	Fatigue strength of seam welds of pipes used for pipe lines. Shigeto Matsumoto, <i>et al.</i> .....	S471
446	Corrosion fatigue crack propagation behaviour of high tensile strength steel in low temperature service. Ryuichiro Ebara, <i>et al.</i> .....	S472
<b>April 3, 1981</b>		
447	Corrosion inhibitors for sour gas environments. Kazuyuki Suzuki, <i>et al.</i> .....	S473
448	pH measurement of high pressure CO <sub>2</sub> gas saturated synthetic sea water. Ryo Matsuhashi, <i>et al.</i> .....	S474
449	Influence of test conditions on weight loss corrosion in sulfide stress corrosion cracking test. Teruo Kaneko, <i>et al.</i> .....	S475
450	Effect of test solution on Shell type 3-point bent SSC test. (A study of the sulfide stress corrosion cracking test—II). Kazuo Yamamoto, <i>et al.</i> .....	S476
451	Stress corrosion cracking of steels in aqueous solution of low hydrogen sulfide concentration. Kuniaki Motoda, <i>et al.</i> .....	S477
452	Use of the DCB specimen in SSC test. Toru Shimada, <i>et al.</i> .....	S478
453	Effect of potential on sulfide stress corrosion cracking of steels. Yasuyosi Yamane, <i>et al.</i> .....	S479
454	Effect of stress grade on H.I.C. (Electric-resistance-welded line pipe for sour gas service—I)	

	Hiroshi Murayama, <i>et al.</i> .....	S480
455	Improvement in crack propagation by microstructure. (Electric-resistance-welded line pipe for sour gas service—II). Hiroshi Murayama, <i>et al.</i> .....	S481
456	Size of plastic region in front of the precrack tip and $J_{Tc}$ value in several types of structural steels. Osamu Kamiya, <i>et al.</i> .....	S482
457	$J_{Tc}$ fracture toughness at transition and upper shelf regions. (Study on evaluation of elastic-plastic fracture toughness of nuclear reactor pressure vessel steels using small specimens—I). Tsuneo Kodaira, <i>et al.</i> .....	S483
458	Estimation of $J-R$ curve by electrical potential method. (Study on evaluation of elastic-plastic fracture toughness of nuclear reactor pressure vessel steels using small specimens—II). Tsuneo Kodaira, <i>et al.</i> .....	S484
459	Stress intensity factor during crack propagation in an ESSO test specimen. Yoshifumi Nakano .....	S485
460	Correspondence of fracture initiation period with fracture surface in drop weight test. (Analysis of fracture behaviour in drop weight test by measuring load-time curve—II). Makoto Shibasaki, <i>et al.</i> .....	S486
461	Effect of manufacturing condition of drop weight test specimens preparation on nil-ductility transition temperature. Shin-ichi Kushida, <i>et al.</i> .....	S487
462	Effect of phosphorus, sulfur, nitrogen and aluminium on brittle fracture of ferritic-pearlitic steel. Toshimitsu Fujii, <i>et al.</i> .....	S488
463	On the metallurgical factors controlling the scatter of crack opening displacement. Yokimi Kawashima, <i>et al.</i> .....	S489
464	Discriminant analysis of shear fracture propagation in gas pipeline. Takahiro Fujita, <i>et al.</i> .....	S490
465	Partial gas-pressurized burst test for line pipes. (Study on propagating shear fracture—III). Masatoshi Tsukamoto, <i>et al.</i> .....	S491
466	Circumferentially notched round bar subjected to axial load. (Study on brittle fracture strength of structural member with circular section—I). Akira Kiuchi, <i>et al.</i> .....	S492
467	Surface notched round bar. (Study on brittle fracture strength of structural member with circular Section—II). Akira Kiuchi, <i>et al.</i> .....	S493
468	Effect of carbon content on mechanical properties of heat-resisting steel with 9~10% chromium. Kentaro Asakura, <i>et al.</i> .....	S494
469	Effects of melting method and minor elements in 10Cr-2Mo-V-Nb heat resisting steel. Yasushi Koubuchi, <i>et al.</i> .....	S495
470	Effect of C, Ni on the high temperature properties and toughness of 12%Cr steel. Ik-Min Park, <i>et al.</i> ...	S496
471	Change in creep fracture mechanism and microstructure of type 304 stainless steel. Hideo Tanaka, <i>et al.</i> .....	S497
472	On the relation between intermediate-temperature ductility drop and grain-boundary carbides of 18Cr-12Ni-N stainless steel. Yoshihiro Uematsu, <i>et al.</i> .....	S498
473	Creep-fatigue behavior of SUS316 stainless steel aged for 10 000 hr at 650°C. Koichi Yagi, <i>et al.</i> .....	S499
474	Elevated temperature mechanical properties of heavy section SUS321 stainless steel forgings. Akihiko Ikegaya, <i>et al.</i> .....	S500
475	Internal stress of austenitic heat resisting steel with large amount of precipitates during creep. Manabu Tanaka, <i>et al.</i> .....	S501
476	Observation on deformation substructure under creep-fatigue interaction condition. Hiroshi Iizuka, <i>et al.</i> .....	S502
477	The effect of Ti/Al ratio on creep rupture strength of cold worked gamma prime precipitation hardened Fe-14Cr-30Ni alloys for fast breeder reactor fuel clad tubes. Hiroyuki Uchida, <i>et al.</i> .....	S503
478	Elevated temperature properties and microstructure of 25Cr-25Ni heat resistant steels. Yoshiatsu Sawaragi, <i>et al.</i> .....	S504
479	Effect of Ti/Al ratio and $\eta$ phase on the mechanical properties of a precipitation-strengthened Fe-base superalloy. Tomohito Iikubo, <i>et al.</i> .....	S505
480	Characteristics of a heavy A286 disk for gas turbines. Tetsuo Yamada, <i>et al.</i> .....	S506
481	Notch-tensile creep properties of nickel-base superalloy single crystal. Takashi Horie, <i>et al.</i> .....	S507
482	Behavior of precipitates in niobium-containing centrifugal cast heat-resisting steel during creep rupture test at 1 050°C. (Study on precipitates and strength of niobium-containing centrifugal cast alloy tubes—I). Kotaro Yamamoto, <i>et al.</i> .....	S508
483	Relationship between creep-rupture strength and microstructural change of niobium containing centrifugal cast heat-resisting alloy tubes. (Study on precipitates and strength of niobium-containing centrifugal cast alloy tubes—II). Tsutomu Yoshida, <i>et al.</i> .....	S509
484	Oxidation behaviour of ferritic stainless steels in high temperature atmospheres containing H <sub>2</sub> O and O <sub>2</sub> . Yoshiaki Shida, <i>et al.</i> .....	S510
485	The behavior of nitriding and carburizing for heat resisting alloys. Yoshiki Kamemura, <i>et al.</i> .....	S511
486	Structure and hot corrosion resistance of aluminide coating and platinum-aluminide coating for Ni-base	

	superalloys. Mitsuo Chigasaki, <i>et al.</i> .....	S512
487	Effect of the salt composition on hot corrosion of mechanical alloy MA754 in Na <sub>2</sub> SO <sub>4</sub> -NaCl mixture. Yōichi Araki, <i>et al.</i> .....	S513
488	High temperature properties of aluminized or chromized cast nickel-base superalloys. Yutaka Koizumi, <i>et al.</i> .....	S514
489	Development of steel plate for low temperature service manufactured by strict controlled rolling including lower reheating temperature. Masaaki Nakamura, <i>et al.</i> .....	S515
490	Effect of heat-treat condition on strength and toughness in 3.5%Ni steel for low temperature service. Shigehiko Yoshimura, <i>et al.</i> .....	S516
491	The relation between solution and precipitation of S and fracture surface in 9%Ni cast steel. Koh-ichi Kohshiro, <i>et al.</i> .....	S517
492	Safety criteria for above-ground storage tanks and its application to 9%Ni steel. —Brittle fracture characteristics of 9%Ni steel—. Kazushige Arimochi, <i>et al.</i> .....	S518
493	Improvement of hot ductility in 9%Ni steels. Tetsuya Sampei, <i>et al.</i> .....	S519
494	Low temperature ductility in some ferritic cryogenic steels containing nickel. Kotobu Nagai, <i>et al.</i> .....	S520
495	Non-magnetic steel wire for prestressed concrete. Makoto Mizuhara, <i>et al.</i> .....	S521
496	Effect of Ti, B, Zr on the hot workability in high manganese non-magnetic steels. Takemitsu Honjo, <i>et al.</i> .....	S522
497	Characteristics and operation of multipurpose continuous annealing line. Yuji Shimoyama, <i>et al.</i> .....	S523
498	Production and application of dual phase cold-rolled steel sheets by KM-CAL. Jyunsuke Takasaki, <i>et al.</i> .....	S524
499	Effect of cooling rate on strengthening of continuously annealed cold-rolled steel sheet. (Research and development of high strength steel sheet for automobiles—XIII). Shogi Nosaka, <i>et al.</i> .....	S525
500	Production of low strength dual-phase cold-rolled steel sheet. (Research and development of high strength steel sheet for automobiles—XIV). Yoshikuni Furuno, <i>et al.</i> .....	S526
501	Manufacturing method of dual phase sheet steel with high <i>r</i> value and low yield strength. Koichi Hashiguchi, <i>et al.</i> .....	S527
502	Dual phase sheet steel with high <i>r</i> value and low yield strength by box and continuous combination annealing method. Koichi Hashiguchi, <i>et al.</i> .....	S528
503	Relation between hole expansion formability and metallurgical factors of dual-phase steel sheets. Akihiko Nishimoto, <i>et al.</i> .....	S529
504	The effects of second phase structure and <i>r</i> -value on the stretch flanging formability and toughness of drawing cup of high strength cold-rolled sheet steel. (Development of ferrite-bainite(-martensite) sheet steel—I). Hiromi Hori, <i>et al.</i> .....	S530
505	Texture and toughness changes during deep drawing of ferrite-bainite-martensite sheet steel. (Development of ferrite-bainite(-martensite) sheet steel—II). Zen-ichi Shibata, <i>et al.</i> .....	S531
506	Effects of chromium or silicon additions on the mechanical properties of dual-phase steels produced by DPR process. Takashi Furukawa, <i>et al.</i> .....	S532
507	Effects of alloying elements and deformation on transformation behaviour of as-hot-rolled dual-phase steel. (Production of as-hot-rolled dual-phase steel—I). Toshiyuki Kato, <i>et al.</i> .....	S533
508	Effect of controlled cooling on the mechanical properties of as-rolled dual phase steel. (Production of as-hot-rolled dual-phase steel sheet—II). Nobuo Aoyagi, <i>et al.</i> .....	S534
509	Influence of alloy elements and coiling temperature on the properties of as-hot-rolled dual-phase steel sheet. (Production of as-hot-rolled dual-phase steel sheet—III). Masayoshi Kuwagata, <i>et al.</i> .....	S535
510	Effects of hot rolling condition and heat treatment parameters on mechanical properties in hot-rolled dual phase steel. (Optimum manufacturing ways of heat-treated high strength steel). Tomoyoshi Okita, <i>et al.</i> .....	S536
511	Development of as-rolled dual phase high strength steel strip. Kazuo Miñnoya, <i>et al.</i> .....	S537
512	Production technology and properties of dual-phase sheet steels as hot rolled. (Research and development of high strength steel sheet for automobiles—XI). Kazuyoshi Esaka, <i>et al.</i> .....	S538
513	Influence of chemical composition and heat treatment conditions on the mechanical properties of reheating type dual phase steels. Takeshi Okuyama, <i>et al.</i> .....	S539
514	Mechanical properties of ferrite-bainite-martensite steel. (Development of ferrite-bainite(-martensite) sheet steel—III). Takafusa Iwai, <i>et al.</i> .....	S540
515	Nb added ferrite-bainite high strength hot-rolled sheet steel with improved formability. (Development of ferrite-bainite(-martensite) sheet steel—IV). Shoji Kanbe, <i>et al.</i> .....	S541
516	The effect of microstructure on the characteristics of flush butt welded high strength hot-rolled sheet steel. (Development of ferrite-bainite(-martensite) sheet steel—V). Shun-ichi Hashimoto, <i>et al.</i> .....	S542
517	Formability, weldability, fatigue properties and corrosion resistance of dual phase hot-rolled high strength steels. Taiichi Satoh, <i>et al.</i> .....	S543
518	Fractography of fatigue crack propagation in rail steels. (Study on fatigue properties of rails—III). Shin-ichi Nishida, <i>et al.</i> .....	S544

519	The residual stress and its effect on the fatigue strength of heat-treated rails. (A study on the residual stress of rail—III). Chikayuki Urashima, <i>et al.</i> .....	S545
520	The effect of surface machining and repeated loading on sub-critical quenching. (Improvement of fatigue strength in press fitted axles by means of sub-critical quenching—V). Ryōji Takahashi, <i>et al.</i> .....	S546
521	Fractographic examination of fatigue fracture for carburized steel. Chitoshi Masuda, <i>et al.</i> .....	S547
522	Rotating bending fatigue strength of vacuum carburized JIS-SCM420 steels. Katsunori Takada, <i>et al.</i> .....	S548
523	Retardation to fatigue crack growth in a high carbon steel. Makoto Saito, <i>et al.</i> .....	S549
524	Fatigue strength of VC coated steels. Hironori Fujita, <i>et al.</i> .....	S550
525	Fatigue property and their improvement of galvanized steel. Takashi Abe, <i>et al.</i> .....	S551
526	Fatigue behaviour of HT60-mild steel clad. Kunihiko Kobayashi, <i>et al.</i> .....	S552
527	High temperature field ion microscopy of iron whiskers. Masao Doyama, <i>et al.</i> .....	S553
528	Martensitic structure of Fe-4Cr-0.4C steel. Sang-Baek Won, <i>et al.</i> .....	S554
529	Decomposition process of martensite-island formed in a high strength steel. Hiroshi Kobayashi, <i>et al.</i> .....	S555
530	Prediction of TTT start curves of proeutectoid ferrite in Fe-C alloys. Takashi Obara, <i>et al.</i> .....	S556
531	The behavior of austenite grain growth on rapid heat treatment. Yasufumi Fujishiro, <i>et al.</i> .....	S557
532	Effect of alloying elements on the grain growth in dual-phase steel. Myeong Yong Wey, <i>et al.</i> .....	S558
533	Influence of quenched microstructures on temper softening resistance. (Tempering properties of low alloy steels—I). Terutaka Tsumura, <i>et al.</i> .....	S559
534	Effect of Cr- or Mo-content on the toughness of high strength steels. Tetsuya Saito, <i>et al.</i> .....	S560
535	Design of an automatic heat treatment apparatus for multiple experimental purpose. Tetsuya Sampei, <i>et al.</i> .....	S561
536	Effect of aluminum and nitrogen contents on precipitation behavior of aluminum nitride in steel. Takeshi Takahashi, <i>et al.</i> .....	S562
537	Effect of Al and N contents in through-hardening steels. (The effect of Al and N on the hardenability of low alloy steels—III). Shoichi Asano, <i>et al.</i> .....	S563
538	On the grain growth characteristics of boron-treated case-hardening steels. (The influence of cold work—II). Susumu Kanbara, <i>et al.</i> .....	S564
539	Toughness of boron-treated high strength structural steel. Fukukazu Nakasato, <i>et al.</i> .....	S565
540	The influence of rolling temperature and cold rate on hardness of SCM bar. Shuzō Fukunaga, <i>et al.</i> .....	S566
541	The relationship among hot working conditions, recrystallization behavior, and mechanical properties of machine structural alloy steels. Katsunori Takada, <i>et al.</i> .....	S567
542	Accelerated delayed fracture test of steels for high-strength bolts. Takuzo Ichihara, <i>et al.</i> .....	S568
543	Study on surface roughness of low carbon rephosphorized resulfurized free-cutting steel on an automatic screw-machine. Yoshio Nanba, <i>et al.</i> .....	S569
544	Effects of forging temperature and alloying elements (Si, Al) on the toughness of hot forged bars. Yoshiharu Tanaka, <i>et al.</i> .....	S570
545	The quality of CrMoV rotors: Effects of vacuum carbon deoxidation, extra low sulfur content and ESR. Masayoshi Okamura, <i>et al.</i> .....	S571
546	Mechanical properties of an HILP Model rotor forging. Tateo Ohhashi, <i>et al.</i> .....	S572
547	Effects of silicon and phosphorus contents on temper embrittlement of low carbon NiCrMo steel. Kiyoshi Uchida, <i>et al.</i> .....	S573
<b>April 4, 1981</b>		
548	On the reliability of crystallite orientation distribution analysis. Seiichirou Tani, <i>et al.</i> .....	S574
549	Secondary recrystallization at 3% silicon steel decarburized completely by steel making process. Yakichirō Kawamo, <i>et al.</i> .....	S575
550	Effects of hot rolling conditions on the secondary recrystallization of grain oriented silicon steel. Ujihiro Nishiike, <i>et al.</i> .....	S576
551	Effects of inhibiting force on the texture of secondary recrystallized grains. (Behavior of secondary recrystallization in the grain-oriented silicon-steel with high permeability—IV). Kenzo Iwayama, <i>et al.</i> .....	S577
552	Effects of cold rolling reduction and AlN precipitate morphology and primary recrystallization texture formation in high permeability grain oriented silicon steel. Munetsugu Matsuo, <i>et al.</i> .....	S578
553	Effects of the "inter-pass aging" during cold rolling on the texture formation in high-permeability grain-oriented silicon steels. Mitsuru Tanino, <i>et al.</i> .....	S579
554	Effect of austenitizing conditions on the Ms temperature of cold mill roll steel. Susumu Matsui, <i>et al.</i> .....	S580
555	Effect of alloying elements on heat checking resistance of hot work tool steels. Kunio Namiki, <i>et al.</i> .....	S581
556	Effect of heat treatment on the structure and properties of 0.8C-4Cr-4Mo-1V steel.	



	H. B. Chen, <i>et al.</i> .....	S582
557	The effects of Si and Mn in spring steels for high stress use. Ryohei Kobayashi, <i>et al.</i> .....	S583
558	Application of precipitation hardening for spring steels for high stress use. Toshio Ozone, <i>et al.</i> .....	S584
559	Quality of high carbon steel rod produced from C.C. bloom—I. —SWRH72A~62A—. Kazuhiko Minami, <i>et al.</i> .....	S585
560	Quality of high carbon steel rod produced from C.C. bloom—II. —SWRH82B—. Takahiko Nagamatsu, <i>et al.</i> .....	S586
561	Effect of Co and Ti contents on the delayed fracture of 260 kgf/mm <sup>2</sup> grade maraging steels. Tomohito Iikubo, <i>et al.</i> .....	S587
562	Strengthening of 350 kgf/mm <sup>2</sup> grade maraging steel through special thermomechanical treatment. Seiichi Muneki, <i>et al.</i> .....	S588
563	Multiple regression analysis of change in mechanical properties due to alloying in 13Ni-15Co steels. Mitsutane Fujita, <i>et al.</i> .....	S589
564	Creep rupture properties of the heat-resisting alloys for nuclear steel making in air. Kisaburo Koike, <i>et al.</i> .....	S590
565	Deterioration during creep in air of the heat-resisting alloys for nuclear steelmaking. Takashi Arai, <i>et al.</i> .....	S591
566	Creep rupture properties of the heat resisting alloys for nuclear steelmaking in impure helium and reducing gas. Heitaro Yoshida, <i>et al.</i> .....	S592
567	Comparison of creep rupture properties of the heat resisting alloys for nuclear steelmaking in helium environments with different impurity contents. Fujio Abe, <i>et al.</i> .....	S593
568	Corrosion of the heat resisting alloys for nuclear steelmaking in helium and high temperature steam environments. Toshiyuki Hirano, <i>et al.</i> .....	S594
569	High temperature properties of the heat resisting alloys for nuclear steelmaking in reducing gas. Heitaro Yoshida, <i>et al.</i> .....	S595
570	Hydrogen permeation of the heat resisting alloys for nuclear steelmaking. Naoki Kishimoto, <i>et al.</i> .....	S596
571	Specimen size effect in creep test in VHTR He environment. Tatsuo Kondo, <i>et al.</i> .....	S597
572	Applicability of law of mixtures on creep strength under the influence of environment. Manabu Tamura, <i>et al.</i> .....	S598
573	Creep-rupture behavior of Inconel 617 in carburizing helium environment. Kazuaki Mino, <i>et al.</i> .....	S599
574	Corrosion and creep rupture properties of Inconel 617 in a simulated HTGR helium. Yoshikazu Sakai, <i>et al.</i> .....	S600
575	Auger surface analysis of aged Ni-base superalloys. Kiyoshi Kiuchi, <i>et al.</i> .....	S601
576	Irradiation embrittlement in Ni- and Fe-based heat resistant alloys at elevated temperatures. Katsutoshi Watanabe, <i>et al.</i> .....	S602
577	Ll <sub>2</sub> continuous solid solution of the pseudo-binary system Ni <sub>3</sub> Al-Co <sub>3</sub> Ti. Shoshi Kawatsu, <i>et al.</i> .....	S603
578	Modification of alloys TM-49 and TM-47. (Nickel-base superalloys by alloy design—VI). Hiroshi Harada, <i>et al.</i> .....	S604
579	Alloy design for high strength nickel-base superalloys. (Nickel-base superalloys by alloy design—VII). Hiroshi Harada, <i>et al.</i> .....	S605
580	The effect of grain size on the high temperature characteristics of TM-49 alloy. Hidehiro Onodera, <i>et al.</i> .....	S606
581	The effects of Ni content on the corrosion resistance of ferritic stainless steel. Akio Yamamoto, <i>et al.</i> ...	S607
582	Effect of BA oxide film on corrosion resistance of type 430 stainless steel. Riichi Todoroki, <i>et al.</i> .....	S608
583	Observations of grain aggregates with similar orientations in a 17%Cr stainless steel sheet. Takuji Shindo, <i>et al.</i> .....	S609
584	Factors controlling toughness in type 434 stainless steel. (Effects of alloying elements on toughness and ductility of welds of SUS 434 stainless steel—IV). Tetsu Sakamoto, <i>et al.</i> .....	S610
585	Trial production of low finned tubes with 18Cr-Ti ferritic stainless steels and their corrosion resistance. Kazuo Fujiwara, <i>et al.</i> .....	S611
586	Effects of composition on hot cracking susceptibility in ferritic stainless steel weld metals. Nobushige Koresawa, <i>et al.</i> .....	S612
587	Effect of reverted austenite on the mechanical properties of 13Cr-3.8Ni cast steel. Yoshitaka Iwabuchi, <i>et al.</i> .....	S613
588	Few characteristics of weldments of 19Cr-2Mo stainless steel welded with modified 316L filler metals. Yoichiro Araya, <i>et al.</i> .....	S614
589	Measurement of X-ray elastic coefficient of two-phase stainless steel at high temperature. Noboru Tani, <i>et al.</i> .....	S615
590	Influence of various factors on the precipitation of $\sigma$ phase in a duplex phase stainless steel. Yasuhiro Maehara, <i>et al.</i> .....	S616
591	Embrittlement of the hot-rolled dual phase stainless steels. Ryuichi Hasegawa, <i>et al.</i> .....	S617
592	Effect of cold working on the mechanical properties of 15Cr-7Ni precipitation hardenable stainless steels.	

	(Development of precipitation hardenable martensitic stainless steel for spring materials—III). Sadao Hirotsu, <i>et al.</i> .....	S618
593	Effect of alloying elements on mechanical properties of 17Cr-7Ni hard material. (Development of high strength stainless steel—I). Hiroshi Hiramatsu, <i>et al.</i> .....	S619
594	Effect of hydrogen on formability of 17Cr-7Ni hard material. (Development of high strength stainless steel—II). Hidehiko Sumitomo, <i>et al.</i> .....	S620
595	The effect of Mn, Ni, N on magnetism and cold hardenability for austenitic stainless steel screw wire rod. Kin-ya Wakimoto, <i>et al.</i> .....	S621
596	Effects of cold-rolling and Ni equivalent on the tensile behavior of austenitic stainless steels at cryogenic temperature. Toshio Ogata, <i>et al.</i> .....	S622
597	Decrease of $\delta$ -ferrite of 18-8 stainless steel at hot rolling temperature. Yukio Yashima, <i>et al.</i> .....	S623
598	SCC resistance of large size stainless steel forged pipe and fittings for primary loop piping of LWR. Mikio Kusuhashi, <i>et al.</i> .....	S624
599	Material properties of heavy section type 347 stainless steel forging made from 140 ton ingot. (Study of manufacturing technology of heavy stainless steel—II). Masamichi Okamoto, <i>et al.</i> .....	S625
600	Production of drawing quality cold strip. (Development of process and products for continuous annealing line—VII). Masaharu Jitsukawa, <i>et al.</i> .....	S626
601	Nitrogen absorption in cold-rolled steel sheets during the annealing in $H_2-N_2$ gas. Shun-ichi Nishikida, <i>et al.</i> .....	S627
602	Investigations on strain aging at room temperature of cold-roll sheets. Osamu Shibasaki, <i>et al.</i> .....	S628
603	Strain-ageing in low-carbon aluminium-killed steel. Tsuyoshi Mimura, <i>et al.</i> .....	S629
604	Effects of chemical compositions of steel sheets on the adherence of direct-on enamel. Teruo Kurokawa, <i>et al.</i> .....	S630
605	Production of new material for shadow mask from continuously cast A.K. steel. (Development of new shadow mask steel for TV set—I). Hideo Yamana, <i>et al.</i> .....	S631
606	Annealing technique prior to stamping of shadow mask steel. (Development of new shadow mask steel for TV set—II). Katsuhiko Tayama, <i>et al.</i> .....	S632
607	A study of non-metallic inclusions in thin steel plate by fine radiography. Masao Iritani, <i>et al.</i> .....	S633
608	Relation between velocities of elastic waves and textures in steel sheets. Hajime Kitagawa, <i>et al.</i> .....	S634
609	Effect of interrupted accelerated cooling after controlled rolling at $\gamma$ and $\alpha$ two phase region on mechanical properties of steels. Tomoyoshi Okita, <i>et al.</i> .....	S635
610	Effect of controlled cooling on the mechanical properties in the controlled rolled steels with and without vanadium. Masahiro Machida, <i>et al.</i> .....	S636
611	Effects of chemical compositions and accelerated cooling after controlled rolling on fine-grained ferrite-bainite steel plates. Chiaki Shiga, <i>et al.</i> .....	S637
612	Development of X80~X90 class high toughness steel plates utilized for constructing large diameter pipes with fine ferrite bainite structures. Takeshi Choji, <i>et al.</i> .....	S638
613	Dynamic recrystallization of austenite in several steels. Tadashi Maki, <i>et al.</i> .....	S639
614	Influence of rolling conditions on the development of transformation textures in control-rolled steel. Hirosuke Inagaki, <i>et al.</i> .....	S640
615	Detection of separation in controlled rolled steels with acoustic emission. Ken-ichi Sano, <i>et al.</i> .....	S641
616	The effect of controlled rolling on microstructure and mechanical properties of Si-Mn steels. Motomu Kimura, <i>et al.</i> .....	S642
617	Low Si-Al-B treated $2\frac{1}{4}$ Cr-1Mo steel with low susceptibility to temper embrittlement. Seiichi Watanabe, <i>et al.</i> .....	S643
618	On the creep embrittlement of $1\frac{1}{4}$ Cr- $\frac{1}{2}$ Mo steel. Seiichi Watanabe, <i>et al.</i> .....	S644
619	Effect of carbon content on hydrogen attack of $2\frac{1}{4}$ Cr-1Mo steel. Ryuichi Chiba .....	S645
620	Strain controlled <i>vs.</i> stress controlled hydrogen induced fracture in 5%Ni-Cr-Mo steel. Yorimasa Takeda, <i>et al.</i> .....	S646
621	Effect of Al on the hydrogen attack for synthetic weld heat-affected zone of 1Cr- $\frac{1}{2}$ Mo steel. Iwao Takase, <i>et al.</i> .....	S647
622	Effect of stress-relief annealing temperature on the hydrogen attack for synthetic weld heat-affected zone of $2\frac{1}{4}$ Cr-1Mo steel. Iwao Takase, <i>et al.</i> .....	S648
623	Study on hydrogen embrittlement susceptibility in various temper embrittled Cr-Mo steels by fracture toughness test. Masaaki Katsumata, <i>et al.</i> .....	S649
624	Study on hydrogen embrittlement susceptibility in various temper embrittled Cr-Mo steels by impact test. Masaaki Katsumata, <i>et al.</i> .....	S650

## Symposia\*

## — IRONMAKING —

- April 3, 1981 13:00~17:00** Chairman: Yasuo Omori; Vice-chairman: Minoru Sasaki  
 Theme I. The Role of Sinter and Pellets on Blast Furnace Performance.
- 1 Production of low SiO<sub>2</sub> sinter by addition of the fine-grain flux. Kiyoshi Tashiro, *et al.* ..... A1
  - 2 Operating conditions and the properties requisite for sinter. Hideomi Yanaka, *et al.* ..... A5
  - 3 New technology producing pellets more suitable for blast furnace performance.  
Takeshi Sugiyama, *et al.* ..... A9
  - 4 The influence of sinter properties on blast furnace and its evaluation. Tomio Miyazaki, *et al.* ..... A13
  - 5 Influence of reducibility of burden materials on gas utilization in a blast furnace.  
Koichi Hayase, *et al.* ..... A17

## — STEELMAKING —

- April 4, 1981 13:00~17:00** Chairman: Koichi Tagiri  
 Theme II. Energy Saving in Continuous Casting Process
- 6 Direct charging of continuously cast slab into reheating furnace. Takemi Yamamoto, *et al.* ..... A21
  - 7 Energy saving by improving surface quality of slab in continuous casting. Kuninori Tihara, *et al.* ..... A25
  - 8 Improvement of continuously cast slab surface quality and increase of HCR at Kakogawa Works, Kobe  
Steel, Ltd. Minoru Kitagawa, *et al.* ..... A29
  - 9 Recent improvements on hot charging of continuous cast slabs. Masahisa Tate, *et al.* ..... A33
  - 10 Hot charging of continuously cast slab for plate in Kashima Steel Works, Sumitomo Metal Industries,  
Ltd. Tuguharu Ueda, *et al.* ..... A37

## — PLASTIC WORKING AND OTHER FABRICATION PROCESSES —

- April 4, 1981 13:00~17:00** Chairman: Kichizaemon Nakagawa  
 Theme III. Mathematical Model for Estimating Deformation Resistance in Hot Rolling of Steels
- 11 Mathematical model of deformation resistance in hot rolling of steels. Junji Kihara ..... A41
  - 12 Mathematical model of deformation resistance with reference to unrecovered strain during pass interval.  
Yoshiyuki Saito, *et al.* ..... A45
  - 13 Mathematical model of deformation resistance in controlled rolling of steels.  
Sadahiro Yamamoto, *et al.* ..... A49
  - 14 Estimation of rolling force in computer controlled hot rolling of plates and strip.  
Yoshisuke Misaka, *et al.* ..... A53
  - 15 Structural changes and deformation resistance during hot deformation of carbon steels at high strain rate.  
Hiroshi Yada, *et al.* ..... A57

## — PROPERTIES OF IRON AND STEEL —

- April 3, 1981 13:00~17:00** Chairman: Kiyokazu Ogawa  
 Theme IV. Recent Trend of Surface Hardening Treatment of Steels
- 16 Internal carburization of steel. Akira Chiba, *et al.* ..... A61
  - 17 Ion-nitriding of tool steel. Takao Takase ..... A65
  - 18 Microstructure and fatigue properties of the ion nitride steels. Hyoe Ono, *et al.* ..... A69
  - 19 Toughness of carbide coated steels by molten salt dipping method. Tohru Arai, *et al.* ..... A73
  - 20 Coated high speed tool steels by ion plating. Muneaki Tesaki, *et al.* ..... A77
- April 3, 1981 13:00~17:00** Chairman: Masabumi Inoue  
 Theme V. Properties of High Manganese Non-magnetic Steels and Their Problems
- 21 Properties of high manganese non-magnetic steels and high applications. Terufumi Sasaki, *et al.* ..... A81
  - 22 Physical and mechanical properties of the non-magnetic low carbon high manganese steels.  
Chiaki Ouchi, *et al.* ..... A85
  - 23 Effect of the carbide precipitation on toughness and corrosion behavior of high manganese non-magnetic  
steels. Takashi Matsuoka, *et al.* ..... A89
  - 24 Effects of heat treatment and cold working on the magnetic properties of high manganese non-magnetic  
steels. Osamu Saeki, *et al.* ..... A93

\* The preprints of symposia were published in *Tetsu-to-Hagané*, 67 (1981), No. 2, A1 to A108 in Japanese.

- 
- 25 Improvement of machinabilities of high manganese non-magnetic steels. Tetsuo Kato, *et al.* ..... A97  
26 On austenitic high-manganese iron alloys for cryogenic use. Keisuke Ishikawa, *et al.* ..... A101  
27 Some features of low carbon-25% manganese-chromium-nickel austenitic steel.  
Hiroki Masumoto, *et al.* ..... A105