

The 104th ISIJ Meeting Programme*

SYMPOSIA

-- IRONMAKING --

Chairman: Masanori Tokuda

Theme I. The Behaviour of Si in the Blast Furnace

- 1 Significance of Si in iron- and steelmaking processes and some problems in the reduction mechanism of SiO_2 in the blast furnace. Masanori Tokuda, et al. A117
- 2 Source of Si in hot metal and its reduction mechanism. Kichiya Suzuki, et al. A121
- 3 The operation of Nagoya No. 1 blast furnace with low Si containing iron. Tamio Noda, et al. A125
- 4 Analyses of Si in pig iron by mathematical simulation model of the blast furnace. Chisato Yamagata, et al. A129
- 5 Manufacture of pig iron with low Si content in the blast furnace and its theoretical analysis. Seiji Taguchi, et al. A133

-- STEELMAKING --

Chairman: Tsutomu Mori

Theme II. Quality of Continuously Cast Slabs and Blooms and

Mechanical Properties of Steels at High Temperatures

- 6 Characteristics of the hot ductility and cracking sensitivity of continuously cast steels. Hiro-o Suzuki, et al. A137
- 7 Microscopic direct observation of weld solidification fronts and cracking in carbon steel. Yoshioki Honda, et al. A141
- 8 Mathematical model of slab bulging during continuous casting. Toru Matsumiya, et al. A145
- 9 Internal crack formation and its prevention in continuously cast slabs. Masanori Nakamura, et al. A149
- 10 Influence of soft cooling in mold on the formation of longitudinal facial cracks of continuously cast slabs. Katsuo Kinoshita, et al. A153
- 11 Surface cracks in continuously cast slabs and their prevention. Mikio Suzuki, et al. A157
- 12 Elimination of surface cracks in continuously cast slabs. Shigeaki Ogibayashi, et al. A161
- 13 Surface cracks in continuously cast blooms. Hiroyuki Yasunaka, et al. A165

-- PLASTIC WORKING AND OTHER FABRICATION PROCESSES --

Chairman: Iwao Takai

Theme III. Recent Technology for Seamless Pipe Production

- 14 CAD/CAM system for seamless tube rolling. Toshio Tanaka, et al. A169
- 15 Theoretical analysis of plastic deformation in Mandrel mill rolling. Tomoyuki Hirakawa, et al. A173
- 16 Computer control of wall thickness in Mandrel mill rolling. Tateo Yamada, et al. A177
- 17 Process computer control system for medium diameter seamless pipe rolling. Fusao Togashi, et al. A181

* Tetsu-to-Hagané, 68(1982), No. 11 contains S665 to S1054 preprints in Japanese of Paper Presentations and Tetsu-to-Hagané, 68(1982), No. 12 does S1055 to S1508 preprints of them.
The preprints of Symposia were published in Tetsu-to-Hagané, 68(1982), No. 10, A117 to A247, in Japanese.

-- PROPERTIES OF IRON AND STEEL --

Chairman: Noboru Masuko

Theme IV. Application of Stochastic Theory to Steel Corrosion

- 18 A stochastic study of stress corrosion cracking life for stainless steels in simulated BWR environment. Masatsune Akashi, et al. A185
- 19 Evaluation of stress corrosion cracking life of austenitic stainless steels in high temperature pure water. Kazuharu Hattori, et al. A189
- 20 Pitting rate and life expectancy of carbon steel (Statistical and probabilistic analyses of corroded pipes in practice). Masaharu Honda, et al. A192
- 21 A statistical analysis of the corrosion of steel structures. Satoshi Ito, et al. A196
- 22 Stochastic approach to analyse the effect of alloying elements on the pitting resistance of ferritic stainless steels. Toshio Shibata, et al. A199
- 23 Statistical nature of crevice corrosion behavior. Yuichi Ishikawa, et al. A203
- 24 Probabilistic evaluation of critical potential and incubation time for crevice corrosion of type 444 steel. Shigeo Tsujikawa, et al. A207

Chairman: Tomo-o Tanaka

Theme V. Fundamentals and Application of Controlled Rolling and Controlled Cooling Processes

- 25 The mechanical properties of controlled cooled steel and its application. Tamotsu Hashimoto, et al. A211
- 26 Influence of microstructure on the strength and toughness of control-rolled and accelerate-cooled high tensile strength steel. Hirotsuke Inagaki A215
- 27 Strength and ductility in a mixed ferrite and martensite steel produced by controlled-rolling and controlled-cooling process. Toshiaki Yutori, et al. A219
- 28 Mechanical properties and microstructure of controlled cooled steels. Masahiro Machida, et al. A223
- 29 Effects of cooling rate and finish-cooling temperature on properties of the plates controlled-rolled and accelerated-cooled. Chiaki Shiga, et al. A227
- 30 Effect of controlled rolling and controlled cooling on the metallurgical properties of plate steel. Yasumitsu Onoe, et al. A231
- 31 Mechanical properties of steel plates produced by on-line accelerated cooling and advantage of its application. Koshiro Tsukada, et al. A235
- 32 Valuations of controlled rolling and controlled cooling steel plates examined at fabricator's viewpoint. Takesuke Kohno, et al. A239
- 33 Fracture toughness of 50 kgf/mm² class new-CR process steel plates. Hiroshi Yajima. A243

P A P E R P R E S E N T A T I O N S

-- PLASTIC WORKING AND OTHER FABRICATION PROCESSES --

SEPTEMBER 27, 1982

- 391 Properties of ultra heavy plates by manufactured from unidirectionally solified ingots. Motonori Uemura, et al. S1055
- 392 Experimental study for sumilating center portion heavy reduction rolling process. (Productive technique of ultra heavy gage plate by rolling process--II). Sadakazu Masuda, et al. S1056
- 393 Application of center portion heavy reduction rolling process in actual mill. (Productive technique of ultra heavy gage plate by rolling process--III). Takeshi Hirasawa, et al. S1057
- 394 Properties of ultra heavy gage plates produced by center protion heavy reduction rolling process. (Productive technique of ultra heavy gage plate by rolling process--IV). Seishi Tsuyama, et al. S1058
- 395 Closing of porosities in CC slabs by partial rolling. Takashi Ariizumi, et al. S1059
- 396 The effect of buck-up roll eccentricity control with hydraulic AGC. Tetsuro Kanaya, et al. S1060
- 397 Improvement of accuracy of steel plate thickness by using "SUPER A.G.C.". Tetsuro Hatakeyama, et al. S1061

398	Deformation characteristics of DBR. (Plane view control in plate rolling (Development of DBR method)--II). Sadakazu Masuda, et al.	S1062
399	Effect of flatness control on plate rolling. Masatoshi Inoue, et al.	S1063
400	Crownmeter in plate mill. Yoshiaki Kaneda, et al.	S1064
401	Equipment for on-line controlled cooling of plate. (Continuous on-line-control process--VI). Masaki Umeno, et al.	S1065
402	The construction and operation of automatic heat treatment facilities for plates. Yoshihiro Ehira, et al.	S1066
403	Mathematical model of stress-strain curve at high temperature. Takehide Senuma, et al.	S1067
404	The data sheet of hot deformation resistance. Yoshihiro Hoshida, et al.	S1068
405	An experimental method for load prediction during hot working by plasticine model test. Shin-ichi Ono, et al.	S1069
406	Data management system for continuous casting process by central business computer. Kunioki Ichinose, et al.	S1070
407	Development of total scheduling system for C.C.-hot rolling process. (Development of total control system for C.C.-hot rolling process--I). Hideo Kuwamoto, et al.	S1071
408	Development of management system for yard storing hot slabs. (Development of total control system for C.C.-hot rolling process--II). Tadateru Endo, et al.	S1072
409	Computer system to make up production lot for HCR (hot charge rolling) process at Oita steel works of Nippon Steel Corp. Kunioki Ichinose, et al.	S1073
410	Computer control system for CC-DR process. Yuuji Chida, et al.	S1074
411	Shape mill automatic control system. Masayuki Tsuji, et al.	S1075
412	Development of on-line system for steel product delivery in Oita Works, Nippon Steel Corp. Fujihiko Igami, et al.	S1076
413	Development of a multipurpose laser welder. Shigeki Taniguchi, et al.	S1077
414	Operation and facility of no-man controlled rust preventive cooling yard. Masaji Watanabe, et al.	S1078
415	Development of automatic binding machine for slitted coils. Tomoo Nishi, et al.	S1079
416	One cause of deflection of slitter arbor. Kouji Ono, et al.	S1080
417	Realization into operation of non-heat-rolling. (Non-heat-rolling by upset and insulated method--II). Hiroshi Wakasa, et al.	S1081
418	The improvement of handling method in billet rolling by C.C. bloom. Hiroshi Kawase, et al.	S1082
419	Bloomer mill line tracking and quality classification system. Ken-ichi Matsui, et al.	S1083
420	Oxidation behavior of surface crack on billet production process. (Study on production of billet without surface defect--I). Isao Sugawara, et al.	S1084
421	Influence of forging process on the mechanical properties of rotor material. Itaru Tamura, et al.	S1085
422	The influences of reheating conditions on the decarburization of high-silicon spring steel. (The studies on production of high-silicon spring steel--II). Hideo Kanisawa, et al.	S1086
423	Development of the control equipment of ring top edge's fall address and ring bottom edge's acceleration in the field of wire rod. Takeo Iioka, et al.	S1087
424	Inhibition of scale of wire rods by phosphate coating. Teppei Tamura, et al.	S1088
425	Development of process control computer system for Muroran wire rod mill of Nippon Steel Corp. Hiroyuki Kazuno, et al.	S1089
426	Deformability of carbon spring steel wires in flat-rolling. Keisuke Ikeda, et al.	S1090
427	Texture and delamination behavior of drawn pearlitic steel wires as a function of the patented rod diameter. Yutaka Kanetsuki, et al.	S1091

SEPTEMBER 28, 1982

428	Electrodeposition behavior of Fe-Zn alloys from a chloride bath. Masaru Omura, et al.	S1092
429	Structure of the deposit from iron-zinc alloy electroplating using a chloride bath. Toshiyuki Honma, et al.	S1093
430	Development of metal-organic composite coated steel sheet for rust prevention of automobile. (Metal-organic composite coated steel sheet--I). Joji Oka, et al.	S1094
431	Effect of the metal and organic film thickness on corrosion resistance and formability. (Metal-organic composite coated steel sheet--II). Joji Oka, et al.	S1095
432	Loss of paint adhesion to steel sheets for automobiles in water-immersion test. (A study on the paint adhesion of steel sheets for automobiles--I). Yoichi Ito, et al.	S1096

433	The testing method of film adhesion of steel sheets for automobile after water immersion. (A study on the paint adhesion of steel sheets for automobiles-II). Shigeru Naitou, et al.	S1097
434	Effect of the composition of zinc-rion alloy electroplated on paint adhesion test after water immersion. Kenji Miki, et al.	S1098
435	Phosphate coating below the coated film in the corrosion environment. Kazuko Uchida, et al.	S1099
436	Methods of formability evaluation of coated steel sheets. Tadafumi Honda, et al.	S1100
437	Development of horizontal type-electroplating cell capable of adjacent electrode and strip. (Development of new electroplating process--II). Yasuo Shimokawa, et al.	S1101
438	Development of horizontal type-electroplating cell capable of high speed and high current density plating. (Development of new electroplating process--III). Hirofumi Nakano, et al.	S1102
439	High efficient operation of horizontal type-electroplating cell in the commercial line. (Development of new electroplating process--IV). Katsushi Saito, et al.	S1103
440	Behavior of masking coat on hot dipped one side galvanizing. Shigeru Kobayashi, et al.	S1104
441	Manufacturing method of ultra-thin gauge full hard cold-rolled steel sheet for galvanizing from continuous casted slab. Hideo Kuguminato, et al.	S1105
442	Effects of continuous direct heating on adhesion of galvanized coatings. Yoshitsugu Ando, et al.	S1106
443	Galvanized layer characteristics of Si-containing steel. Yasuo Tsuchiya, et al.	S1107
444	The influence of impurities in iron on Fe-Zn Reaction. Harumi Arakawa, et al.	S1108
445	Galvanizing of Ti containing steel and its Fe-Zn reaction. Masaki Abe, et al.	S1109
446	Corrosion resistance of Zn-Al-Sn alloy coated wire. Kenji Ochiai, et al. ...	S1110
447	The reaction of steel with molten aluminum under short time dipping. Yukio Uchida, et al.	S1111
448	Activation of steel surface by laser irradiation. Tunetoshi Asai, et al. ...	S1112
449	Surface treatment performance onto the anti-rust steel sheet by Bi-salt treatment. (Development of the anti-rust steel sheet--II). Shigeo Kurokawa, et al.	S1113
450	Relations between the conditions of Bi-salt treatment and the characteristics of anti-rust steel. (Development of the anti-rust steel sheet--III). Yukio Furukawa, et al.	S1114
451	Conception, main specifications and general layout of new hot strip mill at Yawata Works, Nippon Steel Corp. Takashi Asamura, et al.	S1115
452	Specification of furnace and conception of design of new hot strip mill at Yawata Works, Nippon Steel Corp. Shyoichi Araki, et al.	S1116
453	Temperature control system for reheating furnace. (Computer control system for reheating furnaces of hot strip mill--I). Ryuichi Ishida, et al.	S1117
454	Calculation model of temperature in the roughing mill line. (Computer control system for reheating furnace of hot strip mill--II). Akinori Otomo, et al.	S1118
455	Mill specifications and layout of roughing train of new hot strip mill at Yawata Works, Nippon Steel Corp. Shoji Tanaka, et al.	S1119
456	Mill specifications and layout of finishing train of new hot strip mill at Yawata Works, Nippon Steel Corp. Toshio Kikuma, et al.	S1120
457	Reduction of crop loss in slab edge rolling--II. Fumio Niwa, et al.	S1121
458	Edge AGC of hot strip mill. Yasumasa Nariai, et al.	S1122
459	The effect of the work roll injection type rolling lubrication at the hot strip mill. Tetuo Hiramatsu, et al.	S1123
460	Installing hydraulic devices to hot strip mill. (Adoption of hydraulic AGC to hot strip mill--I). Ryoichi Takahashi, et al.	S1124
461	The effect of hydraulic AGC on hot strip mill. (Adoption of hydraulic AGC to hot strip mill--II). Hidekata Yagi, et al.	S1125
462	Effect of double one way rolling on fish tail formation in hot sttip rolling. Hiroshi Kimura, et al.	S1126
463	Application of FTC (free tention control) to hot strip mill. Yukikiyo Kuroda, et al.	S1127
464	Fundamental character and experimental result of laboratory mill. (Crown control of hot strip by work roll shift mill using bottom tapered rolls--I). Masanori Kitahama, et al.	S1128
465	Effect of crown control by experiment on actual mill. (Crown control of hot strip by work roll shift mill using bottom tapered rolls--II). Tomio Tanaka, et al.	S1129
466	Characteristic of work roll in introduction on actual mill. (Crown control of hot strip by work roll shift mill using bottom tapered rolls--III). Soichiro Onda, et al.	S1130

467	Specifications and layout of run-out-table of new hot strip mill at Yawata Works, Nippon Steel Corp. Toshiki Yabuta, et al.	S1131
468	Improvement of hot strip flatness by cooling control over the strip width. Masafumi Miyaguchi, et al.	S1132
469	Automatic detection of high spots in hot strip. Akira Urano, et al.	S1133
470	Specifications of down coilers of new hot strip mill at Yawata Works, Nippon Steel Corp. Megumi Akaji, et al.	S1134
471	Improvement of controlling system of the coiling equipment. (Refreshment of the coiling equipment--I). Nobuaki Uomura, et al.	S1135
472	Hydraulic wrapper roll controlling system. (Refreshment of the coiling equipment--II). Toshisada Takechi, et al.	S1136
473	Mechanical descaling technique in hot rolling. Toshikazu Mori, et al.	S1137
474	Production capacity and the layout of the continuous descaling and cold rolling mill. Minoru Tomita, et al.	S1138
475	Installing the carrousel reel in the continuous descaling and cold rolling mill. Tsutomu Haeno, et al.	S1139
476	Construction of strip turning device at the continuous descaling and cold rolling mill. Yasutaka Nawata, et al.	S1140
477	Effect of amidosulfuric acid on the NO _x gas suppression and surface quality in pickling of stainless steels. Masayuki Hino, et al.	S1141
478	Improvement of flatness of temper rolled austenitic stainless steel sheet. (Development of high tensile austenitic stainless steel for railway car structures--III). Tōru Matsushita, et al.	S1142
479	VC roll effects on kiss rolling of foil. Takeshi Masui, et al.	S1143
480	The effect of digital speed control on ATGC system. (All digital speed control at cold tandem mill--II). Kazuhiro Hirohata, et al.	S1144
481	Reduction of off-gage length at coil top and bottom on a cold tandem mill. Akihiro Koizumi, et al.	S1145
482	3-dimensional shape measurement of hot steel by Laser Moiré technique. Koichi Kitamura, et al.	S1146
483	In-line flatness meter by laser displacement device. Akihiro Koizumi, et al.	S1147
484	Hot coil telescope sensing system. Toshihiro Konishi, et al.	S1148
485	Surface roughness measurement with an optical method. Yuichiro Asano, et al.	S1149
486	A new radiation thermometry of a slab in a high temperature furnace. Fumio Tanaka, et al.	S1150
487	Development of thickness gauge with strip edge follower. Yasumasa Nariai, et al.	S1151
488	Eddy current testing of defect on the work rolls in hot rolling. Kazuyoshi Miyazawa, et al.	S1152
489	Development of the hot eddy current tester of wire rod. Takeo Iioka, et al.	S1153
490	Eddy current inspection and scarfing machine for continuous casting slabs. (Studies on the surface defect detection of hot steel-IX). Takahide Sakamoto, et al.	S1154
491	Reverse surface inspection of IC hot charge rolling slabs by ITV. Takumi Ikebe, et al.	S1155
492	Development of spot defect detector in ERW. Yasuo Kimiya, et al.	S1156
493	Development of automatic ultrasonic tesing equipment for sub-surface defects in round steel bar. Hitoshi Utsumi, et al.	S1157
494	Ultrasonic testing of hollow axle(for railway). Takashi Ueki, et al.	S1158
495	Development of automatic ultrasonic tesing equipment for bar products. Mitsuo Yoshida, et al.	S1159
496	Development and production of H beam with corrugated wab. Moriyuki Kakiyama, et al.	S1160
497	Reduction of warping deflection in H-beams. (Prevention of the residual deformation during cooling in hot-rolled sections--III). Ichiro Nakauchi, et al.	S1161
498	Universal rolling method for angles. Taneharu Nishino, et al.	S1162
499	Fundamental study on roll pass design of unequal angle rolling. Hideki Tokita, et al.	S1163
500	Effect of rolling conditions on deformation efficiency in the square-flat pass. Hiroyuki Hayashi, et al.	S1164
501	New method of producing close finished tolerance rods and bars. Shin-ichi Inaba, et al.	S1165
502	Bar end heater making use of electromagnetic induction. Katuhiro Hayakawa, et al.	S1166
503	The mechanical properties and welding of flat bar for welded structure. (A survey on the properties of flat bar--I). Eiji Hirasawa, et al.	S1167

SEPTEMBER 29, 1982

504	Development of numerically controlled rotary shear for tinplate. Masaharu Kanai, et al.	S1168
505	Effect of grain structure on evaluation of stripping ability after ironing process in D & I can making. Tomohiko Akiyama, et al.	S1169
506	Resistance seam weldability of light tin-coated steel. (Resistance seam welding of can materials-II). Moriaki Ono, et al.	S1170
507	Corrosion resistance of FeSn alloyed tinplate. Yoshinori Yomura, et al.	S1171
508	Ni plated steel sheet with chromate treatment. (Development of coated steel sheet for welded cans--I). Seizun Higuchi, et al.	S1172
509	Wire-seam weldability of Ni plated steel sheet with chromate treat- ment. (The development of coated steel sheet for welded cans--II). Tomonari Ouga, et al.	S1173
510	Resistance to the under-film corrosion of Sn/Cr coated steel. (Development of the thin Sn/Cr coated material for cans--I). Mitsuo Yoshida, et al.	S1174
511	Wire seam weldability of the thin Sn/Cr coated steel. (Development of the thin Sn/Cr coated material for cans--II). Toshio Matsushita, et al.	S1175
512	Effect of manufacturing conditions of base steel on low temper tinplate corrosion resistance. Kazuo Mochizuki, et al.	S1176
513	Effect of processing variables on continuously annealed low temper tinplate. Kei Sakata, et al.	S1177
514	Qualities of low temper tinmill blackplate produced by continuous annealing line. Hideo Kuguminato, et al.	S1178
515	Ionic selectivity through paint films. Sakae Fujita, et al.	S1179
516	Rust stabilizing surface treatment for weathering steel. (Coating by double layered films of cationic and anionic paint). Toyofumi Fuga, et al.	S1180
517	Precoated steel sheet with excellent stain resistance. (Study of paint film by electron beam curing--I). Nagaharu Ueno, et al.	S1181
518	Precoated steel sheet with high hardness and formability. (Study of paint film by electron beam curing--II). Nagaharu Ueno, et al.	S1182
519	Properties of pre-painted steel sheets with various substrate materials. Sachio Matsuo, et al.	S1183
520	Effect of sheet material and paint on properties of precoated metal. Takeshi Koga, et al.	S1184
521	Acceleration effect of EMMAQUA equipment on film degradation. Toshinori Kawano, et al.	S1185
522	Improvement into high heat efficient reheating furnace of pusher type by reinforcement of recuperator. Kiyoshi Takagi, et al.	S1186
523	Trial of ceramic button in reheating furnace. Keishiro Tsujimura, et al. ...	S1187
524	Two demensional heat transfer calculation of heat transmission in continuous reheating furnace. Motohiro Egawa, et al.	S1188
525	Development of computer control model of continuous reheating furnace. Masamitsu Obashi, et al.	S1189
526	Application & operational results of computer control for reheating furnace of plate mill. Kyōichi Kissei, et al.	S1190
527	Development of mathematical simulation model of continuous reheating furnaces. Hiroyuki Takashima, et al.	S1191
528	New moded of continuous reheatinf furnace of hot strip mill at Oita steel works of Nippon Steel Corp. Sakae Sonoyama, et al.	S1192
529	Furnace combustion control system by gas-chromatograph analyzer in hot strip mill. Masaomi Hirose, et al.	S1193
530	Control system and mathematical model of DDC system of coil annealing furnace. (DDC system of coil annealing furnace at cold strip mill--I). Tadashi Makino, et al.	S1194
531	Effect of DDC system of coil annealing furnace. (DDC system of coil annealing furnace at cold strip mill--II). Shin-ichi Miki, et al.	S1195
532	Improvement of cold spot temperature control system in cold strip annealing. Toshikazu Kaihara, et al.	S1196
533	Development of a continuous coil annealing furnace and its operation. Koji Ono, et al.	S1197
534	Effect of the variables of equipments on the overaging process in continuous annealing. Kiyami Kurihara, et al.	S1198
535	Instrumentation and computer system of Kawasaki Steel multipurpose continuous annealing line. Yasuhiko Mashino, et al.	S1199
536	Application of roll quench system for continuous annealing line--III. (Development of process and products for continuous annealing line--XII). Shigehiro Takushima, et al.	S1200
537	Wear properties of high-chrome roll material at elevated temperatures. Hiroschi Noguchi, et al.	S1201
538	Slip phenomena in cold rolling of continuously cast steel. (Study on slip phenomena during cold rolling--I). Kunio Kitamura, et al.	S1202

539	Cause of roll abrasion during cold rolling of continuously cast steel. (Study on slip phenomena during cold rolling--I). Akira Yasuda et al.	S1203
540	Countermeasure to slip phenomena in cold rolling of continuously cast. (Study on slip phenomena during cold rolling--III). Tōkō Teshiba, et al. ...	S1204
541	Experimental effect of high pressure jet solution system for mill clean sheet. Yukio Matsuda, et al.	S1205
542	Development and practical use of high pressure jet solution system for mill clean sheet. Yukio Matsuda, et al.	S1206
543	Distribution of oil particle size and dispersive stability. (Development of a new type rolling oil--I). Shuichi Iwadoh, et al.	S1207
544	Decomposition products of extreme pressure agent (phosphite ester) by cold rolling. (Analysis of cold rolling lubricant oil--I). Yuji Fujioka et al.	S1208
545	Development of lubricants for preventing galling of stainless steel under high contact stress condition. Keiichi Wada, et al.	S1209
546	An identification of heat transfer boundary by finite element method. Keiji Fukuda, et al.	S1210
547	Quenching technique of grouser shoes. Yoshio Hamajima, et al.	S1211
548	Some results of fog cooling test of hot billets. (Development of billet cooling facilities using fog cooling--I). Masashi Mitsutsuka, et al.	S1212
549	Some test results of the properties of a fog-cooled billet. (Development of billet cooling facilities using fog cooling--II). Osamu Nakamura, et al.	S1213
550	Basic design and operation of a billet cooling facilities. (Development of billet cooling facilities using fog cooling--III). Tōru Nakahira, et al.	S1214
551	Resistance spot welding of high strength stainless steels for railway passenger cars. Keiji Ōsaki, et al.	S1215
552	The electron beam weldability of fully austenitic stainless steel, SUS316. Yoshikuni Nakao, et al.	S1216
553	Fracture characteristics of welded zone of interstitial ferritic stainless steel. Riichi Todoroki, et al.	S1217
554	Mechanical properties and corrosion behaviour on GTAW weldments of SUS444 stainless steel welded with matching composition consumables. Keiichi Yoshioka, et al.	S1218
555	Solidification crack susceptibility in weld metals of austenitic stainless steels and Ni base super alloys. Jun-iti Iwami, et al.	S1219
556	An experimental investigation of deformation in pipe-upset. (Deformation patterns and defects in pipe-upset--I). Yutaka Mihara, et al.	S1220
557	Upsetting schedule for multi stage upset. (Deformation patterns and defects in pipe-upset--II). Tomoshige Sudo, et al.	S1221
558	The lower limit to wall thickness in pipe rolling by plug mill. Shigeru Uchida, et al.	S1222
559	Studies of reeler rolling condition for the seamless pipe mill. Mikio Kodaka, et al.	S1223
560	Development of on-line wall thickness gage for seamless steel pipe. (Hot on-line thickness gage for seamless pipe--I). Tadashi Okumura, et al.	S1224
561	Application of tube wall thickness gage to hot on-line rolling system. (Hot on-line thickness gage for seamless pipe--II). Fusao Togashi, et al.	S1225
562	Both side dip quenching of steel pipes. (Study on cooling technique in heat treatment of steel pipe--I). Kyohei Murata, et al.	S1226
563	Automatic measuring method for perfect thread length of seamless pipe. (Automatic inspection for threads of seamless pipe). Mitsuaki Uesugi, et al.	S1227
564	The simple analysis of the buckling conditions of the large diameter pipes under the hydrostatic tests. Tetsumi Kondo, et al.	S1228
565	The effect of skelp forming conditions on shape and profile of CW forming. Yoshio Iwanaga, et al.	S1229
566	The influence of the post-annealing condition on the toughness of ERW pipe seam. (The optimization of the post-annealing process of ERW pipe--I). Masakazu Niikura, et al.	S1230
567	The proper induction heating pattern for the seam of ERW pipe. (The optimization of the post-annealing process of ERW pipe--II). Takao Noguchi, et al.	S1231
568	Formation mechanism of white layer of ERW pipe. (Study on welded layer of ERW pipe--II). Toshihiro Takamura, et al.	S1232
569	Influence of frequency on welding of ERW pipe. Kazuhiro Uozumi, et al.	S1233
570	Four-electrode SAW technique for the production of longitudinal welded pipes. Shuichi Ikuta, et al.	S1234
571	Automatic heat input monitoring and control for electric welded pipe. Murao Yamada, et al.	S1235

572	Development of automatic welder power output control technique. Hiroshi Nougata, et al.	S1236
573	Heat control system of ERW tube mill. Chiharu Takawadate, et al.	S1237

-- PROPERTIES OF IRON AND STEEL --

SEPTEMBER 27, 1982

574	Behaviour of boundary sulfides in carbon steel. Yoshinori Hamaguchi, et al.	S1238
575	Composition change of MnS inclusion in the process of cooling. Noboru Yonezawa, et al.	S1239
576	Strength and precipitation characteristics in hot charged Nb-bearing HSLA steel. Yoshikazu Matsumura, et al.	S1240
577	Effect of the manganese concentration in θ -phase on the rate of dissolution into ferrite matrix. Yasuharu Sakuma, et al.	S1241
578	Nucleation kinetics of proeutectoid ferrite at austenite grain boundaries in Fe-C and Fe-C-X alloys--Comparison of kinetics at grain faces and edges--. Masato Enomoto, et al.	S1242
579	Effect of heating and cooling rate on transformation superplasticity in a steel. Yūji Uesugi, et al.	S1243
580	Coarsening of austenite grain size of cold heading Cr case hardening steel. Koji Kaneko, et al.	S1244
581	Grain growth behavior of a case hardening steels with Ti addition. Yutaka Tsuchida, et al.	S1245
582	Dynamic strain aging behaviour in the simulated HAZ of low alloy steels. Yohji Kohsaka, et al.	S1246
583	Evaluation of mechanical properties by magnetic properties of eutectoid steel. Hiroaki Sakamoto, et al.	S1247
584	Cyclic heat-treatment and superplastic behavior in eutectoid steel. Yutaka Okayama, et al.	S1248
585	Relation between hot hardness and working rate of pure metals. (Estimation of properties of heat-resistant metallic materials by hot hardness and static indentation creep-I). Yasuhisa Yamamoto, et al.	S1249
586	The effect of microstructure on creep resistance in accelerating stage of Cr-Mo-V steel. Kazuhiro Kimura, et al.	S1250
587	Long-term creep rupture behavior and scatter in rupture properties of Cr-Mo-V steel casting. Junrō Kyōno, et al.	S1251
588	Investigation on bending of steam turbine rotor during long term service. Masao Shiga, et al.	S1252
589	Effect of molybdenum on creep rupture properties of Cr-Mo-V steels for pressure vessel. Satoshi Igari, et al.	S1253
590	Creep properties of 2.1/4Cr-1Mo steel in high-pressure hydrogen at elevated temperatures. Kiyoshi Yokogawa, et al.	S1254
591	Creep rupture properties of 2.1/4Cr-1Mo steel in high pressure hydrogen at elevated temperature. Ryuichi Chiba.	S1255
592	Effect of molybdenum on creep rupture strength and Charpy impact properties of low C-9Cr-V-Nb steels. Hisashi Watanabe, et al.	S1256
593	Effect of cooling rate on notch rupture properties and room temperature toughness of a 12 % Cr heat resisting steel. Ik-min Park, et al.	S1257
594	Effects of creep deformation on tempering structural change of 12 % Cr heat resisting steel. Tomohiro Tsuchiyama, et al.	S1258
595	Creep properties of type 304 stainless steel in high-pressure hydrogen at elevated temperature. Kiyoshi Yokogawa, et al.	S1259
596	Effect of microstructure on creep rupture properties of 316 stainless steel. Hideo Tanaka, et al.	S1260
597	Simulation radiation damage study of type 316 SS as fusion reactor material. Akira Kohyama, et al.	S1261
598	Embrittlement in 2.1/4Cr-1Mo steels caused by neutron irradiation at elevated temperature. Masahide Suzuki, et al.	S1262
599	Change in toughness of nuclear reactor pressure vessel steel plate and its welded joint induced by neutron irradiation. Yoshifumi Nakano, et al.	S1263
600	A testing method for liquid metal embrittlement. (Liquid metal embrittlement of steel--I). Tetsujiro Takeda, et al.	S1264
601	The effect of alloying elements on liquid metal embrittlement. (Liquid metal embrittlement of steel--II). Tetsujiro Takeda, et al.	S1265
602	Upper fillet crack in bolted joint of rail and its causes. (Improvement in endurance of the bolted rail-joint--I). Atsushi Okazaki, et al.	S1266
603	Factors on the upper fillet crack initiation and its preventive measures. (Improvement in endurance of the bolted rail-joint--II). Chikayuki Urashima, et al.	S1267

604	High speed rolling contact fatigue tests for rail steel. Yukio Satō, et al.	S1268
605	Influence of wheel/rail contact conditions on shelling failure in rail. Jun-ichiro Takehara, et al.	S1269
606	The most suitable lubricants by ferrography. Motofumi Kurahashi, et al.	S1270
607	Tensile deformation of quenched eutectoid steel during tempering. (Superplasticity of quenched steel during tempering--I). Shigeru Konno, et al.	S1271
608	The lowering of hardenability in carburized layer of B-treated steel. Shōhei Fujita, et al.	S1272
609	The effects of alloy elements on hardenability by induction heating. Morifumi Nakamura, et al.	S1273
610	Effects of alloying elements on the hardness profile of soft-nitriding treatment. Fukukazu Nakasato, et al.	S1274
611	Effect of alloying elements on the properties of nitrocarburized surface layer. Kazuhiro Kobayashi, et al.	S1275
612	Temper-hardening behavior and the microstructure of rapid solidification layer formed by lazer. Yuichi Seki, et al.	S1276
613	Gear heat-treatment by the LASER process. (Fatigue strength of LASER hardening gears). Takayuki Tani, et al.	S1277
614	Strength-toughness relationship of controlled rolled steel bars for concrete reinforcement. (Thermo-mechanical treatment of steel bars--II). Yoshihiko Kamada, et al.	S1278
615	Properties of low-carbon as-rolled steel bars for machine and structural use. (Thermo-mechanical treatment of steel bars--III). Fukukazu Nakasato, et al.	S1279
616	A fission-track-etching study of boron hardenability in ausforge-quenched steel products. Yoshitaka Ochida, et al.	S1280
617	Effect of chemical compositions and rolling conditions on mechanical properties of as-rolled steel bars. Kazuhiko Minami, et al.	S1281
618	Effect of variable factors on the permanent elongation of non-heat- treated bolts. Tetsuo Shiraga, et al.	S1282

SEPTEMBER 28, 1982

619	Pipe performance test for sour gas linepipes and its analysis. Makio Iino, et al.	S1283
620	The relation between susceptibility to HIC and Mn and P contents of line pipe steels. Nobuo Totsuka, et al.	S1284
621	Effect of H ₂ S and/or CO ₂ on HIC and corrosion rate of linepipe steel. Mitsuo Kimura, et al.	S1285
622	Effect of microstructures on hydrogen induced cracking susceptibility of line pipe steel. Teruo Kaneko, et al.	S1286
623	The threshold conditions for external stress corrosion cracking of buried steel line pipes. Komei Kasahara, et al.	S1287
624	Effect of metallurgical factors on the HIC susceptibility of the segregated zone in line pipe steel--II. Kazuaki Matsumoto, et al.	S1288
625	Effects of the surface hot rolled band on the secondary recrystallization in the grain oriented silicon steel. Tomohiko Sakai, et al.	S1289
626	Non-hydrating MgO separator for grain oriented 3%Si-Fe. Yoshitaka Hiromae, et al.	S1290
627	Effect of various factors on bend properties in 3 % grain oriented steel sheets. Shigeki Yamada, et al.	S1291
628	Influence of texture on domain of colled roll non-oriented silicon steel. (The study on the domain in the non-oriented silicon steel--III). Yakichirō Kawamo, et al.	S1292
629	The reliability of crystallite orientation distribution analysis--II. Seiichirou Tani, et al.	S1293
630	Three-dimensional analysis of textures by vector method. Kuniteru Ota, et al.	S1294
631	Influence of the crystallographic texture on the anisotropy of the ultrasonic sound velocities in control-rolled steels. Hirosuke Inagaki, et al.	S1295
632	The effect of oriented grain distribution on the elastic constants in metallic materials which give the same pole figure. Shin-ichi Nagashima, et al.	S1296
633	Effect of P-addition on hot rolled high strength steel sheets. (Development of P-bearing low yield-high strength hot-rolled steel sheet--I). Akio Tosaka, et al.	S1297
634	Production of P-addition low yield-high strength steel sheet by hot strip mill. (Development of P-bearing low yield-high strength hot- rolled steel sheet--II). Nobuo Aoyagi, et al.	S1298
635	Properties of P-added hot rolled high strength steel sheets.	

	(Development of P-bearing low yield-high strength hot-rolled steel sheet--III). Akio Tosaka, et al.	S1299
636	Development of dual phase steels characterized by inline controlled quenching method. (HSLA having low yield ratio--VIII). Kazutoshi Kunishige, et al.	S1300
637	Fatigue properties of Si-Mn as-hot-rolled dual phase steel. Masato Yamada, et al.	S1301
638	C-Si-Mn hot rolled high strength steel sheets with good cold formability. Hidenori Shirasawa, et al.	S1302
639	Behaviour of grain-growth of low carbon steel wire during annealing. Hiroshi Ōba, et al.	S1303
640	Influence of silicon content on the mechanical properties of high tensile-high carbon steel wire rod. (Development of direct-patented high strength steel wire rod--III). Tadayoshi Kumagai, et al.	S1304
641	Wire rod heat treatment by easy drawable conveyer. (Wire rod in-line heat treatment technology--I). Kenji Fukuyasu, et al.	S1305
642	Properties of larger size wire rods directly heat treated by hot water bath. (Wire rod in-line heat treatment technology--II). Hideo Kanisawa, et al.	S1306
643	Fundamental examination on slow cooling of wire rods. (Wire rod in-line heat treatment technology--I). Hiroshi Sato, et al.	S1307
644	Development of an equipment for slow cooling of wire rods. (Wire rod in-line heat treatment technology--II). Takashi Ninomiya, et al.	S1308
645	Method for direct heat treatment of austenitic stainless steel. Wataru Murata, et al.	S1309
646	Wire rod in-line heat treatment technology. Hiroshi Yada, et al.	S1310
647	Fatigue property of high tensile strength galvanized wire. Chuzō Sudō, et al.	S1311
648	Fatigue behaviour of controlled rolled and microalloyed steels for machine structural use. Takashi Abe, et al.	S1312
649	Strain controlled fretting fatigue test. Garry Leadbeater, et al.	S1313
650	Low-cycle fatigue behavior in metastable austenitic steel with deformation-induced martensitic transformation. Kaneaki Tsuzaki, et al.	S1314
651	Safety assessment against brittle fracture under cyclic loading at low temperatures. Akihide Yoshitake, et al.	S1315
652	The scatter of COD and fatigue crack propagation characteristics in sea water. (Study on the heavy section steel for cryogenic service --III). Takashi Fukuda, et al.	S1316
653	Fatigue crack growth rates and their thresholds of high strength steels in sea water at zinc potential. Masae Sumita, et al.	S1317
654	Frequency dependence of the fatigue life of SFV 1 steel in BWR water. Masaki Kitagawa, et al.	S1318
655	Fatigue crack growth behavior of reactor pressure vessel steel A533B Cl.1 in high temperature pressurized water. Norio Nagata, et al.	S1319
656	Effect of strength level of low alloy steels on crack growth behavior in high temperature water. Hajime Nakajima, et al.	S1320
657	Experimental study on relationship between J-integral and CTOD. Hiroyuki Takemata, et al.	S1321
658	Effect of loading rate, specimen size and yield strength on CTOD _{max} . Toshiki Kabutomori, et al.	S1322
659	J _{IC} values determined by DCGC method and JSME method. Hiroyuki Kagawa, et al.	S1323
660	Ductile crack growth resistance in welded joints of nuclear pressure vessel steel at service temperature regime. Tadao Iwadate, et al.	S1324
661	The measurement of crack velocity in the MRL specimen. Toshiya Akiyama, et al.	S1325
662	The propagating shear fracture by instrumented DWTT. Akinori Inami, et al.	S1326
663	Ductile crack growth and unstable fracture under constant load. Takahiro Fujita, et al.	S1327
664	Temperature rise in stainless steels tested at liquid helium temperature. Toshio Ogata, et al.	S1328
665	Brittle crack arrest toughness test method using static 3 points bending. Shiro Miyamoto, et al.	S1329
666	Investigation of stress ratio effect on fatigue fracture toughness. Tadashi Ishikawa, et al.	S1330
667	Overheating of Ni-Cr-Mo-V steel. (Effect of sulfur content on fracture toughness--I). Yasuhiko Tanaka, et al.	S1331
668	Toughness of the heat affected zone of 6 % Mn steel for cryogenic use. Masato Murakami, et al.	S1332
669	Fracture strength of circumferentially notched round bar under torsion. Akira Kiuchi, et al.	S1333

670	Breakage example of wire rope. (Failure analysis of steel making equipments--I). Shin-ichi Nishida, et al.	S1334
671	Burst example of valve. (Failure analysis of steel making equipments --II). Shin-ichi Nishida, et al.	S1335
672	High temperature sulfidation of boiler tubing in coke-dry-quenching gas. Kazuaki Mino, et al.	S1336
673	Effects of Al and Si addition on the high temperature corrosion of 18 Cr stainless steel in HCl gas. Shun-ichiro Akiyama, et al.	S1337
674	Effect of Si on decarburization and carburization of heat resistance alloys in impure helium. Yoshikazu Sakai, et al.	S1338
675	Hot corrosion behavior of heat resisting alloys in combustion gas containing salt. Masaki Uekado, et al.	S1339
676	Corrosion behavior of Ni base heat resisting alloys. Takashi Tsukada, et al.	S1340
677	The elevated temperature strength and microstructure of the type 316 stainless steel for fast breeder reactor fuel cladding. Hiroshi Teranishi, et al.	S1341
678	Microstructural change and elevated temperature strength of corrosion resistant austenitic stainless steels. Yoshiatsu Sawaragi, et al.	S1342
679	Accuracy of extrapolation and optimized parameter constant for stress-rupture data of austenitic stainless steels. Yoshio Monma, et al.	S1343
680	Fundamental investigation of advanced incoloy 800 Material--I. Masayuki Sukekawa, et al.	S1344
681	Orientation dependence of high-temperature creep of single crystals of precipitation-hardened heat-resisting steel. Akira Ohshima, et al.	S1345
682	Effect of cobalt on the microstructures and strength of single crystal nickel-base superalloys. Akira Aoki, et al.	S1346
683	Effect of microstructures on the strength properties of a nickel-base superalloy subjected to creep-fatigue interaction. Masayuki Yoshiba, et al.	S1347
684	Effect of morphology of grain boundaries on the strength properties of a nickel-base superalloy subjected to creep-fatigue interaction in hot corrosive environment. Masayuki Yoshiba, et al.	S1348
685	Mechanical properties of large sized Fe-base super-alloy forging. Akihiko Ikegaya, et al.	S1349
686	Effect of grain size on high temperature creep properties of Ni-20Cr-Nb alloy. Takashi Matsuo, et al.	S1350
687	Determination of $\gamma/(\gamma+\alpha_2)/\alpha_2$ phase boundaries in the Ni-Cr-W-Mo phase diagram. (Phase equilibrium ² in the Ni-Cr-W system--VI). Hideki Usuki, et al.	S1351
688	Effect of C, Ti, Zr and B on high temperature creep properties of Ni-20Cr-20W alloy. Masao Takeyama, et al.	S1352
689	Precipitation of π phase in Ni-20Cr-20W alloy during creep test in air. Takashi Matsuo, et al.	S1353
690	Microstructures of Ni-Cr-W alloys aged at 1 000 °C. Fujio Abe, et al.	S1354
691	Iso-carbon-activity sections in the Ni-Cr-W-C phase diagram. (Phase equilibrium in the Ni-Cr-W-C system--IV). Masanori Kajihara, et al.	S1355
692	Phase equilibrium in the Ni-Cr-Nb system--Determination of $\gamma/(\gamma+\beta)/\beta$ phase boundaries at around 1 100 °C--. Yoshikuni Kadoya, et al.	S1356
693	Microstructure change of Ni-base superalloy after long term heating. Hitomi Itoh, et al.	S1357
694	Creep properties of modified hastelloy XR tube materials for high temperature helium gas-cooled reactor. Yuji Kurata, et al.	S1358
695	The creep rupture strength of nickel base superalloys with varied concentrations of Ta, W and Mo. (Nickel-base superalloys by alloy design--VIII). Katsuyuki Kusunoki, et al.	S1359
696	Effect of hot rolling condition and initial cast structure on the formability of SUS 430 stainless steel sheet--II). Jiro Harase, et al.	S1360
697	Recrystallization during hot rolling in 17Cr ferritic stainless steels. Mitsuo Ishii, et al.	S1361
698	Recrystallization during or after hot rolling in ferritic stainless steel. Haruo Aoyama, et al.	S1362
699	Deformation and recrystallization texture of ferritic stainless steel during hot rolling. Naotsugu Inakazu, et al.	S1363
700	Recrystallization after hot deformation in low-C ferritic stainless steel. Yuichi Higo, et al.	S1364
701	Effects of Nb and Ti on grain size of hot rolled sheet of ferritic stainless steel. (Development of lowC-17Cr-Nb-Cu stainless steel sheets--VI). Masao Koike, et al.	S1365
702	The content and segregation of δ -ferrite in 18-8 type stainless steel. Yosinobu Honkura, et al.	S1366

703	Effects of reduction and deformation temperature on $\gamma \rightarrow \alpha$ transformation. (Study on thermomechanical treatment of martensitic stainless steel--I). Hajime Ikeda, et al.	S1367
704	Local sensitization in Cr stainless steel hot strip during annealing in bell-type furnace. Tsuyoshi Azuma, et al.	S1368
705	Effect of cold rolling temperature on the anisotropy in austenitic stainless steels. Hidehiko Sumitomo, et al.	S1369
706	Effects of C,N on ridging properties on Nb and Cu added 19Cr stainless steel. Akio Yamamoto, et al.	S1370
707	Carburizing of a 13 % and a 17 % chromium steel. Takayuki Nakanori, et al.	S1371
708	Relation between carbide precipitate and mechanical properties on 13Cr-3.8Ni cast steel. Yoshitaka Iwabuchi, et al.	S1372
709	Effect of cold deformation and solution temperature on mechanical properties in 10.5Cr-6.5Ni steel. (Study on the high strength steel with improved corrosion resistance--III). Hidekatsu Kuki.	S1373
710	Notch effect on fatigue strength in water of 13%Cr-Ni cast steel for hydro-turbine runner. Mituo Yamasita, et al.	S1374
711	Effect of specimen thickness on behavior of plastic zone. (Behavior of plastic zone around fatigue cracks in SUS 304 stainless steel--II). Akira Azushima, et al.	S1375
712	Low temperature fracture behavior of type 304 stainless steel. (Low temperature strength of stainless steel--I). Tetsu Sakamoto, et al. ..	S1376
713	Effect of nitrogen and austenite stability on mechanical properties of low carbon type 301 stainless steel. (Development of low carbon high strength stainless steels--I). Teruo Tanaka, et al.	S1377
714	Effect of alloying elements, cold-rolling reduction and deformation-induced martensite on mechanical properties of low carbon type 301 hard stainless steel. (Development of low carbon high strength stainless steels--II). Teruo Tanaka, et al.	S1378
715	Mechanical properties of welded joints of low carbon high strength stainless steels for railway passenger cars. (Development of low carbon high strength stainless steels--III). Keiji Osaki, et al.	S1379
716	Properties of stainless steels for light transit car application. Ryuichi Hasegawa, et al.	S1380
717	Properties of Fe-Mn-Al alloy as a stainless steel. Yosuke Katsura, et al.	S1381
718	Influence of reheating temperature and rolling conditions on grain size. (Development of control technique of properties by steelmaking and hot rolling processes--II). Takaaki Nakamura, et al.	S1382
719	Influence of hot rolling conditions by 2 passes on grain size. (Development of control technique of properties by steelmaking and hot rolling processes--III). Kazuyoshi Esaka, et al.	S1383
720	Transformation to pearlite from deformed austenite. Hideyuki Otsuka, et al.	S1384
721	Effects of hot rolling conditions on mechanical properties of alloy steels for machine structural use. Nobuhisa Tabata, et al.	S1385
722	Microstructure control in plate rolling. Yoshiyuki Saito, et al.	S1386
723	Development of controlled-rolled high-toughness steel plate for low-temperature service--III. Rikio Tigiwa, et al.	S1387
724	Effect of thermo-mechanical treatment on the mechanical properties of HT-80. (High strength steel produced by continuous on-line-control process (CLC)--III). Hirofumi Morikawa, et al.	S1388
725	Development of a new 80 kg/mm ² class high tensile strength plate steel. Yoshihiro Okamura, et al.	S1389
726	Strain hardening of bainite in Ni-Cr-Mo steels. Toshiya Kurihashi, et al.	S1390
727	Manufacture of forged shell ring featured by homogeneous large hollow ingot. (Shell ring for nuclear reactor pressure vessel forged from hollow ingot--I). Kazuo Aso, et al.	S1391
728	Fracture toughness and fatigue properties of shell ring for nuclear reactor pressure vessel forged from large-scaled hollow ingot. (Shell ring for nuclear reactor pressure vessel forged from hollow ingot--II). Asao Narumoto, et al.	S1392
729	Under clad cracking test of shell ring for nuclear reactor pressure vessel forged from large-scaled hollow ingot. (Shell ring for nuclear reactor pressure vessel forged from hollow ingot--II). Akio Kamada, et al.	S1393
730	Improvement of toughenss in 0.5Mo steel for boilers. Hisatoshi Tagawa, et al.	S1394
731	Development of Al-B treated 1.1/4Cr-1/2Mo clad steel plate with SUS 405. Tsuyoshi Nakamura, et al.	S1395
732	Long-time isothermal embrittlement in 2.25%Cr-1%Mo steel. Shigehico Takaoka, et al.	S1396

733	Loading direction dependence of the temper embrittlement in 2.1/4Cr-1Mo steel under sustained loading. Masahide Suzuki, et al.	S1397
734	Effect of Chromium on temper embrittlement of Cr-Mo steel. Shingo Sato, et al.	S1398
735	Interaction between temper embrittlement and hydrogen embrittlement on 2.1/4Cr-1Mo steel. (A safety analysis on hydrogen-induced cracking of pressure vessels for high-temperature hydrogen service--I). Ryuichi Horita, et al.	S1399
736	Temperature dependence of hydrogen diffusibility and solubility of 2.1/4Cr-1Mo steel. (A safety analysis on hydrogen-induced cracking of pressure vessels for high-temperature hydrogen service--II). Tadaomi Fujii, et al.	S1400
737	A safety analysis for hydrogen induced cracking of actual pressure vessel wall. (A safety analysis on hydrogen-induced cracking of pressure vessels for high-temperature hydrogen service--III). Tadaomi Fujii, et al.	S1401
738	Effects of simulated weld thermal cycle and post-weld heat treatment on the hydrogen attack of 2.1/4Cr-1Mo steel. Toshiaki Saitoh, et al.	S1402
739	Effect of hydrogen on the mechanical properties of tempered 2.1/4Cr-1Mo steels. Takuichi Imanaka.	S1403

SEPTEMBER 29, 1982

740	Influence of weld defects in electric resistance-welded pipe seams upon fracture toughness under environments containing hydrogen sulfide. Nobuchika Nomura, et al.	S1404
741	Corrosion and hydrogen absorption of linepipe steels in a highly pressurized H ₂ S-CO ₂ -brine system. Makio Iino, et al.	S1405
742	Hydrogen absorption of steel in H ₂ S environment. Yuichi Yoshino, et al.	S1406
743	Effect of test methods on the stress corrosion cracking susceptibility of high tensile steels in CO-CO ₂ -H ₂ O environment. Kiyokazu Nakagawa, et al.	S1407
744	Corrosion behavior of pure iron in wet CO ₂ environment. Akio Ikeda, et al.	S1408
745	Effect of prior austenite grain size on sulfide stress corrosion cracking susceptibility of CrMo-steels. Kuniaki Motoda, et al.	S1409
746	The performance properties of high strength buttress casing connections. Kazushi Maruyama, et al.	S1410
747	Effect of P content on properties of high-strength casing. Tohru Okazawa, et al.	S1411
748	The analysis of hydrogen in steel. Teruo Kaneko, et al.	S1412
749	The evaluation method of hydrogen cracking susceptibility in low strength steels. Shigeharu Hinotani, et al.	S1413
750	Influence of temper embrittlement on the gaseous hydrogen embrittlement of 2.1/4Cr-1Mo steel at the ambient temperature. Hisashi Kaga, et al.	S1414
751	Evaluation of area and velocity of fracture unit due to hydrogen induced intergranular cracking in 4340 steel by means of acoustic emission source wave analysis. Teruo Kishi, et al.	S1415
752	Disbonding test results in autoclave. (Disbonding phenomena of overlaid austenitic stainless steels used at high temperature under high-pressure hydrogen--I). Tokuichi Hazama, et al.	S1416
753	A safety assessment on overlay disbonding of pressure vessel for hydrogen service. (Disbonding phenomena of overlaid austenitic stainless steels used at high temperature under high-pressure hydrogen--II). Tokuichi Hazama, et al.	S1417
754	Delayed fracture of high strength bolts used for the bridge. Shinsaku Matsuyama.	S1418
755	Effect of sulphur contents on the delayed fracture of high-strength bolt steel. Kunio Namiki, et al.	S1419
756	Precipitation behavior and orientation relationship of AlN-MnS complex precipitates. Hajime Komatsu, et al.	S1420
757	Effect of cold rolled reduction per pass on mechanical properties of cold rolled sheet. Siroh Sanagi, et al.	S1421
758	Influence of atmosphere on the properties of very low carbon aluminium-killed steel. Satoru Usuki, et al.	S1422
759	Producing factors affecting the mechanical properties of extra-low carbon cold-rolled steel sheet containing niobium. Susumu Satoh, et al.	S1423
760	Production of extra-low carbon cold-rolled steel sheet containing niobium by continuous annealing. Junsuke Takasaki, et al.	S1424
761	Influence of mechanical properties on press formability in low-Al	

	and N steel. (Development of continuously cast steel for common use as flat rolled products--IV). Masataka Sakoh, et al.	S1425
762	Cold-rolled steel sheet against wall breakage by using continuous cast steel. (Development of continuously cast steel for common use as flat rolled products--V). Haruo Mitsuji, et al.	S1426
763	Effect of size distribution of fine carbides on the ductility of continuous-annealed steel sheet. Yoshihiro Hosoya, et al.	S1427
764	Effect of manufacturing factor on the mechanical properties of ultra high strength cold rolled steel by continuous annealing. Masayuki Kinoshita, et al.	S1428
765	Effects of cooling rate and over-aging condition in continuous annealing. Takashi Obara, et al.	S1429
766	Over-aging cycles and precipitation of solute C in continuous annealing. Toshihiro Hosoya, et al.	S1430
767	Equipment and production of continuous annealing line for cold rolled sheets. (Research on continuous annealing method--I). Mineki Okura, et al.	S1431
768	Mechanical properties of continuously annealed steel sheet with roll quench system. (Research on continuous annealing method--II). Koichi Onishi, et al.	S1432
769	Effect of microstructure on the stretch-flangeability of multi-phase steel sheets. Masatoshi Sudo, et al.	S1433
770	Analysis of surface distortion occurring around the handle in press forming door outer pannel of auto body. Takaaki Hira, et al.	S1434
771	Deformation behavior and models of dual-phase steel. Toshiro Fukusato, et al.	S1435
772	Deep drawing-induced brittleness in high strength steel sheets. Koichi Onishi, et al.	S1436
773	Effects of machined and punched holes on fatigue strength of high strength steel sheets. Hiroyuki Kagawa, et al.	S1437
774	The overall spinnability of steel sheets. Taiichi Satoh, et al.	S1438
775	Effect of controlled cooling after controlled rolling on structure and mechanical properties of Si-Mn steel. Noriaki Akiyama, et al.	S1439
776	Development of Y.P. 36 kgf/mm ² HT50 for low temperature service under large heat input welding condition by continuous on line control process (CLC process). (Study for improvement of toughness of the heat-affected zone of welded Si-Mn type steel for low temperature service--III). Kouichi Uchino, et al.	S1440
777	Investigation about the effect of chemical compositions and micro-structures on the ultra low carbon equivalent 50 kg/mm ² grade steels controlled rolled and controlled cooled. (Research about the property control of the controlled cooled thick plates--I). Shiro Imai, et al.	S1441
778	Properties of steel plates for shipbuilding after line-heating. (Various properties of the structural steel plates with yield strength of 36 kgf/mm ² by accelerated cooling process). Yoshitaka Yamasaki, et al.	S1442
779	Effect of manufacturing conditions on direct quenched and tempered steel plates with high toughness. (Study of direct quenching method--I). Masaaki Nakamura, et al.	S1443
780	Production of high tensile strength steel plate by direct-quenching and tempering. (Study of direct quenching method--II). Akihiko Nagayoshi, et al.	S1444
781	Manufacture of 60 kg/mm ² tensile strength steel with low N-V by direct quenching and tempering. Shuichi Suzuki, et al.	S1445
782	Investigation on the toughness of HT60 manufactured by direct quenching. Nozomi Komatsubara, et al.	S1446
783	Investigation of the development of direct quenched and tempered HT80 with superior weldability. Seiichi Watanabe, et al.	S1447
784	The hardfacing of adamite rolls for shapes. Shuji Noguchi, et al.	S1448
785	Fatigue analysis of the rolls in 6-high cold strip mill. Hitoshi Ohta, et al.	S1449
786	Dimensional change and dimensional control in auscutting. Yasuo Fujioka, et al.	S1450
787	Fatigue life tester and life test of high temperature bearing steel. Manabu Ueno, et al.	S1451
788	Improvement on cold forgeability of bearing steel. Kiyoshi Namekawa, et al.	S1452
789	Effect of quench cooling rate on tempered hardness of high speed tool steels. (Study on the mass effect of high speed tool steels--I). Yoshitomo Hitachi, et al.	S1453
790	Effect of quench cooling rate on toughness of high speed tool steels. (Study on the mass effect of high speed tool steels--II). Yoshitomo Hitachi, et al.	S1454

791	Effect of prior austenite grain size and tempering temperature on the low cycle fatigue properties at elevated temperature of hot work tool steel, SKD62. Masao Hozen, et al.	S1455
792	Properties of induction heat-treated high-strength spring wire. Kazuhiro Kawasaki, et al.	S1456
793	Quality of carbon steel wire rods for valve spring applications manufactured in bloom continuous casting. Takahiko Nagamatsu, et al.	S1457
794	High temperature mechanical properties of Ni base superalloy Mar-M247. Hiroshi Hattori, et al.	S1458
795	High temperature mechanical properties of directionally solidified Mar-M247. (Evaluation of high temperature mechanical strength for directionally solidified material--I). Hiroshi Hattori, et al.	S1459
796	Low temperature toughness of low C-Mn cast steel. Masayoshi Kashiwagi, et al.	S1460
797	Cryogenic properties of austenitic steels before and after precipitation heat treatment for Nb ₃ Sn superconductor. Kiyohiko Nohara, et al.	S1461
798	Effects of hot rolling conditions and aging on mechanical properties of 0.4C-18Mn-5Cr-1V steel. Koji Shibata, et al.	S1462
799	The toughness of high-Mn cast steels. Wataru Yagi, et al.	S1463
800	Low temperature toughness of high manganese steels by instrumented Charpy test. Jirou Namekata, et al.	S1464
801	Effect of C, Mn and Cr on stress corrosion cracking properties of high manganese non-magnetic steels. Terufumi Sasaki, et al.	S1465
802	Stress corrosion cracking susceptibility of 18Mn-18Cr non-magnetic steel in wet environment at ambient temperature. Tateo Ohhashi, et al.	S1466
803	Effect of heat treatment and alloying elements on toughness of cast steels for low temperature service. (A study on low temperature service steel--III). Tomio Takagi, et al.	S1467
804	Effect of Ni on relationship between brittle crack initiation and arrest characteristics at fusion boundary. (Development of steel plates for low temperature service with improved COD value in weld fusion zone--V). Takao Horiya, et al.	S1468
805	Thermal expansion in cold worked Fe-36%Ni invar alloy. Munetsugu Matsuo, et al.	S1469
806	Effect of C contents on the brittle fracture of steels containing Sn and Bi. Motoyuki Konishi, et al.	S1470
807	Properties of 9 % Ni steel plates by continuous casting process. Osamu Tanigawa, et al.	S1471
808	9 % Ni steel with excellent COD property of welded joint. Yoichiro Kobayashi, et al.	S1472
809	Effect of heat treatment condition on mechanical properties of 9 % Ni shape steel. (Development of normalized 9 % Ni shape steel--II). Nobuo Fukushige, et al.	S1473
810	Properties of high cleanliness and high toughness 9 % Ni steel plate. (Development of high cleanliness and high toughness 9 % Ni steel plate--I). Kazuyuki Matsui, et al.	S1474
811	Improvement of fracture toughness of weldments by reducing P and S contents. (Development of high cleanliness and high toughness 9 % Ni steel plate--II). Toshifumi Kojima, et al.	S1475
812	The brittle crack arrest toughness of 9 % Ni steel estimated by duplex Esso test. (Development of high cleanliness and high toughness 9 % Ni steel plate--III). Akihiko Katoh, et al.	S1476
813	Effects of Cr and Ni on properties of high Si stainless steels. (Studies on stainless steels resistant to hot and strong nitric acid--I). Takeshi Yoshida, et al.	S1477
814	Resistance of high silicon Cr-Ni stainless steel to hot and strong nitric acid. (Studies on stainless steels resistant to hot and strong nitric acid--II). Masayoshi Miki, et al.	S1478
815	Anodic polarization behaviour of SUS 444 stainless steel in hydrofluoric acid. Akihito Kurimoto, et al.	S1479
816	Corrosion resistance of ferritic stainless steels to high temperature water. Hiroyuki Tsuge, et al.	S1480
817	Effects of surface finish on the corrosion resistance of austenitic stainless steel for boiler. (Corrosion resistance of austenitic stainless steel to high temperature steam environment--II). Bin Araki, et al.	S1481
818	The pitting susceptibility of shock strengthened 18-8 austenitic stainless steel. Yutaka Adachi, et al.	S1482
819	Effects of S and Mn on pitting resistance of 18-8 stainless steel. Kikuo Takizawa, et al.	S1483
820	A new evaluation method for atmospheric rusting of stainless steel.	

