

- 19 Method for monitoring and automatic controlling of the welding phenomenon in the high-frequency electric resistance welding of medium-size pipes. Hiroyo Haga, et al. A73
- 20 New flash butt welding for connecting hot strip. Kiyoshi Oya, et al. A77
- 21 Application of laser welding to sheet steel production. Hiroaki Sasaki, et al. A81

-- PROPERTIES OF IRON AND STEEL --

APRIL 1, 1983 13:00 - 17:00 Chairman: Ryohei Tanaka

Theme IV. Function of Nitrogen in Stainless and Heat-resisting Steels

- 22 Microstructural aspects of nitrogen in austenitic stainless steels. Makoto Kikuchi, et al. A85
- 23 Influence of nitrogen on strength of austenitic stainless steel at low temperatures. Toshihiko Takemoto, et al. A89
- 24 Cyclic softening of austenitic stainless steels strengthened by nitrogen. Koji Shibata, et al. A93
- 25 Effect of nitrogen on the low temperature mechanical properties of Type 304 austenite stainless steel weld metals. Yasushi Kikuchi, et al. A97
- 26 Influence of alloying elements on corrosion resistance and mechanical properties of 17%Cr-7%Ni stainless steel. Hiroshi Hiramatsu, et al. A101
- 27 Stress corrosion cracking and high temperature strength properties of nitrogen containing stainless steels. Yoshiatsu Sawaragi, et al. A105

APRIL 2, 1983 13:00 - 17:00 Chairman: Michihiko Nagumo
Vice-Chairman: Fukunaga Terasaki

Theme V. Basic Aspects on Hydrogen Embrittlement of Iron and Steel

- 28 Hydrogen behaviour in steels using tritium. Teruo Asaoka, et al. A109
- 29 Relation between hydrogen trapping effect of precipitates and hydrogen embrittlement. Nobuo Totsuka, et al. A113
- 30 Relation between hydrogen embrittlement behavior of high strength steel and critical hydrogen content. Koji Yamakawa, et al. A117
- 31 Delayed failure under repeating load. Keijiro Nakasa, et al. A121
- 32 The meaning of the critical hydrogen content on hydrogen embrittlement of iron. Michihiko Nagumo. A125
- 33 Plastic deformation of carbon steel caused by cathodic hydrogen charging. Hideki Hagi, et al. A128
- 34 The influence of microstructures on the process of hydrogen stress cracking in low strength steels. Nobuhiro Seki, et al. A132
- 35 Hydrogen environment embrittlement of structural steels at the ambient temperature. Hisashi Kaga, et al. A136
- 36 Metallurgical factors of intergranular fracture in hydrogen embrittled high strength steels. Hirofumi Morikawa, et al. A140
- 37 Hydrogen assisted grain boundary fracture mechanism of a tempered martensite steel. Shinsaku Matsuyama. A144
- 38 Hydrogen embrittled crack growth in iron single crystal. Shigeharu Hinotani, et al. A148

PAPER PRESENTATIONS

-- PLASTIC WORKING AND OTHER FABRICATION PROCESSES --

APRIL 1, 1983

- 316 Development of production control and tracking system for steelmaking. (Development of general production control system for steelmaking--II). Masaaki Tanaka, et al. S317
- 317 Control simulator of semi-products in steelmaking and rolling process. (Development of general production control system for steelmaking--III). Yoshiyuki Ienaga, et al. S318
- 318 Development of assorting system in shape mill. Makoto Tomita, et al. S319
- 319 Acoustic emission characteristics of disbonding in stainless steel weld overlay. Takuichi Imanaka. S320

320	Metallurgical properties of bonded portion in 90/10 Cu-Ni clad steel plates produced by melt bonding method. Makoto Imanaka, et al.	S321
321	Influence of pulse conditions on blow hole and spattering of MAG welding. Yukō Takeuchi, et al.	S322
322	The hardfacing method by compound welding technique. Hideaki Mori, et al. ...	S323
323	The accurate grinding technique of slitting cutter. Kouji Ono, et al.	S324
324	The grinding stone for high chromium iron work roll. Yoshihisa Nakano, et al.	S325
325	Development of vertical type-electroplating cell capable of adjacent electrode and strip. (Development of new electroplating process--V). Yasuo Shimokawa, et al.	S326
326	An outline of new electrogalvanizing line. Yasuhiro Hirooka, et al.	S327
327	Electrogalvanizing by chloride bath. Akira Matsuda, et al.	S328
328	High current density electrogalvanizing by radial cell. Akira Matsuda, et al.	S329
329	Quality character of one side electrogalvanized sheet by chloride bath. Takahisa Yoshihara, et al.	S330
330	Quality character of both side electrogalvanized sheet by chloride bath. Takahisa Yoshihara, et al.	S331
331	Chromate treatment of galvanized sheet by hydrogen supply system. Akira Matsuda, et al.	S332
332	Preventive equipment of edge over plating. Toshimichi Ukena, et al.	S333
333	Corrosion resistance of Zn-Fe electroplated steel sheet. (Study on the various Zn alloy electroplated steel sheets--I). Kazumi Nishimura, et al.	S334
334	Effect of alloy composition in Zn-Fe alloy electroplated steel sheet on paintability and corrosion resistance. Tatsuya Kanamaru, et al.	S335
335	Paintability and corrosion resistance in double-layered Zn-Fe alloy electroplated steel sheet. Katsutoshi Arai, et al.	S336
336	Effect of outer layer composition in double-layered Zn-Fe alloy electroplated steel sheet on paintability. Yutaka Ogawa, et al.	S337
337	Electrode life test for spot welding of alloy electroplated steel sheet. (Development of double-layer alloy electroplated steel sheet--IV). Yoshiki Tanaka, et al.	S338
338	Effects of Sn deposits on phosphatability of Fe-Zn/Zn-Fe double layer electroplated steel sheet. Shigeru Wakano, et al.	S339
339	Behavior of electrodeposition and characteristic of zinc-manganese alloy. Takayuki Urakawa, et al.	S340
340	Development of galvanized high strength steel sheet with good spot weldability and cold formability. Yoshikuni Tokunaga, et al.	S341
341	Measuring method of alloying characteristics of galvanized steel sheet. (Studies on alloying behaviors of galvanized steel sheet--I). Masato Yamada, et al.	S342
342	Some factors influential to adhesion properties of galvanized steel sheet. (Studies on alloying behaviors of galvanized steel sheet--II). Masato Yamada, et al.	S343
343	Alloying rate of galvanized steel sheet. (Studies on alloying behaviors of galvanized steel sheet--III). Naoki Henmi, et al.	S344
344	Effect of surface profile of galvanized steel sheets on paintability of hi-solid coating. Tatsuya Kanamaru, et al.	S345
345	Limit of contact angle in hot rolling under back compression. Takashi Arizumi, et al.	S346
346	Force, torque and deformation on roll slitting of slabs. (Study on roll slitting method of slab--I). Haruhiro Ibata, et al.	S347
347	Development of an insulating cover in hot slab yard. Masaomi Hirose, et al.	S348
348	Influence of roll diameter and slab width on rolling characteristics in width reduction of slab. Hirohiko Takuda, et al.	S349
349	Limit of buckling on the rougher attached edger with hold down rollers. Onda Sōichiro, et al.	S350
350	Application of digital speed control system for hot strip mill. Hitoshi Tanaka, et al.	S351
351	Utilization of mill pitch control. (Mill pitch control in hot strip mill--I). Ichiro Toda, et al.	S352
352	DDC system in Mizushima Hot Strip Works, Kawasaki Steel Corp. (Mill pitch control in hot strip mill--II). Kouzou Ishikawa, et al.	S353
353	Installation of multi-roller entry side guide at finisher. Masataka Yamada, et al.	S354
354	On-line profile calculation model for hot strip mill. Ryoichi Takahashi, et al.	S355
355	Analysis of edge high-spot on strip profile. (Crown control by large-crowned back-up roll in hot strip mill--III). Mikie Tokunaga, et al.	S356
356	Crown and shape control at hot strip mill. Masayuki Miyatake, et al.	S357

357	Shape and profile control at hot strip mill with variable crown backup rolls. Toshihiko Nagai, et al.	S358
358	Application of BEM to calculate roll flattening in hot strip mill. Junji Kihara, et al.	S359
359	Properties of lateral deformation. (Geometric factors affecting lateral deformation in flat rolling--I). Sadakazu Masuda, et al.	S360
360	On line model for prediction of strip temperature in hot rolling. Yukihiisa Kuriyama, et al.	S361
361	Reconstruction of hot looper system. (Study on the tension control system of hot strip finishing mills--III). Shigeru Ueki, et al.	S362
362	New type hydraulic down coiler for hot strip mill. Akikazu Nakajima, et al.	S363
363	Improvement of down coiler at hot strip mill. Hiroo Kasuga, et al.	S364
364	Descaling with brush roll. (Development of mechanical descailing technique in hot rolling--II). Toshikazu Mori, et al.	S365
365	Investigation on installation and failure of load cells for hot strip mills. Hiro Amano, et al.	S366
366	Development of shrink-forming process on heavy wall welded pipes. Jun-ichiro Takehara, et al.	S367
367	Forming load of fin pass tandem stand in ERW pipe forming. Takaaki Toyooka, et al.	S368
368	Variation of circuit constants in high frequency electric resistance welding. (A study on heating and melting phenomena in ERW--I). Michio Saito, et al.	S369
369	Development of slurry pipe and techniques of manufacturing in new 26 inch ERW pipe mill. Jun-ichi Karasawa, et al.	S370
370	A computer-aided quantification method for surface deflection of car body panels. Haruo Kozono, et al.	S371
371	Development of high-efficiency impeder for electric resistance tube welding. Hirohisa Ichihara, et al.	S372
372	Makeup control methods of high strength buttress casing connections. Kazushi Maruyama, et al.	S373
373	Mill pacing control system at seamless pipe mill. Kazuyuki Sakurada, et al.	S374
374	Effect of t/D on pipe upsetting. (Study on upsetting of tube ends--II). Takao Kawate, et al.	S375
375	Roughness change in cold rolling of steel strip. Junji Kihara, et al.	S376
376	An experimental study about the cause of work roll wear on the cold rolling of Al.K.CC. steel. Shūichi Iwado, et al.	S377
377	Surface roughness decreasing test of cold working roll using two roller type rolling contact fatigue testing machine. Hideo Sekiguchi, et al.	S378
378	An experimental study by the simulating model. (Development of a new type rolling oil--II). Shūichi Iwado, et al.	S379
379	Preparation of oil particle size with polydispersant. (Development of a new type rolling oil--III). Hiroyuki Nagamori, et al.	S380
380	The result of actual mill trials at Fukuyama Works' No.2 TCM, Nippon Kokan K.K. (Development of a new type rolling oil--IV). Shūichi Iwado, et al.	S381
381	Development of mill clean oil with high lubricity for cold rolling. Kazuhiko Kenmochi, et al.	S382
382	Lubricity and anneal-cleanliness of oiliness-improvers for cold rolling oil. (Research on cold rolling oil with high lubricity and good anneal-cleanliness--I). Toshirō Mase, et al.	S383
383	Convert of blooming mill roll to billetting mill roll. Kazuo Kobayashi, et al.	S384
384	The effect of molybdenum on the hot wear characteristics of high carbon-low alloy cast steels. Toshihiko Takahashi, et al.	S385
385	Service life of surfaced continuous casting roll. Tsuguo Honda, et al.	S386
386	Effects of the experimental conditions on the wear test of some adamite roll materials. Osamu Kato, et al.	S387

APRIL 2, 1983

387	Size control system at 6 stands continuous blooming mill. Kazuyuki Fukuda, et al.	S388
388	Universal rolling of square billets. Taneharu Nishino, et al.	S389
389	Grooveless rolling. Akihiko Takatsu, et al.	S390
390	Development of computer aided roll design system for rod and bar. (Development of roll design system--I). Takashi Ehiro, et al.	S391
391	Development of free tension control technique for continuous bar rolling mill. Toshihiro Oka, et al.	S392
392	Method for direct heat treating austenitic stainless steel wire rod. Shōbun Ishio, et al.	S393

393	New technology of shortening time and eliminating pickling in spheroidizing annealing process. (Application of in-line heat treatment of wire rods by hot water bath--III). Saburo Otani, et al.	S394
394	Prevention of decarburization during spheroidizing annealing in nitrogen atmosphere of wire rods with black scale. (Application of in-line heat treatment of wire rods by hot water bath--IV). Hideo Kanisawa, et al.	S395
395	Reduction of residual stress in rolled H-beam. Hiroshi Yoshida, et al.	S396
396	Analysis of web offset in universal rolling of wide-flange H-beams. Hiroshi Kubo, et al.	S397
397	Effects of Al content in bath and cold reduction on growth of alloy layer of galvanized steel sheets. Hiroshi Togawa, et al.	S398
398	Commercial process of one side galvanized steel sheet by stop-off coating. Yoshinori Fujita, et al.	S399
399	Coating weight control by gaswiping with recycle seal box. (Study of coating weight control in galvanized steel strip--V). Katsushi Saito, et al.	S400
400	Roll-coating mechanism of molten zinc on steel sheet. Tatsuya Kanamaru, et al.	S401
401	Effects of coating weight and intermetallic alloy thickness on peeling of coated metal due to severe forming. (Formability of aluminized steel sheets--IV). Hisao Kawase, et al.	S402
402	Development of new coated steel sheet for automobiles. Hideo Okuda, et al.	S403
403	Corrosion resistance of metal-organic composite coated steel sheet. (Effect of coated film on perforation--I). Kazuhiro Masuda, et al.	S404
404	Corrosion resistance of organic and metallic composite coated sheet. (Evaluation of utility performance--II). Yujiro Miyauchi, et al.	S405
405	Investigation of spot welding process. (Weldability of metal-organic composite coated steel sheet--I). Arinobu Yamada, et al.	S406
406	Evaluation with practical welding conditions. (Weldability of metal-organic composite coated steel sheet--II). Arinobu Yamada, et al.	S407
407	Composite film coated chromate electrogalvanized steel sheet with high corrosion resistance and paintability. Masakazu Tsukada, et al.	S408
408	Development of low-temper blackplate using extra low carbon steel. Takashi Obara, et al.	S409
409	Manufacture of low temper blackplate using extra low carbon steel. Tomohiko Akiyama, et al.	S410
410	Structure of tin crystal electrodeposited from acid stannous sulfate bath. Kenzo Matsui, et al.	S411
411	Development of control system of tin plate alloy layer. Shigehisa Miyata, et al.	S412
412	Effect of post treatment on alloy growth of tin-plated steel sheet during baking. Hirokazu Moriyama, et al.	S413
413	Numerical calculation of temperature curve in seam welding portions of cans. (Investigation of the phenomena in seam welding of cans--I). Kenji Yasunaka, et al.	S414
414	Effect of welding conditions on seam welding performance of tinplate. (Investigation of the phenomena in seam welding of cans--II). Tsukasa Fujimura, et al.	S415
415	High speed seam welding of materials for cans. Masashi Ichikawa, et al.	S416
416	Chromate treatment on Ni plated steel sheet. (Development of surface-coated steel sheet for welded cans--III). Tomonari Ouga, et al.	S417
417	Application of electro-chromate treatment to lightly tin coated steel. Hiroki Iwasa, et al.	S418
418	The chemical condition of the TFS-CT for cemented side seam can use. Mitsuo Yoshida, et al.	S419
419	Effect of hydrated chromium oxide composition of TFS on lacquer adhesion. Satoshi Doi, et al.	S420
420	Eddy current testing of hot billet. Hidefusa Ishiwatari, et al.	S421
421	On-line eddy current flaw detection of hot flat steel. Masashi Mizuno, et al.	S422
422	Fundamental characteristics of eddy current sensor. (Development of electro-magnetic sensor with finite element method--I). Toshio Ohkawa, et al.	S423
423	Edge crack detection and measurement by eddy current sensor of cross magnetic field type. Syuji Naito, et al.	S424
424	Development of ultrasonic detector for high frequency electric resistance welding of I beam. Hisao Kazama, et al.	S425
425	Development of pipe butt-welding observation system. Yasumasa Nariyai, et al.	S426
426	The development of ultrasonic loupe. Riichi Murayama, et al.	S427
427	Adoption of crop-shape measuring system in the hot strip mill. Shigesaburou Torii, et al.	S428

428 Development of cross bow detector by laser beam projection method.
Shunji Fujiwara, et al. S429

APRIL 3, 1983

429	Installation of new oiling method. (Refreshment of pickling line--I). Noboru Tsuruda, et al.	S430
430	Outline of continuous cold strip producing line at Hirohata Works, Nippon Steel Corp. Hiroshi Iida, et al.	S431
431	Cold rolling mill in continuous cold strip producing line at Hirohata Works, Nippon Steel Corp. Hiroshi Ikegami, et al.	S432
432	Improvement in gauge accuracy at 5-stand tandem cold mill. (Refresh of 5-stand tandem cold mill--I). Tōkō Teshiba, et al.	S433
433	Digital speed control of cold tandem mill. (Refresh of 5-stand tandem cold mill--II). Tomio Chonan, et al.	S434
434	Development of no-drooping cold rolling. (Refresh of 5-stand tandem cold mill--III). Yasuhiro Yamada, et al.	S435
435	Structure and characteristics of asymmetric cluster mill. (Development of asymmetric cluster mill--I). Yasuhiro Itazuri, et al.	S436
436	Characteristics of rolling in asymmetric cluster mill. (Development of asymmetric cluster mill--II). Hiroyasu Yamamoto, et al.	S437
437	Characteristics of shape control of asymmetric cluster mill. (Development of asymmetric cluster mill--III). Tetsuo Kajihara, et al.	S438
438	Outline of 3S roll and sleeve slide system. (Development of 3S roll--I). Yukio Matsuda, et al.	S439
439	Results of sleeve slide test. (Development of 3S roll--II). Kenzo Tachibana, et al.	S440
440	Total system of shape and gauge control at cold strip mill in Kashima Works, Sumitomo Metal Industries, Ltd. (Development of 3S roll--III). Yukio Matsuda, et al.	S441
441	Optimum sleeve length and improvement of final profile using 3S roll. (Development of 3S roll--IV). Yukio Matsuda, et al.	S442
442	Analysis of edge drop in cold rolling. (Improvement of edge drop in cold rolling--I). Michio Yamashita, et al.	S443
443	Improvement of profile in Sendzimir mill. (Improvement of edge drop in cold rolling--II). Kouji Ono, et al.	S444
444	High tension skinpass mill for cold rolled strip of stainless steels. Akihiko Kamiya, et al.	S445
445	Development of the shearing line for tin free steel. Fumio Kosumi, et al.	S446
446	Degradation process of coated steel in H ₂ S environment. Shōichi Osuka, et al.	S447
447	Driving the plastic coated steel-pipe pile. Fuyuhiko Ōtsuki, et al.	S448
448	Corrosion behaviour of steel pipe piles protected with higher alloy wrapping. Sakae Fujita, et al.	S449
449	X-ray evaluation of atmospheric resistance of polyvinyl chloride resin film. Eiki Takeshima, et al.	S450
450	X-ray deterioration behavior of polyvinyl chloride resin film. Toshinori Kawano, et al.	S451
451	The effect of adhesive's properties on the performance of polyethylene coated pipe. Masakazu Ookita, et al.	S452
452	Lubricants of dry film type for metal working at high-temperature. Satoru Fujii, et al.	S453
453	Friction behaviour in forming of coated sheets. Tadashi Sakane, et al.	S454
454	Formability of metal-organic composite coated steel sheet. Arata Ujihara, et al.	S455
455	Adsorption effect of nucleating agent on phosphate treatment and controlling factors for the adsorption. Masahiro Yamamoto, et al.	S456
456	A method for improving the phosphatability on one-side hot dip galvanizing. Masami Ōsawa, et al.	S457
457	Cratering phenomena of electrodeposited cathodic coatings on galvanized steel sheets. Tadao Azami, et al.	S458
458	Blistering mechanism of paint film on hot dip galvanized hot-rolled steel sheets. Motohiro Nakayama, et al.	S459
459	Wet adhesion of electrodeposited coatings. Kazuko Uchida, et al.	S460
460	Loss in paint adhesion on steel sheets for automobiles in various environment. (Study on paint adhesion of steel sheets for automobiles--III). Yoichi Ito, et al.	S461
461	Influence of metal substrates on the corrosion under paint films. Hiromitsu Fukumoto, et al.	S462
462	Compactibility to iron powder. Kouichi Tanaka, et al.	S463
463	Change of macro structure in width reduction of continuously cast slab. Hirohiko Takuda, et al.	S464
464	The relationship between the dendritic microstructure of strand-cast slabs and the mechanical properties of the rolled products.	

	Masana Imagumbai, et al.	S465
465	Development of multi-pass hot rolling simulator. (Study on microstructure and deformation behavior by multi-pass hot rolling simulator--I). Tamao Yokoi, et al.	S466
466	γ - and α - microstructural changes with various conditions for 2 passes deformation. (Study on microstructure and deformation behavior by multi-pass hot-rolling simulator--II). Kazutoshi Kunishige, et al.	S467
467	Resistance of deformation of carbon steels in austenite phase. Takehide Senuma, et al.	S468
468	The formulation of hot deformation resistance data. Kouichi Tanaka, et al.	S469
469	A new approach to dynamic recrystallization. Taku Sakai, et al.	S470
470	Experimental results of the fundamental characteristics for heating. (Development of the open radiant tube type reheating furnace--I). Kouichi Yuta, et al.	S471
471	Application of DBR to Fukuyama Plate Mill, Fukuyama Works, Nippon Kokan K.K. (Plane view control in plate rolling (Development of DBR method)--III). Mitsuru Yamawaki, et al.	S472
472	Control system of DBR at Fukuyama Plate Mill, Fukuyama Works, Nippon Kokan K.K. (Plane view control in plate rolling (Development of DBR method)--IV). Shitoshi Murakami, et al.	S473
473	Yield improvement by slab profile meter. (Introduction of slab profile meter to plate mills--I). Tetsuro Hatakeyama, et al.	S474
474	Slab profile meter and its accuracy. (Introduction of slab profile meter to plate mills--II). Haruhiko Matsushima, et al.	S475
475	Individually-positioned three-head thickness gauge system for plates. Niro Katayama, et al.	S476
476	Development of plate sizing apparatus. Hideo Nakazato, et al.	S477
477	Online ultrasonic testing system for heavy plate. Toshiyuki Matsumi, et al.	S478
478	A step to close-looped technical & quality control system for plate production. Kyōichi Kissei, et al.	S479
479	Casting masonry method of reheating furnace. Hirofumi Inoue, et al.	S480
480	Basic test of LD-gas combustion. (Technique for LD-gas combustion--I). Keiichi Ohtani, et al.	S481
481	Application of LD-gas for soaking pit. (Technique for LD-gas combustion--II). Kenji Doi, et al.	S482
482	The optimum operation of saving energy at the HCR reheating furnace for CC bloom. Yoshifumi Nakano, et al.	S483
483	Reheating furnace for continuous cast bloom--I. Yoshimitsu Kato, et al.	S484
484	Computer control system of reheating furnace. (Reheating furnace for continuous cast bloom--II). Yoshito Tanaka, et al.	S485
485	Total energy saving system in reheating furnace of hot strip mill. Susumu Kameda, et al.	S486
486	Heat transfer model of the oil burner furnace. Toshio Endō, et al.	S487
487	Modify system of the heat transfer model of the continuous furnace. Toshio Endō, et al.	S488
488	Computer control for reheating furnace of hot strip mill at Mizushima Works, Kawasaki Steel Corp. (Development of computer control system for reheating furnace--I). Masayasu Fukui, et al.	S489
489	A calculation model of hot strip's temperature in rougher rolling of hot strip mill at Mizushima Works, Kawasaki Steel Corp. (Development of computer control system for reheating furnace--II). Sumihiko Itou, et al.	S490
490	On-line computer control system with DDC for an existing bloom reheating furnace. Hidehiko Nagatomi, et al.	S491
491	Development of simulation model of rotary hearth furnace. Yutaka Suzuki, et al.	S492
492	Application of VVVF to box-annealing furnace. Syun-ichi Tanabe, et al.	S493
493	Modeling of pressure distribution on the strip by CAL-water quench nozzle. Toshio Ishii, et al.	S494
494	Continuous annealing furnace in continuous cold strip producing line at Hirohata Works, Nippon Steel Corp. Hiroshi Iida, et al.	S495
495	The first cooling equipment in continuous cold strip producing line at Hirohata Works, Nippon Steel Corp. Tetsuo Ohhara, et al.	S496
496	Fundamentals and results of test plant. (Free catenary type new vertical continuous annealing furnace--I). Norio Anzawa, et al.	S497
497	Utilized technology and operational performance. (Free catenary type new vertical continuous annealing furnace--II). Yasuyuki Nishiyama, et al.	S498
498	Strain induced in a continuous annealing line and mechanical properties. Tetsu Matoba, et al.	S499

-- PROPERTIES OF IRON AND STEEL --

APRIL 1, 1983

499	The effect of vanadium on yield strength of normalized steel pipes for API N-80 tubing. Katsutoshi Yamada, et al.	S500
500	Influence of various factors on the uni-axial tension load test for sulfide stress corrosion cracking. Teruo Kaneko, et al.	S501
501	Stress corrosion cracking of low alloy cobalt steels due to H ₂ S. Katsutoshi Ina, et al.	S502
502	Development of low C-high P steel for atmospheric corrosion resistance with high weldability. Yukio Tsuda, et al.	S503
503	Field test of ERW pipe to grooving corrosion resistance. Shigeru Mizoguchi, et al.	S504
504	Corrosion of joints of steel structures for finishing reef. Tsukasa Imazu, et al.	S505
505	Effect of normalizing temperature on tensile strength of vanadium bearing steels. Toshio Yokoi, et al.	S506
506	Effects of chemical composition, grain size and cooling rate on the mechanical properties of microalloyed medium carbon steels. Yoshiharu Tanaka, et al.	S507
507	New Process for producing 80 kg/mm ² grade hexagonal bolts from the high strength wire rod. Osami Serikawa, et al.	S508
508	Effect of alloy elements on distortion in carburizing. Morihumi Nakamura, et al.	S509
509	Relation between case hardenability and bending properties of steel. Toyoaki Eguchi, et al.	S510
510	Effect of austenite grain size on the properties of boron carburizing steel. Morihumi Nakamura, et al.	S511
511	Properties of a continuous cast alloy steel for bearings. Mitsuyasu Nakamura, et al.	S512
512	Effect of hydrogen on the fatigue fracture mode for carburized steel. Chitoshi Masuda, et al.	S513
513	Tool life of Ca free-machining steel with coated HSS hob. Atsuyoshi Kimura, et al.	S514
514	Properties of resulphurized free machining steels made from continuous casting process. Saburo Otani, et al.	S515
515	Rolling contact fatigue characteristics of leaded free cutting steels. Masaaki Horie, et al.	S516
516	Effect of heat treatment and cold work on machinability of case hardening alloy steel. Tsuyoshi Kouoka, et al.	S517
517	Influence of manufacturing process on mechanical properties of HT80 steel plate with heavy section. Ryota Yamaba, et al.	S518
518	Production of 80 kg/mm ² ultra thick steel plate having superior mechanical property of through-thickness direction. (Development of technique of unidirectionally solidified ingot making--III). Yasuyuki Saito, et al.	S519
519	Production of 80 kg/mm ² ultra thick steel plate having no cracks during stress relief. (Development of technique of unidirectionally solidified ingot making--IV). Yasuyuki Saito, et al.	S520
520	High toughness low carbon nickel steel by roll and tempering. Tamotsu Hashimoto, et al.	S521
521	Properties of low C-3.5%Ni steel plates with high toughness. Takeshi Kōriyama, et al.	S522
522	Effects of C and Nb contents on strength and toughness of 2.5 % Ni steel. (Development of high toughness steel for low temperature use--I). Osamu Furukimi, et al.	S523
523	Production test results of ultra low C-Nb-2.5%Ni steel. (Development of high toughness steel for low temperature use--II). Hidetoshi Imon, et al.	S524
524	Properties of 9 % Ni steel plate produced by on-line accelerated cooling and tempering processes. Kazuyuki Matsui, et al.	S525
525	Effect of chemical composition and producing conditions on the properties of 9 % Ni steel plate. (Development of high toughness 9 % Ni steel plate--I). Takashi Hosoya, et al.	S526
526	Brittle fracture characteristics of ultra low impurity 9 % Ni steel plate. (Development of high toughness 9 % Ni steel plate--II). Yoichiro Kobayashi, et al.	S527
527	Stress Corrosion cracking of 9 % Ni steel. Yasuyoshi Yamane, et al.	S528
528	Cold forming of 9 % Ni steel head plate for pressure vessels. Masaaki Nakamura, et al.	S529
529	Manufacturing of 9 % Ni steel UOE pipes with ferritic welding fillers. Masaki Kitagawa, et al.	S530

530	Weld cracking and microstructure. (Study on prevention of weld cracking in invar--I). Hiroji Nakagawa, et al.	S531
531	Effect of Ce addition on the toughness of weld-heat-affected-zone of 6 % Mn cryogenic steels. Masato Murakami, et al.	S532
532	Effect of heat treatments on the mechanical properties of a 6 % Mn cryogenic steel. Masato Murakami, et al.	S533
533	Effects of grain size and carbide on ductility and toughness of nonmagnetic high manganese steel. Yutaka Oka, et al.	S534
534	Passive film of austenitic stainless steels. Kin-ichi Sugai, et al.	S535
535	Intergranular stress corrosion cracking of austenitic stainless steels in borated water. Hiroyuki Tsuge, et al.	S536
536	Corrosion and stress corrosion cracking behavior of Cu-bearing austenitic stainless steel. Hayao Kurahashi, et al.	S537
537	Corrosion resistance of ferritic stainless steel welds. Akira Takahashi, et al.	S538
538	Pitting corrosion resistance of 13 % Cr steel in oil field environments. Shuji Hashizume, et al.	S539
539	Corrosion resistance of 12Cr-(Ni)-Mo stainless steels in chloride and sulfide environments. Yuichi Yoshino, et al.	S540
540	Corrosion behavior of duplex stainless steel in CO ₂ -H ₂ S-Ce environments. Shiro Mukai, et al.	S541
541	Chemical composition. (Effect of metallurgical factors on the corrosion resistance of duplex stainless steels--I). Jun-ichi Sakai, et al.	S542
542	Heat treatment. (Effect of metallurgical factors on the corrosion resistance of duplex stainless steels--II). Masaharu Honda, et al.	S543
543	Development of low Si-CrMoV valve casting. Yoshitaka Iwabuchi, et al.	S544
544	Controlling factors for creep rupture strength and rupture ductility of Cr-Mo-V steel castings. Junro Kyono, et al.	S545
545	Long term creep rupture properties and microstructure of 12Cr-Mo-W-V steel. Hideo Tanaka, et al.	S546
546	Effect of Cr and Si on the oxidation resistance of ferritic stainless steel in heater environment. Yoshiaki Shida, et al.	S547
547	Qualitative evaluation of combustibility of steels in oxygen. (Combustibility of oxygen tubes for B O furnace--I). Mikio Yamanaka, et al.	S548
548	Mechanical properties of 304 steel used for a long time at elevated temperature. Masaru Tanaka, et al.	S549
549	Applicability of J-integral to the growth of intergranular microcracks of creep in 304 stainless steel. Ryuichi Ohtani, et al.	S550
550	Chemical composition and TTP constant for long-time extrapolation of austenitic stainless steels. Masao Sakamoto, et al.	S551
551	Effect of heat treatment at higher temperature for shorter time on creep rupture strength of 18-8 Mo fuel cladding tube for fast breeder reactor. Hiroyuki Uchida, et al.	S552
552	Gaseous hydrogen embrittlement of welded joint in maraging steels. Mitsutane Fujita, et al.	S553
553	Various aged structures and hydrogen embrittlement susceptibility of 13Ni-15Co-10Mo maraging steel. Yoshikuni Kawabe, et al.	S554
554	Delayed fracture strength in gaseous hydrogen of ultrahigh strength maraging steel. Yoshikuni Kawabe, et al.	S555
555	Grain size dependence of fracture toughness of 18 Ni 210 and 245 kg/mm ² grade maraging steels. Seiichi Muneki, et al.	S556
556	The effect of alloying elements on the susceptibility to delayed failure of maraging steels. Hiroyuki Morimoto, et al.	S557
557	Effects of cold rolling on cold-formability of 18 % Ni maraging steel. Takayuki Nakamura, et al.	S558
558	Effects of combined addition of Si, Ti in martensitic precipitation hardening steel. Takeshi Utsunomiya, et al.	S559
559	The effect of impurity on temper embrittlement for 3.5%Ni-Cr-Mo-V steel low pressure rotor forging. (The effect of P and Sb on temper embrittlement--I). Satoshi Tanimoto, et al.	S560
560	Separation of grain boundary and its solidation at high temperature. (Overheating of NiCrMoV steel--II). Yasuhiko Tanaka, et al.	S561
561	Crack propagation of 4 Hi mill back up rolls. Hiroshi Goto, et al.	S562
562	Relationship between heat-checks and tempering temperatures of roll steel for non-ferrous hot rolling. Kenji Miyazawa, et al.	S563
563	The effect of microstructure on the toughness of the 3 % Cr hot work alloy tool steel. Toshio Okuno, et al.	S564
564	Development of high strength weldable rail steel. Nobuo Fukushige, et al. ...	S565
565	Short time lubrication treatment for cold heading wire. Hyozi Hagita, et al.	S566

566	Development of continuously cast low carbon killed steel wire rod and bar for cold formability. Yutaka Tamai, et al.	S567
567	Evaluation of inclusions of wire rods for dine wire application. Yasuhiro Oki, et al.	S568
568	Workability of fine steel wire in high-speed twisting process. Shin-ichi Mogami, et al.	S569
569	Technique of direct-patenting of high carbon steel wires. (Technique of in-line heat treatment on salt--I). Kinya Wakimoto, et al.	S570
570	Influence of warm deformation on stress relaxation of medium carbon steel martensite. Kenji Aihara	S571
571	Evaluation of Charpy shelf energy of high strength steels with high ductility. Sadahiro Yamamoto, et al.	S572
572	Metallurgical factors concerned with cleavage fracture of heavy plates produced from continuous cast slabs. Shoichi Sekiguchi, et al.	S573
573	Fracture toughness test for the small specimen. (Improvement of welded joint fracture toughness of steel plates--I). Toshinori Yokomaku, et al.	S574
574	The effects of grain-refining elements and inclusions on the fracture toughness of heat-affected zone in high heat input welding. (Improvement of welded joint fracture toughness of steel plates--II). Toshinori Yokomaku, et al.	S575
575	Reduction in fracture toughness caused by various cold working and aging. Masato Kobayashi, et al.	S576
576	Change in dynamic fracture toughness during crack propagation in constant temperature and K-increase type specimens. Yoshifumi Nakano, et al.	S577
577	Evaluation of fracture toughness of thick plates and welded joints for a nuclear reactor pressure vessel by D.C. electrical potential method. Tsuneo Kodaira, et al.	S578
578	Effects of neutron irradiation on fracture toughness of heavy section steels for a nuclear reactor pressure vessel. Tsuneo Kodaira, et al.	S579
579	Development of continuous casting linepipe steel for sour gas service. (Improvement of sensitivity to hydrogen induced cracking--I). Akira Ito, et al.	S580
580	Effect of chemical composition on the center segregation in continuously cast slab. Hiroyuki Ichihashi, et al.	S581
581	Effect of chemical composition and center segregation on hydrogen induced cracking. Jun-ichiro Murayama, et al.	S582
582	Composition of solution for hydrogen induced cracking test. Teruo Kaneko, et al.	S583
583	Environmental assessment of HIC occurrence in H ₂ S-CO ₂ -seawater. Nobuhiro Seki, et al.	S584
584	Strength of dissimilar metals interface of welded pressure vessels made of 1/2Mo/405 clad plate under the hydrogen service environment. Tohru Nomura, et al.	S585
585	Deterioration of 1/2 Mo steels exposed to hydrogen attack. Yoshiteru Sato, et al.	S586
586	Estimation of hydrogen content. (Effect of hydrogen on embrittlement of 2.1/4Cr-1Mo steel--I). Tadashi Iida, et al.	S587
587	Simple evaluation of hydrogen concentration at stainless overlay weld metal interface of pressure vessels for high temperature hydrogen service. Shinji Konosu, et al.	S588
588	Disbonding of weld overlaid pressure vessel steel by hydrogen. (Discussion on the condition for initiation of disbonding). Kazuhisa Kinoshita, et al.	S589

APRIL 2, 1983

589	Effects of prior cold rolling and C contents on the precipitation of Cu in Cu treated steels. (Recrystallization textures of Cu-containing steel sheets--I). Toshiki Hiruta, et al.	S590
590	Effects of preaging treatment prior to cold rolling and C contents on the development of {111} recrystallization texture in Cu treated steels. (Recrystallization textures of Cu-containing steel sheets--II). Hidenori Era, et al.	S591
591	Effects of Ni addition on the formation of {111} recrystallization texture in Cu treated steels. (Recrystallization textures of Cu-containing steel sheets--III). Hidenori Era, et al.	S592
592	Effect of the concentration of manganese in θ -phase in low-carbon Al-killed steel. Yasuharu Sakuma, et al.	S593

593	Effect of Ti on recrystallization behavior during continuous annealing of very low carbon steel. Hiroshi Hayakawa, et al.	S594
594	Effect of hot-rolling on the recrystallization texture of extra-low carbon cold-rolled steel sheet containing niobium. Susumu Satoh, et al.	S595
595	Effect of preferred orientation on the results of Vector Method analysis of textures. Shin-ichi Nagashima, et al.	S596
596	Effect of differential velocity rolling on mechanical properties of cold rolled sheet. Shiro Sanagi, et al.	S597
597	Development of extra-thin gauge steel sheet for DRD can with smaller planar anisotropy. Hideo Kuguminato, et al.	S598
598	Transmission Kossel study of Goss grain after an intermediate annealing in grain oriented silicon steel. Chizuko Maeda, et al.	S599
599	The influence of very fine carbide on the recrystallization in 3.3%Si-Fe. Katsuo Iwamoto, et al.	S600
600	Secondary recrystallization and stability of precipitates in high permeability grain oriented Si-steel. Shozaburo Nakashima, et al.	S601
601	Texture and toughness in controlled-rolled steel bars. Yasuhiro Maehara, et al.	S602
602	Effect of ferrite grain diameter on mechanical properties in controlled cooled Si-Mn steels. Shoji Kawata, et al.	S603
603	Prediction of deformation resistance in austenite-ferrite dual phase region. Yoshiyuki Saito, et al.	S604
604	Transformation behavior and mechanical properties in very low carbon transformation-strengthened steels. Masakazu Niikura, et al.	S605
605	Effect of strength and volume fraction of phases on strength of steel. (Development of control technique of properties by steelmaking and hot rolling processes--II). Jun-ichi Wakita, et al.	S606
606	Optimum control system for plate accelerated cooling. Hiroshi Nishizaki, et al.	S607
607	Effect of chemical composition in steels and thermomechanical treatment on the composition of Nb precipitates. Sadahiro Yamamoto, et al.	S608
608	High temperature rupture ductility of fine grained 18Cr-10Ni-2Mo-P steel. Yoshihiro Kondo, et al.	S609
609	Assessment of long-term creep-rupture data for alloy 800H. Akimitsu Miyazaki, et al.	S610
610	Effect of hot working conditions on grain size of A286 alloy. Takemitsu Honjo, et al.	S611
611	Creep damage formed during creep of Hastelloy X. Norio Shinya, et al.	S612
612	Effect of Al + Ti and Al/Ti on high temperature strength of Ni-19Cr-3Mo-5Nb-17Fe alloys. Takashi Motoda, et al.	S613
613	Effect of β -phase on high temperature creep properties of Ni-20Cr-4Nb-10W alloy. Kaoru Kawasaki, et al.	S614
614	High temperature characteristics of TM-321, a nickel-base superalloy for conventional cast turbine blade. (Nickel-base superalloys by alloy design--IX). Hiroshi Harada, et al.	S615
615	Effects of Ti and Al contents on creep behaviour of Ni base heat resistant alloys in helium environment. Yoshiatsu Sawaragi, et al.	S616
616	Effect of carbide precipitation on the recrystallization in Nimonic 80A. Motoaki Imamura, et al.	S617
617	Effects of atomization conditions on microstructure of Ni-base superalloy powder. Akira Horata, et al.	S618
618	Effect of cooling rate from austenitizing temperature on mechanical properties of 12%CrMoV steel. Hideyuki Kawamoto, et al.	S619
619	Mechanical properties and microstructures of 13 Cr stainless steels tempered at high temperature. (Physical properties of martensitic stainless steels--I). Hiroo Ohtani, et al.	S620
620	Carbide refinement. (Carburizing of Cr stainless steels--II). Takayuki Nakanori, et al.	S621
621	Effects of rolling temperature and cooling rate on $\gamma \rightarrow \alpha$ transformation. (Study on thermomechanical treatment of martensitic stainless steel--II). Hajime Ikeda, et al.	S622
622	Fracture toughness of welded joint using similar alloy filler wire to thick plate of low interstitial ferritic stainless steel plate. Riichi Todoroki, et al.	S623
623	Structures of type 430 stainless steel mill scales and acid cleaning. Kiyoshi Takatsu, et al.	S624
624	Effect of cast structure and hot rolling condition on the formability of SUS430 stainless steel sheet. Jiro Harase, et al.	S625
625	Effect of hot rolling condition on the formability of SUS430 stainless steel sheet. Jiro Harase, et al.	S626

626	Effects of hot-rolling and hot rolled sheet annealing conditions on mechanical and microstructural properties of Al containing 17 Cr ferritic stainless steel sheet. Mitsuo Ishii, et al.	S627
627	Effects of Al on intergranular corrosion. (Development of continuous annealing process for hot coil of 17 Cr stainless steel--I). Akio Yamamoto, et al.	S628
628	Effects of Al on formability and ridging property. (Development of continuous annealing process for hot coil of 17 Cr stainless steel--II). Takeo Ashiura, et al.	S629
629	Properties of BA coil as final products. (Development of continuous annealing process for hot coil of 17 Cr stainless steel--III). Susumu Kurosawa, et al.	S630
630	Transformation and ferrite grain refinement after hot deformation. Takeshi Terasawa, et al.	S631
631	Change in m-value under various conditions of transformation superplasticity in steels. Haruo Nozaki, et al.	S632
632	A quantitative evaluation of the degree of acceleration of pearlite formation by the deformation of austenite. Hideyuki Ohtsuka, et al.	S633
633	Computer simulation of isothermal transformation diagram of steels. Tadashi Furuhashi, et al.	S634
634	Dissolution behavior of AlN precipitated in C.C. slab. Hideo Kobayashi, et al.	S635
635	Cementite precipitation behavior from supersaturated solid solution of carbon in Fe-C alloy. Kohsaku Ushioda, et al.	S636
636	Factors controlling carbide distribution density in Fe-C alloy. Mitsunobu Abe, et al.	S637
637	Direct softening of SCM435 alloy steel for machine and structural use. (Thermo-mechanical treatment of steel bars--IV). Hiroo Ohtani, et al.	S638
638	Hardenability control of carbon steels for induction hardening. Hisashi Ohta, et al.	S639
639	Non-spheroidized steel for cold forging. Yutaka Sagae, et al.	S640
640	Effect of metallurgical factors on quenching crack sensitivity. Takashi Abe, et al.	S641

APRIL 3, 1983

641	Boron-added as-hot-rolled dual-phase steel. Takashi Furukawa, et al.	S642
642	Possibilities of achieving low yield ratio with lower manganese dual phase steels. Yoshikazu Takada, et al.	S643
643	Morphology and the mechanical properties of dual phase steel produced by annealing the lath martensite structure. Naomi Matsumura, et al.	S644
644	Initial Yielding and strain hardening of dual-phase steels. Kohichi Sugimoto, et al.	S645
645	V added hot rolled steel sheet with ultra high strength. (HSLA having low yield ratio--VIII). Noriaki Nagao, et al.	S646
646	Effects of tensile test conditions on the yielding behavior of cold-rolled steel sheets. Kazuo Koyama, et al.	S647
647	Effect of strain rate of temper rolling on the mechanical properties of cold rolled steel sheets. Kuniaki Maruoka, et al.	S648
648	Influence of base metal chemical compositions on flash-butt weld interface quality. Yasutomo Ichiyama, et al.	S649
649	Weldability of low PCM X-70 grade line pipe. Takashi Yamura, et al.	S650
650	Mechanical properties and its application to the mass production process of low carbon niobium alloyed steel. (Development of low PCM X 70 grade line pipe--I). Yōji Yamaguchi, et al.	S651
651	Development of dynamic accelerated cooling process with high strength and high toughness. (Development of low PCM X 70 grade line pipe--II). Tamotsu Hashimoto, et al.	S652
652	Production of Ti-B steel pipe with high toughness by accelerated cooling methods after controlled rolling. (Development of low PCM X 70 grade line pipe--III). Takeaki Sawamura, et al.	S653
653	Effect of hot-charged rolling on the steel properties of line pipe steels. Masahiko Murata, et al.	S654
654	Effect of processing parameters in controlled-rolling and controlled-cooling process on the steel properties and microstructure. Tetsuo Takeda, et al.	S655
655	Elementary process in the formation of separation. (Separation in control-rolled steel--I). Hirosuke Inagaki	S656
656	Theoretical consideration on the mechanism of the formation of separation. (Separation in control-rolled steel--II). Hirosuke Inagaki	S657

657	An apparatus for determining the direct quench hardenability of as-hot-rolled steel plates. Toshimitsu Fujii, et al.	S658
658	Relationship between direct quenching effect and hardenability in high tensile strength steels. Katsuhiko Itayama, et al.	S659
659	Effect of interrupted cooling and tempering after cooling in the on-line accelerated cooling process. Kohichi Uchino, et al.	S660
660	Properties of controlled-rolled SLA 37 steel plates. (Development of special controlled rolled high toughness steel for low temperature service--III). Shigetoshi Okoshi, et al.	S661
661	The effects of sulfur and processing variables on the properties of short transverse direction in controlled rolling type steel for low temperature use. Yohji Kohsaka, et al.	S662
662	Mechanical properties of the low temperature service steel plates by the thermo-mechanical rolling and controlled cooling processes. Rikio Chigliwa, et al.	S663
663	Improvement in toughness of weld joint of steel plate for large heat input welding. Ryuji Okabe, et al.	S664
664	Production of low carbon equivalent high strength steel for offshore structure. (High strength steel produced by continuous on-line-control process (CLC)--IV). Yukio Tomita, et al.	S665
665	Effect of titanium on toughness of accelerated cooled 50 kgf/mm ² class high tensile strength steel plates. Kiyoshi Iwai, et al.	S666
666	Properties of Cr-Mo steel plate manufactured by continuous casting process. Seishi Tsuyama, et al.	S667
667	Properties of ultra heavy plates by manufactured from unidirectionally solidified ingots. Motonori Uemura, et al.	S668
668	Manufacture of low carbon A302B steel plates with heavy section for pressure vessel. Hiroaki Tsukamoto, et al.	S669
669	Suppression of temper embrittlement of 2.1/4Cr-1Mo steel. Seiichi Watanabe, et al.	S670
670	Development of low carbon steel plate for pressure vessel. Jun Furusawa, et al.	S671
671	Manufacturing technology and material properties of heavy section 2.1/4Cr-1Mo forged shell ring. Hidefumi Tani, et al.	S672
672	Creep ductility and metallurgical structure of the weld heat affected zone of Cr-Mo pressure vessel steels. Tadayoshi Tsukeda, et al.	S673
673	Properties and embrittlement observed in strain aging of 2.1/4Cr-1Mo steel. Masahide Suzuki, et al.	S674
674	Effects of Al and N on strength and toughness of A387-22 steel plate with heavy section. Tetsuo Kikutake, et al.	S675
675	Effect of slab reheating temperature on fishscale susceptibility of Ti bearing steel. Kenji Ito, et al.	S676
676	Production of titanium bearing steel for porcelain enameling use. Junsuke Takasaki, et al.	S677
677	Effect of alloying elements and metallurgical factors on liquid metal embrittlement. (Liquid metal embrittlement of steel--III). Tetsujiro Takeda, et al.	S678
678	Liquid zinc embrittlement of steels. (Studies on liquid zinc embrittlement of steels--I). Kotaro Hatakeyama, et al.	S679
679	Liquid zinc embrittlement of steel welds. (Studies on liquid zinc embrittlement of steels--II). Kotaro Hatakeyama, et al.	S680
680	Evaluating test of liquid metal embrittlement of steel in molten zinc. Masatoshi Kikuchi, et al.	S681
681	Alloy design and properties of 60 kg/mm ² class steel for a power-transmission steel tower. (Development of 60 kg/mm ² class steel for a power-transmission steel tower--I). Tetsujiro Takeda, et al.	S682
682	Mechanical properties and buckling strength of 60 kg/mm ² class steel for a power-transmission steel tower. (Development of 60 kg/mm ² class steel for a power-transmission steel tower--II). Tetsujiro Takeda, et al.	S683
683	Effect of stacking fault energy on the plastic deformation of austenitic stainless steels. Masanori Ueki, et al.	S684
684	Effects of nitrogen on the low temperature strength of austenitic stainless steel. (Low temperature strength of stainless steel--II). Tetsu Sakamoto, et al.	S685
685	Effect of high temperature heating on δ -ferrite in 18-8 stainless steel. (Study on production of billet without surface defect--II). Isao Sugawara, et al.	S686
686	Improvement on hot workability of austenitic stainless steel containing δ -ferrite. Tatsuo Kawasaki, et al.	S687
687	Improvement of hot workability of high nitrogen austenitic stainless steel. Masanori Ueda, et al.	S688
688	Effect of grain boundary carbides on properties of α - γ micro duplex stainless steel. Tomohito Iikubo, et al.	S689

689	Effects of alloying elements on σ phase precipitation in duplex stainless steels. Yasuhiro Maehara, et al.	S690
690	Effect of σ phase on hot ductility in duplex stainless steels. Yasuhiro Maehara, et al.	S691
691	Effects of the ferrite content on the hot workability of duplex stainless steels. Yoshiki Kamemura, et al.	S692
692	Fatigue crack initiation and propagation at elevated temperature on mild steel. Toshifumi Kubohori, et al.	S693
693	The effects of environmental condition on low cycle fatigue of carbon steel in high temperature water. (Low cycle fatigue of carbon steel in high temperature water environment--II). Makoto Higuchi, et al.	S694
694	High-temperature, high-cycle fatigue strength of martensitic heat-resisting steel SUH616. Kenji Kanazawa, et al.	S695
695	Effects of carbon content on high temperature low cycle fatigue properties of SUS 304 stainless steels. Takemi Yamada	S696
696	Effects of carbon content on high temperature cyclic hardening of SUS 304 stainless steels. Takemi Yamada	S697
697	Fatigue crack propagation behavior of alloy 600 in high temperature pressurized water. Ken-ichi Tanaka, et al.	S698
698	The effect of strength and ductility on the high temperature low cycle fatigue life of Ni base super alloys. Hidehiro Onodera, et al.	S699
699	The role of simulated HTGR helium on the low cycle fatigue behavior of Ni-Cr-W alloys. Kazuo Furuya, et al.	S700
700	Effects of thermal aging on the low cycle fatigue behavior of Ni-Cr-W alloys in simulated HTGR helium. Kazuo Furuya, et al.	S701
701	High cycle fatigue properties of JIS stainless steels. Satoshi Nishijima, et al.	S702
702	Low cycle fatigue properties at room temperature of JIS stainless steels. Satoshi Nishijima, et al.	S703
703	Fatigue fractography for SUS 304 steel in the region of lower crack propagation rate. Chitoshi Masuda, et al.	S704
704	Corrosion fatigue strength of steels for offshore structures. Asao Narumoto, et al.	S705
705	Corrosion fatigue crack initiation and growth behaviors. Ikushi Kitaura, et al.	S706
706	Environmental effect on corrosion fatigue crack propagation. Hiroyuki Masuda, et al.	S707
707	Effect of shape of thread on fatigue strength of bolts. (Fatigue properties of bolts--I). Shin-ichi Nishida, et al.	S708
708	Effect of lubricants on contact fatigue crack morphology. (Initiation and propagation behaviors of contact fatigue cracks--I). Kazuo Toyama, et al.	S709
709	Application of fracture mechanics to contact fatigue crack propagation in the elastohydrodynamic condition. (Initiation and propagation behaviors of contact fatigue cracks--II). Miyuki Yamamoto, et al.	S710
710	Influence of chemical composition on the cross tension fatigue strength of spot-weld in high strength steel sheets. Tomoo Sekine, et al.	S711