
The 108th ISIJ Meeting Programme *

SYMPOSI A

-- IRONMAKING --

OCTOBER 9, 1984 13:00 - 17:30 Chairman: Yasuto Shimomura

Theme I. Model and Pilot Plant Works in the Field of Ironmaking

- 1 Analysis of melt-formation and solidification phenomena in the course of sintering by using a simulator. Eiki Kasai, et al. A129
- 2 Development of continuous rapid curing process for cold pellet. Hideyuki Yoshikoshi, et al. A133
- 3 Availability and limit of model experiments on dynamic behavior of materials in the blast furnace. Shin-ichi Inaba, et al. A137
- 4 Behavior of materials filling and descending in the lower part of blast furnace by using two-dimensional scale model. Kenji Tamura, et al. A141
- 5 The usefulness of small scale model experiments on the gas and liquid flow and reactions in the lower part of blast furnace. Seiji Taguchi, et al. A145
- 6 Modelling of coke behavior for the blast furnace process. Koichi Kurita, et al. A149
- 7 Kinetic analysis on the rate of step-wise reduction of a single sinter particle with CO-CO₂-N₂ gas mixture. Tateo Usui, et al. A153

-- STEELMAKING --

OCTOBER 10, 1984 10:00 - 17:00 Chairman: Zen-ichiro Morita
Vice-Chairman: Katsukiyo Marukawa

Theme II. Science and Technology on Molten Iron and Slag Related to Steelmaking Processes

- 8 Distribution equilibria of phosphorus, sulfur and manganese between steelmaking slags and liquid iron. Hideaki Suito, et al. A157
- 9 Calculation of slag activities by regular solution model. Mitsutaka Hino, et al. A161
- 10 Solubility of carbon dioxide in molten fluxes. Masafumi Maeda, et al. A165
- 11 Magnitude of nonequilibrium between oxygen pressure in slag and metal and chemical potentials of their components. Kazuhiro S. Goto, et al. A168
- 12 Forming of molten slags. Shigeta Hara, et al. A171
- 13 Fluid flow and reaction rate in gas injection process. Masamichi Sano, et al. A175
- 14 Analysis of transport phenomena in the mixed phases of molten iron and slag during the preliminary treatment of hot metal. Ikuo Sawada, et al. A178
- 15 The Mixing and mass transfer in the ladle refining processes. Kanehiro Ogawa, et al. A181
- 16 Development of the mixed gas blowing in top and bottom blown converter. Shuji Takeuchi, et al. A184
- 17 Optimization of stirred melt treatment accompanied by heterogeneous reaction and estimation of scale-up. Yoshiteru Kikuchi, et al. A187
- 18 Dephosphorization mechanism and scale up factor in top and bottom blowing process with lime-powder injection from top lance. Sei-ichi Masuda, et al. A190

* Tetsu-to-Hagané, 70(1984), No. 12 contains S723 to S1052 preprints in Japanese for Paper Presentations and Tetsu-to-Hagané, 70(1984), No. 13 does S1053 to S1494 preprints for them.
The preprints of Symposia were published in Tetsu-to-Hagané, 70(1984), No. 10, A129 to A244, in Japanese.
Part of those preprints for Paper Presentations are to be published in Transactions ISIJ, 25(1985), Nos. 1 to 6, in English.

-- PLASTIC WORKING AND OTHER FABRICATION PROCESSES --

OCTOBER 9, 1984 13:00 - 17:00 Chairman: Kazuo Kunioka

Theme III. New Processes and Technique for On-line Heat-treatment of Steel Products

- 19 Development of a new process for manufacturing steel plates by on-line water cooling. Akinori Otomo, et al. A193
- 20 Development of technique for on-line controlled cooling steel plate. Hiroshi Kamio, et al. A197
- 21 The cooling equipment and the method of flatness control in manufacturing steel plates by new-thermo-mechanical control process. Hideo Nakamura, et al. A201
- 22 Development of direct quench device and its application to manufacturing high tensile plates. Takashi Uemura, et al. A205
- 23 Production of high strength steel plates by dynamic accelerated cooling process. Sei-ichi Watanabe, et al. A209

-- PROPERTIES OF IRON AND STEEL --

OCTOBER 10, 1984 13:00 - 17:30 Chairman: Yoshinori Saiga

Theme IV. Remaining Life Prediction of High Temperature Structural Materials

- 24 Overhaul of water cooled pressure vessel with internal thermal insulation and statistical analysis of corrosion. Yasuo Kondo, et al. A213
- 25 Remaining life prediction of the steel shell of a blast furnace. Katsuyuki Tokimasa, et al. A217
- 26 Temper embrittlement and hydrogen attack in $2\frac{1}{4}$ Cr-1Mo steels. Jun-ichi Shimomura, et al. A221
- 27 Metallurgical changes and damage mechanisms of steam reforming furnace tubes during long-time service. Sadao Ohta, et al. A225
- 28 Effect of creep deformation on Charpy impact values of SUS 316 steel. Tomohiro Tsuchiyama, et al. A229
- 29 Creep-fatigue life prediction of high temperature materials. Takemi Yamada, et al. A233
- 30 Assessment of creep damage and creep fracture mechanism maps for prediction of residual creep life. Norio Shin-ya, et al. A237
- 31 Remaining life prediction based on the crack propagation behaviors of creep and high temperature fatigue. Ryuichi Ohtani. A241

P A P E R P R E S E N T A T I O N S

-- IRONMAKING --

OCTOBER 9, 1984

- 1 Effect of the operational condition and structure of coke ovens on the generation of coke oven gas. (Quantitative and dynamic estimation of coke oven gas release--I). Gen-ichi Ishibashi, et al. S723
- 2 Flow rate of gas components released during coal pyrolysis. (Quantitative and dynamic estimation of coke oven gas release--II). Yoshio Muroki, et al. S724
- 3 Dynamic prediction of the flow rate and calorific value of coke oven gas. (Quantitative and dynamic estimation of coke oven gas release --III). Ichiro Fujishima, et al. S725
- 4 Simulation model of the optimum conditions on coke dry quenching system operation. Jiro Igaki, et al. S726
- 5 Automatic operating system of coke quenching locomotive. Yasuyuki Higashigawa, et al. S727
- 6 Combustion rate of carbon deposited in coke oven. Masashi Nagata, et al. S728
- 7 Experiments on lump coals breakage by induction heated rotary drum. Kazumaru Kohira, et al. S729
- 8 Effect of coal size on coke strength. Mikito Iemoto, et al. S730
- 9 Evaluation of coals for mild char process. (Development of mild char process--IV). Izumi Shimoyama, et al. S731
- 10 Optimum conditions and productive capacities of coal pelletizing. (Pellets blended coking process--III). Mitsunobu Morita, et al. S732

11	Development of press stamping method for coke making. Hideyuki Takebayashi, et al.	S733
12	Behavior of coke size decrease by compacting the coal charge. Katsutoshi Igawa, et al.	S734
13	Development of mantel type cooling plate and results of test at blast furnace. (Development of protection technology for lower mantel--I). Fumio Itoh, et al.	S735
14	Installation of mantel type cooling plates. (Development of protection technology for lower mantel--II). Fumio Itoh, et al.	S736
15	Blast furnace operation during and after the installation of mantel type cooling plates. (Development of protection technology for lower mantel--III). Hironao Matsuoka, et al.	S737
16	Repair of upper shaft profile of Oita No. 1 Blast Furnace of Nippon Steel Corporation. Minoru Fujiwara, et al.	S738
17	Dismantling investigations on shaft refractory lining of Kimitsu No. 3 BF of Nippon Steel Corporation. Haruya Nagai, et al.	S739
18	Dismantling investigations on hearth refractories in Kimitsu No. 3 BF of Nippon Steel Corporation. (1st campaign). Masakazu Ikeda, et al.	S740
19	Measurement and analysis of thermal stress at bottom and hearth lining of Fukuyama No. 2 BF of Nippon Kokan K.K. (Investigation on wear mechanism of bottom and hearth lining of blast furnace by thermal stress--I). Yasujiro Koyama, et al.	S741
20	Reduction of consumption of trough material at the main runner with installation of new breaker in the blast furnace. Toshiharu Kimura, et al.	S742
21	Ceramic valve for the control of hot blast flow rate at the blast furnace tuyeres. Takashi Takebe, et al.	S743
22	Blow-out operation with lowering the stock level to the tuyere at Sakai No. 1 Blast Furnace of Nippon Steel Corporation. Hidejirō Hayashi, et al.	S744
23	Blow-in and start-up operation of Sakai No. 2 Blast Furnace of Nippon Steel Corporation. Hideharu Shibaike, et al.	S745
24	Water injection for blast humidification of Chiba No. 5 BF of Kawasaki Steel Corporation. Toshiro Sawada, et al.	S746

OCTOBER 10, 1984

25	Distribution of strength inside lump coke CO ₂ -reacted. (Study of coke degradation in blast furnace--II). Shin-ya Okamoto, et al.	S747
26	Distribution of strength inside lump coke heat-treated. (Study of coke degradation in blast furnace--III). Shin-ya Okamoto, et al.	S748
27	Deterioration of coke by CO ₂ gasification under the blast furnace conditions. (Deterioration of blast furnace coke by CO ₂ gasification--II). Hiroshi Haraguchi, et al.	S749
28	Coke reactivity at high temperature. Jose J. Briceño, et al.	S750
29	Gasification reaction of ash in coke and its influence on coke properties at elevated temperature. Chisato Yamagata, et al.	S751
30	Automatic measurement of coke strength after reaction. Minoru Miyake, et al.	S752
31	Development of removal method of Zn from blast furnace dry dust. Yoshizumi Kawaguchi et al.	S753
32	Development of autolanding system of recramer. Yoshio Fukui, et al.	S754
33	Operation of the waste heat recovery system and counterplan for increase of steam production in sintering plant. Akira Takaki, et al.	S755
34	Development of a new burner for ignition furnaces of sinter plants. Shunji Iyama, et al.	S756
35	Optimization of ignition conditions of newly developed burner for sintering process. Masaru Nakamura, et al.	S757
36	Effect of side wall improvement at Tobata No. 3 Sinter Plant of Nippon Steel Corporation. (Investigation of technology for uniforming sinter quality--I). Kouichi Ooyama, et al.	S758
37	Estimation on the particle size of sinter mix after agglomeration. Shirou Tarumoto, et al.	S759
38	Moisture scanning method for setting suitable moisture of sintering raw material. Kazuma Nakashima, et al.	S760
39	Control of air volume distribution on strand of sintering machine. Nobuhiko Takamatsu, et al.	S761
40	Relation between the quasi-particles' composition by selective granulation method and the microstructure and property of sintered particles. Akiyoshi Ohshio, et al.	S762
41	Analysis of the sintering process on the selective granulation method. Tetsuzo Haga, et al.	S763
42	Stabilization of sinter quality by rapid control of coke ratio. Nobuhiro Takashima, et al.	S764

43	Development of sensors for saving energy in sintering process. Takashi Kobayashi, et al.	S765
44	Improvement of sintering operation at the low productivity level. Genji Saito, et al.	S766
45	Effect of burnt lime addition on sintering operation at Hirohata No. 2 Sinter Plant of Nippon Steel Corporation. Shigeki Kawakami, et al.	S767
46	Production of the sinter with high reducibility. Kazuhiro Yamamoto, et al.	S768
47	Model simulation of the melting behavior of cohesive zone by use of ice particles. Kanji Takeda, et al.	S769
48	Model experiments and their analysis for influence of cohesive zone structure on heat load of blast furnace wall. Kanji Takeda, et al.	S770
49	Experimental analysis on behavior of cohesive zone in blast furnace. Masakata Shimizu, et al.	S771
50	Observation on dropping behavior in two-dimensional packed bed. Masayoshi Amatatsu, et al.	S772
51	Experimental study on dynamic hold-up in irrigated packed bed with gas evolution. Katsuhiko Tanaka, et al.	S773
52	Effects of mix charge on the packing characteristics of the lower part of a blast furnace. (Study on the packing characteristics of the lower part of a blast furnace and its control method--IV). Morimasa Ichida, et al.	S774
53	Operation utilizing the bell-less top of No. 2 Blast Furnace at Fukuyama Works, Nippon Kokan K.K. Masaaki Sakurai, et al.	S775
54	Descending behavior of burden materials near the wall of blast furnace throat. Ken-ichi Okimoto, et al.	S776
55	Use of middle size coke and small size sinter at Ohgishima No. 1 and No. 2 B.F. of Nippon Kokan K.K. Akio Shimomura, et al.	S777
56	Scattering-type microwave burden sensor for blast furnaces. Hirokatsu Yashiro, et al.	S778
57	Estimation of O/C, gas flow rate and reduction degree distribution in the blast furnace. Kiyoshi Shibata, et al.	S779
58	Development of burden distribution measuring technique at the lower part of shaft by means of micro-wave. Tatsuro Hirata, et al.	S780
59	Development of burden thickness and descent speed meter. (Study of burden descent in blast furnace--I). Masaro Izumi, et al.	S781
60	Application of burden thickness and descent speed meter. (Study of burden descent in blast furnace--II). Mithuhiro Kitagawa, et al.	S782
61	Analysis of Oita No. 2 Blast Furnace operation in Nippon Steel Corporation by means of belly sonde data. Toshikatsu Ashimura, et al.	S783
62	Investigation into internal condition of blast furnace by vertical probe and its correlation with operations data. (Development of new flexible vertical probe--III). Kohji Kawaoka, et al.	S784
63	Development of flexible vertical sonde with detachable head. (Development of new flexible vertical probe--IV). Norito Iwao, et al.	S785
64	Measuring blast furnace gas flow rate by an ultrasonic flowmeter. Hideaki Unzaki, et al.	S786
65	Circumferential behavior of cohesive zone. (Circumferential control technique of cohesive zone in blast furnace--I). Takashi Takebe Takashi Takebe, et al.	S787
66	Analysis of periodic change in cohesive zone level. (Circumferential control technique of cohesive zone in blast furnace--II). Yutaka Yamada, et al.	S788
67	Circumferential control system of cohesive zone. (Circumferential control technique of cohesive zone in blast furnace--III). Yutaka Yamada, et al.	S789

OCTOBER 11, 1984

68	Analysis of 3-dimensional gas flow in blast furnace. (Investigation of 3-dimensional gas flow in blast furnace--III). Yotaro Ohno, et al.	S790
69	Gas flow simulation in a direct reduction shaft furnace. Takashi Sugiyama, et al.	S791
70	Effect of fine coke particle accumulation on gas distribution in blast furnace. (Investigation of the influence of coke hot properties on blast furnace operation at Kashima No. 1 BF in Sumitomo Metal Industries, Ltd.--II). Yoichi Aminaga, et al.	S792
71	SiO evolution from blast furnace type slag in graphite crucible. Hiroshi Yaginuma, et al.	S793
72	Low Si content operation at Wakayama No. 3 Blast Furnace of Sumitomo Metal Industries, Ltd. Takao Jimbo, et al.	S794
73	The operation of Fukuyama No. 3 Blast Furnace of Nippon Kokan K.K. with low Si content. Koichi Tomioka, et al.	S795
74	Blast furnace operation with high productivity at Kimitsu No. 2 Blast Furnace of Nippon Steel Corporation. Kazuyuki Morii, et al.	S796

75	Blast furnace operation control at low sinter and pellet ratio. Osamu Nishimura, et al.	S797
76	Effect of tuyere velocity on blast furnace operation. Takatsugu Sugisaki, et al.	S798
77	Control of height of cohesive-zone root by lower sonde data in blast furnace. Nasahiko Hamada, et al.	S799
78	Development of prediction system of abnormal state in blast furnace. Hiromi Nakamura, et al.	S800
79	Relation between operating conditions and temperature distribution in blast furnace. Reiji Ono, et al.	S801
80	Theoretical analysis of combustion in raceway of blast furnace at pulverized coal injection operation. Ji-cheng He, et al.	S802
81	Pulverized coal injection operation of No. 2 BF at Kure Works, Nissin Steel Co., Ltd. Takahisa Funakoshi, et al.	S803
82	High level pulverized coal injection operation at Oita No. 1 BF of Nippon Steel Corporation. Masahiro Sanui, et al.	S804
83	Pulverized coal injection into pressurized furnace. Hirofumi Wakimoto, et al.	S805
84	Influence of iron oxide injection on reactions and material flow in rac raceway region of blast furnace. (Tuyere injection test of iron oxide at experimental furnace--I). Yukio Konishi, et al.	S806
85	Research on pulverized coal combustion using plasma. Masaaki Hibi, et al.	S807
86	Development of an integrated simulation model for iron ore sintering. (Development and application of an integrated simulation model for iron ore sintering--I). Takazo Kawaguchi, et al.	S808
87	Application of an integrated simulation model for iron ore sintering in Kashima No. 3 DL of Sumitomo Metal Industries, Ltd. (Development and application of an integrated simulation model for iron ore sintering --II). Kozo Takata, et al.	S809
88	Application for the evaluation of the ores and the design of the machine by the simulation model. (Development and application of an integrated simulation model for iron ore sintering--III). Takazo Kawaguchi, et al.	S810
89	Influence of the sort of iron ore on reduction degradation. (Sintering characteristics of iron ores--III). Osamu Komatsu, et al.	S811
90	Effect of hydrogen addition on reduction of iron ore sinter under heating- up test conditions. Naoki Kasai, et al.	S812
91	Effect of cooling rate on reduction degradation of sinter. Haruo Kokubu, et al.	S813
92	High temperature properties of mixed layer of iron ores and cokes. (A study of high temperature properties of blast furnace burdens--VIII). Hirohisa Hotta, et al.	S814
93	Improvement of quality of sinter by increasing size of limestone. Ichiro Shigaki, et al.	S815
94	Influences of the characteristics of iron ores on pore structure in sinter. (Study on assortment model of sinter feeds--II). Masami Wajima et al.	S816
95	The process of liquid formation at sintering process. (Production of high reductive sintered ores--II). Junsuke Haruna, et al.	S817
96	The reductive property of sintered ore and the raw material condition. (Production of high reductive sinteted ores--III). Akihira Suzuki, et al.	S818
97	In-situ observation and its analysis of assimilation reaction during sintering by use of scanning microscope. (In-situ observation and its analysis of sintering process of iron ores--I). Yukihiro Hida, et al.	S819
98	Accuracy improvement of the calcium-ferrite morphological analysis. Takeshi Miyazaki, et al.	S820
99	Sintering operation control based on the observation of sinter texture. Kazuhiko Amakawa, et al.	S821
100	Simulation study for moving grate of grate-kiln pelletizing process. Yoshimichi Takenaka, et al.	S822
101	Rapid hardening cold bonded agglomeration by cement accelerator. Masami Fujimoto, et al.	S823
102	Reduction of cement bonded cold pellet containing carbonaceous material by pressurized moving bed. Reijiro Takahashi, et al.	S824
103	High temperature properties of cold bonded pellets with coke. (Study on cold bonded pellets with coke--III). Hajime Yamada, et al.	S825
104	The reaction behaviour of cold bonded pellets with coke in the blast furnace. (Study on cold bonded pellets with coke--IV). Kiyoshi Kojima, et al.	S826
105	The reduction swelling of BAOTOU ore. Guo Wei Yin, et al.	S827
106	Effects of potassium chloride on reduction of hematite by carbon monoxide. Hiroshi Nakagawa, et al.	S828
107	Effect of H ₂ S on H ₂ reduction of wustite. Hiroaki Gotoh, et al.	S829

108	Effect of gaseous sulphur on the reduction of wustite with carbon monoxide. Shoji Hayashi, et al.	S830
109	Effect of the addition of SiO ₂ and MgO on the reduction of dense wustite with H ₂ . Nobukazu Shigematsu, et al.	S831
110	Reduction Kinetics of Liquid Fe _t O-SiO ₂ , Fe _t O-CaO and Fe _t O-CaO-SiO ₂ slags with CO. Tetsuya Nagasaka, et al.	S832
111	Rate-determining step for carbothermic reduction of chromites. Hiroshi G. Katayama, et al.	S833
112	Effect of the properties of coals on carbon pick up in molten iron. (Research on the smelting reduction of iron ore with coal--VI). Kōji Kamiya, et al.	S834
113	Gasification and desulfurization of iron ore coated with carbon by pressured fluidized bed reactor. (Production of direct reduced iron using petroleum residue--VI). Ryo Watanabe, et al.	S835
114	Reduction and desulfurization of iron ore coated with carbon pressured fluidized bed reactor. (Production of direct reduced iron using petroleum residue--VII). Takehiko Ashie, et al.	S836

-- STEELMAKING --

OCTOBER 9, 1984

115	The features of No.3 continuous caster at Kakogawa Works, Kobe Steel, Ltd., and the quality of their products. Katsuyoshi Matsuo, et al.	S837
116	High speed casting technique at Nagoya No.2 continuous casting machine, Nippon Steel Corp. Eiji Kameyama, et al.	S838
117	Strength evaluation of overlaid roll for continuous casting. Yoshinori Kawasaki, et al.	S839
118	Investigation of the purification of molten steel by using tundish heater. (Development on the controlling method of casting temperature in continuous casting--V). Masaki Mabuchi, et al.	S840
119	Improvement of tundish lining. Toyoshi Takimoto, et al.	S841
120	Detection of slag flow-out in continuous casting process by microwave radiometer. Akio Hatono, et al.	S842
121	Development of eddy current testing equipment for hot continuously cast slabs. Masamitsu Wako, et al.	S843
122	Development of hot surface defect inspection technique for CC slabs. Hirosato Yamane, et al.	S844
123	Quality assurance system of bloom caster. Yoshinobu Wada, et al.	S845
124	Phenomena of dross adhesion in gas cutting. (Development of dross-free gas cutting technique--I). Takao Taka, et al.	S846
125	Dross-free gas cutting technique with additional gas nozzle. (Development of dross-free gas cutting technique--II). Takao Taka, et al.	S847
126	Results of in line test of dross-free gas cutting technique. (Development of dross-free gas cutting technique--III). Setsuo Okamoto, et al.	S848
127	The penetration behavior of particles impinged onto a runner type vessel. (A model study of impinging particles onto water--I). Hiroshi Itaya, et al.	S849
128	Fundamental research of the penetration depth of solid into liquid. (Development of the desiliconizing treatment in the runner of the blast furnace--III). Takaiku Yamamoto, et al.	S850
129	Analysis of reactions for refining by submerged powder injection. Jun-ichi Sakane, et al.	S851
130	Desiliconization reaction of pig iron with FeO containing slag. Chisato Yamagata, et al.	S852
131	Measurement of foaming slag height in desiliconization treatment with microwave sensor. Shunsuke Nagata, et al.	S853
132	Desiliconization treatment of No.2 BF at Kure Works, Nisshin Steel Co., Ltd. Yoshihiko Monden, et al.	S854
133	Solubility of lime in iron oxide melts. Shigeta Hara, et al.	S855
134	Viscosity measurements of CaO-based low viscous flux using the oscillating-plate viscometer. Masayuki Kawamoto, et al.	S856
135	Effects of additives on desulphurization of hot metal with CaO based flux. Masayuki Hayase, et al.	S857
136	Rate of desulfurization of Fe-C melt by CaF ₂ -based slags. Yoshikazu Furuno, et al.	S858
137	Kinetic studies of reactions between carbon-saturated iron alloys and Na ₂ S sulphide slags. Takeya Tohge, et al.	S859
138	Distributions of niobium and antimony between Na ₂ O-SiO ₂ and carbon-saturated iron melts. Akira Kasahara, et al.	S860

139	The distribution of manganese between slag containing halide and hot metal. Sadamu Sakamoto, et al.	S861
140	Thermodynamic study of Fe-Ta alloys by the use of knudsen cell mass spectrometry. Ken-ichi Horikawa, et al.	S862
141	Determination of the activity of P_2O_5 in $PbO-P_2O_5$ and $Fe_2O-P_2O_5$ systems by mass spectrometry. Shigeru Kambayashi, et al.	S863
142	Temperature control of metal-slag droplet in the levitation melting. Ken Katohgi, et al.	S864
143	Metal-slag equilibria using the levitation melting. Ken Katohgi, et al.	S865
144	Phosphate capacity of $FeO-Fe_2O_3-CaO-P_2O_5$ and $FeO-Fe_2O_3-CaO-P_2O_5-CaF_2$ slags by levitation melting. Yoshiyasu Shirota, et al.	S866
145	Phosphorus partitions between molten iron and MgO -saturated $Na_2O-Fe_2O-SiO_2-P_2O_5$ slags. Kazuto Sekino, et al.	S867
146	Dephosphorization and desulfurization of molten steel by a sodium fluoride flux. Tamenori Masui, et al.	S868
147	Dephosphorization during BOF tapping using BOF slag. (Development of steel dephosphorization--IV). Hitoshi Kobayashi, et al.	S869
148	Mass-production of various low phosphorus steels in Fukuyama Works, Nippon Kokan K.K. Yasukazu Matsumoto, et al.	S870
149	Development of supplementary dephosphorization in ladle. Hiroshi Egusa, et al.	S871
150	Experimental determination of CaO and CaS solubilities in liquid steel--Consequences for inclusions shape control by calcium--. C. Gatellier, et al.	S872
151	Optimum slag control for producing ultra-low sulfur. Yasutsugu Ogura, et al.	S873
152	Test result of magnesia-spinel bricks for EF ladle slag line. Toshio Watanabe, et al.	S874
153	Application of $MgO-C-SiC$ brick for capped steel ladle slagline. (Operation with capped steel ladle--IV). Yasuyuki Kawamura, et al.	S875
154	Test results of $MgO-C$ brick applied for vacuum degasser. Tsuyoshi Mimura, et al.	S876
155	Slag composition of ladle refining in new steel making process. Masahiko Ohgami, et al.	S877
156	Investigation of refining process for producing clean steel. Yasutsugu Ogura, et al.	S878
157	Improvement in cleanness of high carbon wire rod. Kazuya Iemura, et al.	S879
158	Thermodynamics on the production of the high carbon steel for tire cord use. Yutaka Shinsho, et al.	S880
159	The solubility of water vapour in $CaO-MgO-SiO_2$ slags. Masafumi Maeda, et al.	S881
160	Determination of hydrogen in molten steel using vacuum double tube sampler. Kazuo Ohnuki, et al.	S882
161	Deoxidation and desulphurization of steel by calcia-lining and -flux in vacuum induction melting. Toshio Onoye, et al.	S883
162	Arc heating of non-killed steel. Yoshimi Komatsu, et al.	S884
163	Steel making without electric power with carbonaceous material and oxygen. Noboru Demukai, et al.	S885
164	Distribution characteristics of air atomized slag granules. (Development of heat recovery technology for blast furnace slag--IV). Masanobu Muranaka, et al.	S886
165	Mineral composition of LD-slugs and its influence on their volume stability. Motonori Tamura, et al.	S887
166	New pavement base material compounding iron making slags, utilizing high proportion of steel slag. Yoshikazu Nagao, et al.	S888
167	Heat of formation of liquid $Fe_2O-CaO-SiO_2$ slag. Takashi Shibata, et al.	S889
168	Application of zirconia solid-oxide galvanic cell to the thermodynamic studies of liquid slags. Noriaki Yamada, et al.	S890
169	Oxygen potential in combined blowing converter. Takeyuki Hirata, et al.	S891
170	Nitrogen behavior in the top and bottom blowing converter process. Ikuo Hoshikawa, et al.	S892
171	Machine specification of the oxygen top and bottom blowing converter. (The modernization of LD converters at Mizushima Works, Kawasaki Steel Corp.--I). Hideo Take, et al.	S893
172	New instrumentation system of K-BOP. (The modernization of LD converters at Mizushima Works, Kawasaki Steel Corp.--II). Akira Yamane, et al.	S894
173	Development of endpoint control system for top and bottom blowing process. Takeshi Takawa, et al.	S895
174	Model study of top and bottom blown converter with wide range of flow rate. (Development of top and bottom blown converter with wide range of flow rate--I). Yoshiiei Kato, et al.	S896
175	Metallurgical effect of combined blowing of bottom gas variable type. (Operating results of a new combined blowing using CO_2 --III).	

Tetsuharu Ibaraki, et al.	S897
OCTOBER 10, 1984	
176 Measurement of bulging amount and profile on the experimental continuous caster. Takashi Kanazawa, et al.	S898
177 Continuous straightening: results of FEM-analysis and of plant experience. (Development of the "low strain" slab caster--IV). M. Wolf, et al.	S899
178 The analysis of C.C. slab bulging by boundary element method. Kenshi Ishii, et al.	S900
179 Stress analysis of steel shell solidified in continuous casting mold. Yukio Yashima, et al.	S901
180 Mathematical modelling and experimental study of slab unbending on USINOR's No.12 caster in Dunkirk. JL. Jacquot, et al.	S902
181 Effects of sulfur on hot ductility of low carbon steel austenites. Kunio Yasumoto, et al.	S903
182 Effects of carbon on hot ductility in low alloy steels. Yasuhiro Maehara, et al.	S904
183 Mechanical properties right below solidus temperature for various carbon content of steels. Hitoshi Nakata, et al.	S905
184 Hot ductility in high speed tensile test of continuous casting slabs. Chihiro Nagasaki, et al.	S906
185 Flow analysis during solidification of steel ingot by direct finite difference method. Keizo Kobayashi, et al.	S907
186 Negative segregation due to bulk liquid flow during solidification. Kenji Murakami, et al.	S908
187 Solidification morphology by thermal analysis. Kenji Saito, et al.	S909
188 Influences of ingot shape on loose structure. Seiji Shimizu, et al.	S910
189 Solute content in "a" segregation. Hitohisa Yamada, et al.	S911
190 Relation between equilibrium distribution coefficient of solute element for α phase and that for γ phase in iron alloys. Toshihiro Tanaka, et al.	S912
191 Solute redistribution during solidification with diffusion in solid phase. Itsuo Ohnaka.	S913
192 Dendrite growth theory of binary alloys. Yasunori Miyata, et al.	S914
193 Formation and growth phenomena of Ti(C,N) in high carbon chromium steel. Tomoki Shibata, et al.	S915
194 The solidification range of carbon steel. Kiyotaka Matsuura, et al.	S916
195 New mode of C.C. mold oscillation. Yutaka Akahane, et al.	S917
196 Improvement of billet surface quality by high cycle mold oscillation. (Development of high cycle mold oscillation of continuous casting--I). Hiroyuki Yasunaka, et al.	S918
197 Lubrication behavior in a continuous casting mould. (Basic study on interaction between mould wall and solidified shell in C.C. of steel--IV). Hideaki Mizukami, et al.	S919
198 Fundamental study for improving the mold lubrication in the continuous casting of stainless steel slabs without surface conditioning. Yoshio Kobayashi, et al.	S920
199 Effects of the mould surface conditions on uneven solidification and heat flux in the mould. (Improvement of C.C. slab surface by the soft cooling mould--I). Mitsuo Okuda, et al.	S921
200 Nickel-chromium alloy thermo-spray coating mold. Masato Takada, et al.	S922
201 Improvement of uneven flow in mould under the operation of sliding nozzle. Hideto Takasugi, et al.	S923
202 Manufacturing of light killed steel for cold heading use by bloom caster. Yoshihiro Matsuda, et al.	S924
203 Sequence casting of different steelgrade heats. Akihiko Ueno, et al.	S925
204 Long time casting operation at bloom continuous caster. Tadashi Uchida, et al.	S926
205 Continuous casting of high Ti steel. Hiroshi Nishikawa, et al.	S927
206 Continuous casting machine of round stainless steel bloom. (Development of continuous casting for stainless steel round bloom--I). Takashi Yanai, et al.	S928
207 Improvement of shape in round stainless steel bloom making. (Development of continuous casting for stainless steel round bloom--II). Masao Yamamiya, et al.	S929
208 Improvement on round bloom surface of stainless steel. (Development of continuous casting for stainless steel round bloom--III). Shogo Matsumura, et al.	S930
209 A mold level control by coordinate control method. (Round billet casting process--VII). Hajime Yamashita, et al.	S931
210 The prevention method of break outs at round billet caster. (Round billet casting process--VIII). Hironori Yamamoto, et al.	S932

211	Production technology of large diameter round billet by continuous casting. Yuji Tanaka, et al.	S933
212	Horizontal continuous casting for high alloy steel. (Development of horizontal continuous casting--VII). Hideo Kiyoto, et al.	S934
213	Optimum chemical composition of hot metal in BOF operation. (Total cost minimum operation in BF-BOF process--I). Takashi Tanioku, et al.	S935
214	Cost effect in BOF operation with high manganese and low silicon hot metal. (Total cost minimum operation in BF-BOF process--II). Yoshihiro Matsumura, et al.	S936
215	Heat lost from converter. Tadayuki Minoura, et al.	S937
216	Production technique of leaded free cutting steel. Takahiko Sato, et al.	S939
217	New LD refining with slag control at the latter part of blowing. Hiroaki Yamamoto, et al.	S940
218	Development of agglomeration method of dust from non-combustion gas recovery system. Koji Mori, et al.	S941
219	Development of the CO gas separation and purification system from BOF gas. Toshikazu Sakuraya, et al.	S942
220	Optimal scheduling for operation of oxygen plant. Sigeo Abe, et al.	S943
221	Prolongation of bottom nozzle life. (Improvement of bottom nozzle at top and bottom blow converter--II). Hitoshi Kobayashi, et al.	S944
222	Wear mechanism of bottom tuyere in top and bottom blowing converter. Takashi Okada, et al.	S945
223	Magnesia-carbon brick for LD-converter. Motonobu Kobayashi, et al.	S946
224	Calcining process of thermal cracking dolomite. Toyotsugu Iemura, et al.	S947
225	Flame gunning materials with high corrosion resistance for stainless steel refining. Seiji Watanabe, et al.	S948
226	Decrease of tuyere wear rate in bottom blowing converter. Yoshihisa Kitano, et al.	S949
227	Development of AOD static control system. (Development of top and bottom blowing AOD process--IV). Yasuo Murazawa, et al.	S950
228	Technical improvement for production of low [C], low [S], high [N] molten stainless steel. Hajime Mori, et al.	S951
229	Operation of oxide addition in AOD converter. Hiroaki Morishige, et al.	S952
230	Production of low phosphorus stainless steel by AOD process. (Dephosphorization of stainless steel with BaO based flux--II). Ken-ichi Kamegawa, et al.	S953
231	Influence of nitrogen addition in austenite stainless steel by consumable hollow electrode arc remelting. Masaaki Sakata, et al.	S954
232	Interaction between oxygen and nickel, cobalt, chromium in Fe-O-Ni, Co, Cr liquid solution. Yasunori Nakatani, et al.	S955
233	Dephosphorization of high chromium steel and high manganese steel with CaC ₂ -CaF ₂ flux. Kazuomi Harashima, et al.	S956
234	Control of active elements in the ESR process of nickel base alloys. Ryoji Baba, et al.	S957

OCTOBER 11, 1984

235	Rate of reaction of iron ore or carbon with iron melt during bottom injection. Naoki Tokumitsu, et al.	S958
236	Development of dust recycling technique by the smelting reduction. Youharu Kitajima, et al.	S959
237	Reactions in the continuous melting and smelting reduction furnace. (Study on continuous melting and smelting reduction--XI). Yasumitsu Fukuzawa, et al.	S960
239	Smelting reduction of chrome ore by BOF--I. Hisashi Yamana, et al.	S961
240	Chromium ore addition technology into LD converter. Takashi Nakayama, et al.	S962
241	Deformation of center porosity in continuous casting slabs during rolling. Tetsu Matoba, et al.	S963
242	Refining of equiaxed crystals and change in substructures by stirring at early stage of solidification. Hiroshi Morikawa, et al.	S964
243	Effect of solidification structure on the negative segregation formed by stirring during solidification of steel. (Solidification phenomena of steel under stirring condition--III). Toru Kitagawa, et al.	S965
244	Effect of in-roll electromagnetic stirring in slab CC. (Improvement of centerline segregation at as cast slab--II). Hiroshi Nakatao, et al.	S966
245	Measurements of the shape of crater end and the flow of residual liquid by the parallel rivet method. Yoshiaki Hara, et al.	S967
246	Effects of some factors of process on property of HIC resistant steel. Toshiro Fujiyama, et al.	S968
247	Production of 18-8 stainless steel plate by direct-rolling casting method and mechanical properties. Hiroyuki Yamamoto, et al.	S969

248	Rapidly solidified micro-crystalline strips produced by the double-roller method. Kiyoshi Shibuya, et al.	S970
249	Microstructure of rapidly solidified Fe-C-Cr alloy particle by centrifugal atomization method. Toshio Ogawa, et al.	S971
250	Deoxidization behavior of LF and RH. Tadashi Futamura, et al.	S972
251	Improvement in Pb yield and qualities of lead free cutting steel by LF-RH process. Tadamasa Yamada, et al.	S973
252	Establishment of computer controlled RH process. (Development of RH total optimizing process--I). Shigeru Hamao, et al.	S974
253	Operation results of computer controlled RH process. (Development of RH total optimizing process--II). Seizo Meguro, et al.	S975
254	Large circulation flow rate test in RH process. Noriyuki Shidawara, et al.	S976
255	Development of high efficient decarburizing method with RH process. Kiyokazu Ichimura, et al.	S977
256	Reconstruction and operation of DH equipment of No.1 steelmaking plant at Yawata Works, Nippon Steel Corp. Haruyuki Kawanishi, et al.	S978
257	Desulfurization of molten steel by flux addition in RH degasser. (Development of RH refining process--I). Nobuyuki Genma, et al.	S979
258	Calcium addition during RH treatment. (Development of RH refining process--II). Shin-ichi Maeda, et al.	S980
259	Mechanism of vacuum decarburization during RH treatment. (Development of RH refining process--III). Tsuyoshi Mimura, et al.	S981
260	Behavior of the molten powder pool formation in continuous casting mold. (Study on the mold powder technology in continuous casting--XIII). Toshio Matsuyama, et al.	S982
261	Calculation of steel and powder temperature near meniscus in continuous casting mold. (Study on the mold powder technology in continuous casting--XIV). Yutaka Nagano, et al.	S983
262	Influence of mould powder properties on side crack formation of slab surface. Takashi Mori, et al.	S984
263	High temperature oxidation behavior of carbon in flux for continuous casting use. Shoji Miyagawa, et al.	S985
264	Mechanism of carburization of continuously cast stainless steel slabs. Kiyoshi Mineura, et al.	S986
265	Prevention of surface defects on high carbon steel slabs. Akira Kawaharada, et al.	S987
266	Prevention of double skin at the corners of slab with high casting speed. Toshiaki Suzuki, et al.	S988
267	The control of microstructure before hot scarfing on surface quality of CC-bloom. Yasumasa Ishida, et al.	S989
268	Dynamic control of EMS. Sawato Noguchi, et al.	S990
269	Analysis study of magnetic field in electromagnetic stirrer. Noriyuki Kawada, et al.	S991
270	Analysis study of electromagnetically driven flow in electromagnetic stirrer. Hiroshi Nakajima, et al.	S992
271	Application of mist spray on Fukuyama No.4 slab caster, Nippon Kokan K.K. (Development of mist cooling technique-III). Jun-ichi Fukumi, et al.	S993
272	Development of dynamic control system by mist cooling method. Mikio Yamashita, et al.	S994
273	Development of low cost secondary cooling system for continuous casting with air-atomizing mist. Takashi Uchida, et al.	S995
274	Fundamental study on physical behavior of bubbles in carbon-saturated iron melt. Tomoyuki Miyake, et al.	S996
275	Estimation of interfacial area between molten iron and bubbles, and mass transfer coefficients of nitrogen through the interface. Masahiro Kawakami, et al.	S997
276	Three dimensional analysis of two-phase flow in the steelmaking process. Ikuo Sawada, et al.	S998
277	Interaction between gas jets injected into liquid through two orifices. Yasuhisa Ozawa, et al.	S999
278	Mixing characteristics of submerged jets observed by using iso-kinetic sampling method. Kimihisa Ito, et al.	S1000
279	The rate of nitrogen desorption from molten iron by Ar gas flushing. Masamitsu Takahashi, et al.	S1001
280	Effects of intensive stirring on characteristics of injection refining. (Development of injection refining with intensive stirring in ladle--I). Yoshio Watanabe, et al.	S1002
281	Development of powder injection equipment with partially dipped hood. Mitsutoshi Mimura, et al.	S1003
282	Making of low [sol Al], low [N] steel by powder injection process. Shinji Yamamoto, et al.	S1004
283	Desulfurization behavior in ladle injection. Ryoji Tsujino, et al.	S1005
284	Time dependence of surface properties of molten FeO-SiO ₂ slag	

	drops on alumina refractory bricks. Seiji Yokoyama, et al.	S1006
285	Evaluation of the corrosion resistance of refractories for the pre-treatment of molten pig iron. Tsutomu Sato, et al.	S1007
286	Refractory lance for pre-treatment of hot metal. Kiminori Hajika, et al. ...	S1008
287	Phosphorus partitions between carbon-saturated iron melts and CaO-CaF ₂ -SiO ₂ -MnO slags. S.R. Simeonov, et al.	S1009
288	Effect Of Na ₂ O addition to CaO slags on the dephosphorization. Kyoji Kunisada, et al.	S1010
289	Influences of additives to fluxes on the dephosphorization and desulfurization reactions of hot metal. Osamu Yamase, et al.	S1011
290	Dephosphorization and rephosphorization of iron melt with Ca-halide containing iron oxide. Kazuumi Harashima, et al.	S1012
291	Operation results of pretreatments of hot metal in torpedo car. Motoki Yoshida, et al.	S1013
292	Behavior of phosphorus and oxygen during dephosphorization at BF runner. (Development of continuous hot metal pretreatment--X). Tsutomu Usui, et al.	S1014
293	Technique of stainless steel scrap melting by coke addition. (Development of stainless steelmaking process by top and bottom blowing and coke addition in LD converter--I). Ryutatsu Tanaka, et al.	S1015
294	Effect of bottom blowing on stainless steelmaking by coke addition. (Development of stainless steelmaking process by top and bottom blowing and coke addition in LD converter--II). Noriyuki Masumitsu, et al.	S1016
295	Development of the new process for stainless steelmaking based on top and bottom blowing converter. (Development of a new stainless steel making process--II). Hiroyuki Aoki, et al.	S1017
296	Decarburization of high chrome molten steel in high carbon region. (Basic research on decarburization of high chrome steel--I). Shinya Kitamura, et al.	S1018
297	Decarburization of high chrome molten steel in low carbon region. (Basic research on decarburization of high chrome steel--II). Shinya Kitamura, et al.	S1019
298	Effect of stirring and top blowing conditions on decarburization characteristics of molten stainless steel. Hideo Nakamura, et al.	S1020
299	Reaction of coke in BOF. Masaki Okajima, et al.	S1021
300	Coke addition and sulfur vaporization in top and bottom blowing converter. Keizo Taoka, et al.	S1022
301	Characteristics of dust in BOF with a little quantity of slag. Nobuyuki Ishiwata, et al.	S1023
302	Basic studies on increase in charging capacity of decarburization furnace. (Study on new decarburization process for pretreated hot metal--I). Yasuhisa Nakamura, et al.	S1024
303	Results of decarburization test without flux in 10 T ladle. (Study on new decarburization process for pretreated hot metal--II). Masamichi Kojima, et al.	S1025
304	Metallurgical behavior of decarburization without flux in 10 T ladle. (Study on new decarburization process for pretreated hot metal--III). Mitsuhiro Nishimura, et al.	S1026
305	Post combustion practice in top and bottom blowing converter. Keizo Taoka, et al.	S1027
306	Development of post combustion lance. Hiroaki Ishikawa, et al.	S1028
307	Results of post combustion test in soft blowing. (Characteristics of post combustion during decarburization in test furnace--I). Ken-ichi Baba, et al.	S1029
308	Heat balance in 10 ton test furnace. (Characteristics of post combustion during decarburization in test furnace--II). Chikara Saitou, et al.	S1030

-- ANALYSIS --

OCTOBER 10, 1984

309	High sensitive determination of silicon using ferozine complex. (Determination of ultra micro amount of silicon in steels--I). Ken Isobe, et al.	S1031
310	Determination of iron in rion ore by potentiometric titration and coulometric analysis. Tsuyoshi Imakita, et al.	S1032
311	Analysis of arsenic in Fe, Ni base alloy by hydride extraction-ICP method. Takamasa Takahashi, et al.	S1033
312	Spectroscopical analysis of steel by infrared pulser laser. Kouzou Tsunoyama, et al.	S1034
313	Effect of spark discharge frequency on generation of iron-ultra fine particles. (Ultra fine particle-ICP emission spectrometry for steel analysis--IV). Akihiro Ono, et al.	S1035

314	Determination of ultramicro amount of sulfur in steels by high frequency combustion-coulometric titration method. Hiroyasu Yoshikawa, et al.	S1036
315	Determination of hydrogen in molten steel by inert gas flushing. Shuichi Yamazaki, et al.	S1037
316	Chemical analysis of stainless steel pickling solution containing nitric and hydrofluoric acids. Kiyoshi Takatsu, et al.	S1038
317	X-ray fluorescence analysis of low-alloy and stainless steel by the milling sample-briquet technique. Naomi Kotani, et al.	S1039
318	Investigation of fluorescent X-ray analysis of iron ores with glass bead technique by synthetic samples. Noriko Yasui, et al.	S1040
319	X-ray fluorescence analysis of coating plate with soft X-ray. Nobukatsu Fujino, et al.	S1041
320	Analysis of surface oxides on metal by FTIR. Akira Yamamoto, et al.	S1042
321	Analysis of electro deposited Fe-Zn alloys. Yasuo Tsuchiya, et al.	S1043
322	In-layer analysis of Zn-Fe alloyed electroplated steel sheets by glow discharge spectrometry. Yoichi Ishibashi, et al.	S1044
323	Analysis of electro-plated layer by glow discharge spectrometry. Yoshiro Matsumoto, et al.	S1045
324	Depth resolution of modified glow discharge spectroscopy. Yasuko Furunushi, et al.	S1046
325	Measurement of sputtering yields with scanning Auger electron spectroscopy. Yoko Baba, et al.	S1047
326	An Auger spectrum simulation method for quantitative analysis. Akihito Tanaka, et al.	S1048
327	A quantitative AES analysis for iron base alloys. Akihito Tanaka, et al.	S1049

OCTOBER 11, 1984

328	Morphology and composition of phosphide in centerline segregation zone of continuous casting steel slab at elevated temperature. Fumio Kurosawa, et al.	S1050
329	Inclusion analysis by new X-ray micro-analyzer. Hiroki Hamada, et al.	S1051
330	X-ray computerized tomography for iron and steel. Isamu Taguchi, et al.	S1052



© Copyright 1984, ISIJ

This publication, or any part thereof, may not be reproduced in any form without the written permission of the ISIJ.