
The 108th ISIJ Meeting Programme*

S Y M P O S I A

-- IRONMAKING --

OCTOBER 9, 1984 13:00 - 17:30 Chairman: Yasuto Shimomura

Theme I. Model and Pilot Plant Works in the Field of Ironmaking

- 1 Analysis of melt-formation and solidification phenomena in the course of sintering by using a simulator. Eiki Kasai, et al. A129
- 2 Development of continuous rapid curing process for cold pellet. Hideyuki Yoshikoshi, et al. A133
- 3 Availability and limit of model experiments on dynamic behavior of materials in the blast furnace. Shin-ichi Inaba, et al. A137
- 4 Behavior of materials filling and descending in the lower part of blast furnace by using two-dimensional scale model. Kenji Tamura, et al. A141
- 5 The usefulness of small scale model experiments on the gas and liquid flow and reactions in the lower part of blast furnace. Seiji Taguchi, et al. A145
- 6 Modelling of coke behavior for the blast furnace process. Koichi Kurita, et al. A149
- 7 Kinetic analysis on the rate of step-wise reduction of a single sinter particle with CO-CO₂-N₂ gas mixture. Tateo Usui, et al. A153

-- STEELMAKING --

OCTOBER 10, 1984 10:00 - 17:00 Chairman: Zen-ichiro Morita
Vice-Chairman: Katsukiyo Marukawa

Theme II. Science and Technology on Molten Iron and Slag Related to Steelmaking Processes

- 8 Distribution equilibria of phosphorus, sulfur and manganese between steelmaking slags and liquid iron. Hideaki Suito, et al. A157
- 9 Calculation of slag activities by regular solution model. Mitsutaka Hino, et al. A161
- 10 Solubility of carbon dioxide in molten fluxes. Masafumi Maeda, et al. A165
- 11 Magnitude of nonequilibrium between oxygen pressure in slag and metal and chemical potentials of their components. Kazuhiro S. Goto, et al. A168
- 12 Forming of molten slags. Shigeta Hara, et al. A171
- 13 Fluid flow and reaction rate in gas injection process. Masamichi Sano, et al. A175
- 14 Analysis of transport phenomena in the mixed phases of molten iron and slag during the preliminary treatment of hot metal. Ikuo Sawada, et al. A178
- 15 The Mixing and mass transfer in the ladle refining processes. Kanehiro Ogawa, et al. A181
- 16 Development of the mixed gas blowing in top and bottom blown converter. Shuji Takeuchi, et al. A184
- 17 Optimization of stirred melt treatment accompanied by heterogeneous reaction and estimation of scale-up. Yoshiteru Kikuchi, et al. A187
- 18 Dephosphorization mechanism and scale up factor in top and bottom blowing process with lime-powder injection from top lance. Sei-ichi Masuda, et al. A190

* Tetsu-to-Hagané, 70(1984), No. 12 contains S723 to S1052 preprints in Japanese for Paper Presentations and Tetsu-to-Hagané, 70(1984), No. 13 does S1053 to S1494 pre-prints for them.

The preprints of Symposia were published in Tetsu-to-Hagané, 70(1984), No. 10, A129 to A244, in Japanese.

Part of those preprints for Paper Presentations are to be published in Transactions ISIJ, 25(1985), Nos. 1 to 6, in English.

-- PLASTIC WORKING AND OTHER FABRICATION PROCESSES --

OCTOBER 9, 1984 13:00 - 17:00 Chairman: Kazuo Kunioka

Theme III. New Processes and Technique for On-line Heat-treatment of Steel Products

- 19 Development of a new process for manufacturing steel plates by on-line water cooling. Akinori Otomo, et al. A193
20 Development of technique for on-line controlled cooling steel plate. Hiroshi Kamio, et al. A197
21 The cooling equipment and the method of flatness control in manufacturing steel plates by new-thermo-mechanical control process. Hideo Nakamura, et al. A201
22 Development of direct quench device and its application to manufacturing high tensile plates. Takashi Uemura, et al. A205
23 Production of high strength steel plates by dynamic accelerated cooling process. Sei-ichi Watanabe, et al. A209

-- PROPERTIES OF IRON AND STEEL --

OCTOBER 10, 1984 13:00 - 17:30 Chairman: Yoshinori Saiga

Theme IV. Remaining Life Prediction of High Temperature Structural Materials

- 24 Overhaul of water cooled pressure vessel with internal thermal insulation and statistical analysis of corrosion. Yasuo Kondo, et al. A213
25 Remaining life prediction of the steel shell of a blast furnace. Katsuyuki Tokimasa, et al. A217
26 Tempere embrittlement and hydrogen attack in $2\frac{1}{4}$ Cr-1Mo steels. Jun-ichi Shimomura, et al. A221
27 Metallurgical changes and damage mechanisms of steam reforming furnace tubes during long-time service. Sadao Ohta, et al. A225
28 Effect of creep deformation on Charpy impact values of SUS 316 steel. Tomohiro Tsuchiyama, et al. A229
29 Creep-fatigue life prediction of high temperature materials. Takemi Yamada, et al. A233
30 Assessment of creep damage and creep fracture mechanism maps for prediction of residual creep life. Norio Shin-ya, et al. A237
31 Remining life prediction based on the crack propagation behaviors of creep and high temperature fatigue. Ryuichi Ohtani. A241

PAPER PRESENTATIONS

-- PLASTIC WORKING AND OTHER FABRICATION PROCESSES --

OCTOBER 9, 1984

- 331 Development of automatic shape control system for cold-rolled strip. Shigeru Asano, et al. S1053
332 Outline of the advanced cold rolling total information system at Mizushima Works, Kawasaki Steel Corp. (Advanced cold rolling total information system at Mizushima Works, Kawasaki Steel Corp.--I). Shuichi Hirasaki, et al. S1054
333 Efficient charge scheduling system of tight annealing coils. (Advanced cold rolling total information system at Mizushima Works, Kawasaki Steel Corp.--II). Shingo Fujii, et al. S1055
334 Method for prevention of coil slip by induction heating. Akira Takeda, et al. S1056
335 Development of due point control of tight annealing furnace. Shigeru Tanaka, et al. S1057
336 Construction and operation of Yawata No.2 continuous annealing and processing line, Nippon Steel Corp. (Development of continuous annealing process for thin cold rolled strip--I). Mitsushige Shiota, et al. S1058
337 Temper grade control of black plate in continuous annealing process. (Development of continuous annealing process for thin cold rolled strip--II). Yasuhiko Yamashita, et al. S1059

-
- 338 Heavy reduction tempering of annealed black plate.
(Development of continuous annealing process for thin cold rolled strip--III). Nobuo Tsuzuki, et al. S1060
- 339 Uniform cooling technique by water cooled rollers.
(Research on continuous annealing method--III). Mineki Okura, et al. S1061
- 340 Characteristics and operation of continuous annealing line at Mizushima Works, Kawasaki Steel Corp. (Technical development in continuous annealing line at Mizushima Works, Kawasaki Steel Corp.--I). Ichiro Samejima, et al. S1062
- 341 Effect of thermal crown for snaking of strip and an additional roll for buckling in C.A.L. Hironobu Ohno, et al. S1063
- 342 Formation mechanism of carbon pollution on the annealed steel sheet surface. (Technique for prevention of carbon pollution on the steel sheet surface--I). Motoo Satou, et al. S1064
- 343 Prevention of carbon pollution in open annealing. (Technique for prevention of carbon pollution on the steel sheet surface--II). Hiroshi Wakushima, et al. S1065
- 344 Surface characteristics and phosphatability of titanium stabilized steel. Akihiko Furuta, et al. S1066
- 345 Phosphatability of extra low carbon cold rolled steel sheet added Nb stabilizing carbon and nitrogen. Chikako Ishii, et al. S1067
- 346 Characteristic of phosphate coatings on low-Pb galvanized steel. Yasuharu Maeda et al. S1068
- 347 Relationship between transformation of phosphate film under anion electrodeposited film and wet adhesion. (Study on paint adhesion of steel sheets for automobiles--VII). Hisao Odashima, et al. S1069
- 348 β -Hopeite formation on electric galvanized steel sheet. Katsuaki Yoshioka, et al. S1070
- 349 Effects of phosphate coatings on thermal flaking of formed paint films. (Adhesion of formed paint films at high temperature--II). Tetsuo Sakai, et al. S1071
- 350 Precipitation reaction of chromate treatment. (The reaction feature of chromate treatment--I). Kazuko Uchida, et al. S1072
- 351 Development of a high speed one-side coating system. (Study on conversion coating process by gas wiping--III). Yasuhisa Tajiri, et al. S1073
- 352 Under-film corrosion of painted stainless steel sheets. Toshie Taomoto, et al. S1074
- 353 Detraction behavior of coloring solution for stainless steel. Susumu Otsuka, et al. S1075

OCTOBER 10, 1984

- 354 Development of total production control system for iron making, steel making and rolling. Shunsuke Horie, et al. S1076
- 355 Railway transportation control system of Fukuyama Works, Nippon Kokan K.K. Yasuichi Kida, et al. S1077
- 356 Development of support system for synchronized operation between steel making and billet mill process. (Rationalization of production of bloom and billet--I). Hitoshi Itakura, et al. S1078
- 357 Development of highly computer controlled vehicle system. (Rationalization of production of bloom and billet--II). Yoshio Yoshimura, et al. S1079
- 406 Development of the quick roll changing method on VH type 4-stand continuous mill. (Rationalization of production of bloom and billet--III). Takashi Fujimoto, et al. S1080
- 358 Automatic inspection system of crack shafts. Takashi Ueki. S1081
- 359 Temperature measurement of cold-rolled sheet by eddy current method. Yoshiaki Shibata, et al. S1082
- 360 Temperature measurement by analysis of thermal radiation spectrum. Saburo Kobayashi, et al. S1083
- 361 Measurement of flow rate by means of tracer gas. Tsuguhiko Nakagawa, et al. S1084
- 362 Development of visual sensor system of industrial robot. Tomikazu Yagi, et al. S1085
- 363 Faults monitoring system for microprocessor based DC motor drives. Sueo Oguma, et al. S1086
- 364 Introduction of revolution control to booster pump for roll cooling in hot strip mill. Yasuhiro Nishiyama, et al. S1087
- 365 The development of automatic surface defect inspection system for cold rolled strip. Hitoshi Aizawa, et al. S1088
- 366 Development of the eddy current testing system for cold strip roll. Koji Kawamura, et al. S1089

367	Evaluation method of anti-seizure property of lubricants in cold sheet rolling by means of testing machine. (Study on evaluation of lubricants in cold sheet rolling--IV). Akira Azushima, et al.	S1090
368	Evaluation of lubricity of lubricants added various additives in tallow base oil. (Study on evaluation of lubricants in cold sheet rolling--V). Yoshihiko Kita, et al.	S1091
369	Spolling on work roll for skin pass rolling of galvanized steel sheets. Yasuyoshi Yamane, et al.	S1092
370	Development of high performance Urea grease. Masao Ando, et al.	S1093
371	Development of ozone treatment for roll cooling water in rolling mill. Hideki Kitamura, et al.	S1094
372	Recovery of acid and iron from stainless steel pickling waste acid. Toshio Watanabe, et al.	S1095
373	Development of an insulating cover during slab transportation. Masaomi Hirose, et al.	S1096
374	Metal flow at edge rolling of slab. Katsumi Takada, et al.	S1097
375	Simplification of calculation model for analysis of elastic roll deformation in Hc mill. Toru Matsuda, et al.	S1098
376	Automatic crown control set up. (Crown control by large-crowned back-up roll in hot strip mill--IV). Mikie Tokunaga, et al.	S1099
377	The development of a crop-shape prediction method. Shigesaburo Torii, et al.	S1100
378	Basic characteristic of interstand thickness gauge for hot-strip-mill. (Development of interstand thickness gauge for hot-strip-mill--I). Junzo Nitta, et al.	S1101
379	On-line characteristic of interstand thickness gauge for hot-strip-mill. (Development of interstand thickness gauge for hot-strip-mill--II). Ichiro Maeda, et al.	S1102
380	Looper non-interference control of hot strip finisher mill. Tsuneyuki Moritaka, et al.	S1103
381	Development of laser distance meter for iron steel plants. Kazuo Takashima, et al.	S1104
382	Development of shape meter for hot strip. Kazuo Takashima, et al.	S1105
383	Development of coiling temperature control system with independent control by ROT(Run Out Table) cooling section. (Coiling temperature control system of Yawata hot strip mill, Nippon Steel Corp.--I). Seizi Konishi, et al.	S1106
384	Coiling temperature control by applications of observer. (Coiling temperature control system of Yawata hot strip mill, Nippon Steel Corp.--II). Rikichi Kubo, et al.	S1107
385	Improvement of hot dip galvanizing line. Kazuo Inaguchi, et al.	S1108
386	Ceramic hearth rolls applied in the heating furnace of C.G.L. Sadayuki Wachi, et al.	S1109
387	The technique to control alloying-rate for galvannealed steel sheet. Naoki Henmi, et al.	S1110
388	The effects of micro structure and chemical compositions of steels on the reaction between iron and zinc. Jun-ichi Inagaki, et al.	S1111
389	Iron-zinc alloying behavior in galvannealing of P and P-Si containing steel. Shigeo Kanbara, et al.	S1112
390	Evaluating method for powdering and flaking of coated steel sheets. Seiji Nakamura, et al.	S1113
391	The mechanism of improving corrosion resistance of galvanized steel sheets by Mg addition. Yukio Numakura, et al.	S1114
392	Formation of black tarnished film on Al and Mg containing galvanized coating. (Surface dark-colored change of galvanized steel sheet in high humidity environment--IV). Yukio Uchida, et al.	S1115
393	Hydrogen permeation behavior in coating layer of Zn-high Al alloy coated steel sheets. Tomohisa Aoki, et al.	S1116
394	Damping property of composite steel sheet. Hiroyuki Nagai, et al.	S1117
395	Curing process of thermosetting resin. Keiji Yoshida, et al.	S1118
396	Effect of organic coating-underlayer and ZRP film thickness on corrosion behavior of Zn-Mg alloy powder-added ZRP coated galvannealed steel sheets. Masatoshi Yokoyama, et al.	S1119
397	Weatherability of PVC coated steel sheet containing aluminum flake powder. Tetsuo Nakamoto, et al.	S1120
398	Formation of high performance paint films by electron beam curing method. Maki Itoh, et al.	S1121
399	Application of UV-curing process to steel sheet with alkali-removal lubricating film. Taketoshi Taira, et al.	S1122
400	Characteristics of lubricant with corrosion resistance coated galvanized steel sheet. Masaru Omura, et al.	S1123
401	Production of lubricant with corrosion resistance coated galvanized steel sheet. Kazuhiro Shiino, et al.	S1124

402	Substratum factors affecting shear-formability of prepainted galvannealed steel sheets. Toshio Nakamori, et al.	S1125
403	Method of oxygen enriched acceleration test for coated steels. Shoji Suzuki, et al.	S1126
404	Ion-selective permeability of chemical-treated films with a paint. Yoshinori Yomura, et al.	S1127
405	Crop loss minimizing rolling on break down mill. Mitsuharu Sugeta, et al.	S1128
407	Development of billet handling system with special lifting machine and rack. Toyohisa Tokumaru, et al.	S1129
408	Process computer system of rolling line of new billet mill. (Development of process computer system of new billet mill--I). Kazushi Baba, et al.	S1130
409	Process computer system of finishing line of new billet mill. (Development of process computer system of new billet mill--II). Toru Takahashi, et al.	S1131
410	Stress analysis for sleeve roll in heat treatment. Motohiro Egawa, et al.	S1132
411	Architecture of 2-dimensional capacious heat analysis system and its application. Masaru Tamiya, et al.	S1133
412	Development of the simulation model for laser heat treatment. Naoya Hamada, et al.	S1134
413	Strength evaluation of hollow ram under external pressure. Yoshio Yoshimoto, et al.	S1135
414	The application of double-chocks-bender to a plate mill. Teruo Kono, et al.	S1136
415	Development of very thin roller bearing. (Development of BUR roller bearing in plate mill--I). Yasuhiro Yamamoto, et al.	S1137
416	Basic characteristics of roller bearing. (Development of BUR roller bearing in plate mill--II). Yasuhiro Yamamoto, et al.	S1138
417	Results of practical rolling operation. (Development of BUR roller bearing in plate mill--III). Yasuhiro Yamamoto, et al.	S1139
418	Development of plane view shape gage for rolling plate. Tomoaki Kawahata, et al.	S1140
419	Set up control of plate mill. (New control system of plate mill--I). Sadao Kubota, et al.	S1141
420	Improvement of gage accuracy by installation of γ -ray gage close to mill. (New control system of plate mill--II). Tomoaki Kawahata, et al.	S1142
421	Improvement of plate mill hydraulic AGC with strain gage rolling force meter. (New control system of plate mill--III). Tomoaki Kawahata, et al.	S1143
422	Outline of the controlled cooling equipment at Kimitsu Works, Nippon Steel Corp. Takumi Ohno, et al.	S1144
423	Development of the controlled cooling system for Kimitsu plate mill, Nippon Steel Corp. Masanao Yamamoto, et al.	S1145
424	Replacement of the shear line process computer system. Kazuharu Hanazaki, et al.	S1146
425	Automatic ultrasonic testing system for steel plate. Koji Kawamura, et al.	S1147

OCTOBER 11, 1984

426	Construction and operation of Yawata new 7-5/8 inch seamless pipe mill, Nippon Steel Corp. Shori Noda, et al.	S1148
427	Computer control of cross roll rotary piercer. (Computer control system in mandrel mill line--II). Tomio Yamakawa, et al.	S1149
428	Effects of 4-roll guide for press roll piercer. Hideki Tokita, et al.	S1150
429	Experimental investigation of disk guide elongator. Hideki Tokita, et al.	S1151
430	Experimental investigation of semi-floating mandrel mill. Shigeru Uchida, et al.	S1152
431	Computer control of mandrel mill. (Computer control system in mandrel mill line--III). Kenji Moribe, et al.	S1153
432	Computer control of stretch reducer. (Computer control system in mandrel mill line--IV). Kenji Moribe, et al.	S1154
433	Effects of high power stretch reducer. Ichiro Masuda, et al.	S1155
434	Scale formation mechanism for piercer plug. Yoshiki Kamemura, et al.	S1156
435	Model study on the deflection of pipe quenched with rotation. (Development of rotation quenching method for small diameter pipes--I). Kiyoshi Ishimoto, et al.	S1157
436	Construction and operation of quench-temper line for pipe with rotation. (Development of rotation quenching method for small diameter pipes--II). Fumio Murase, et al.	S1158

437	Advanced automatic size changing system of NDI equipment for tubular products. Shigenori Uemura, et al.	S1159
438	Forming of the medium diameter pipe with heavy wall in the 26 inch ERW mill. Hirotomo Tominaga, et al.	S1160
439	Improvement in the roll forming at the head and tail zone of the material-hot coil in the 26 inch ERW pipe mill. Hirotomo Tominaga, et al.	S1161
440	High-frequency ERW phenomena and weld defect ratio under high- speed and large V-convergence angle condition. Nobuo Mizuhashi, et al.	S1162
441	Automatic seam tracking system in UOE pipe welding. Mitsuaki Uesugi, et al.	S1163
442	Design of optimum nozzle arrangement at Stelmor forced-air cooling for D.P. wire rod. Yutaka Sagae, et al.	S1164
443	The control system of billet temperature for ($\gamma+\alpha$) region rolling. Masao Fukuchi, et al.	S1165
444	Tracking system of wire rod mill. Yoshito Tanaka, et al.	S1166
445	Technology of in-line heat treatment for no pressed PC wire. (Application of in-line heat treatment of wire rods by hot water bath--V). Kenji Fukuyasu, et al.	S1167
446	Effect of back pressure on drawing. Osami Serikawa.	S1168
447	Experimental study on deformation in rod rolling by 4 roll mill with forward and backward tensions. Hajime Fukumoto, et al.	S1169
448	Rolling of wide flange beams from CC-slab. Takeshi Hirasawa, et al.	S1170
449	Hot rolling of steel sleeper by universal mill. Kikuo Ishida, et al.	S1171
450	Computer control system for rail and section rolling process. Hiroshi Higashinaka, et al.	S1172
451	Networked online computer system for existing rail and section mill at Yawata Works, Nippon Steel Corp. Hiroshi Higashinaka, et al.	S1173
452	Development of computer control system on manufactory of welded H shape. Hisao Kazama, et al.	S1174
453	Development of on-site machining. Shuzo Hashimoto, et al.	S1175
454	Warm forging of automobile spur gears. Wataru Takahashi, et al.	S1176
455	Model construction of the universal rolling. (Development of the automatic gauge control of universal finishing mill--I). Kazuhiko Fukutani, et al.	S1177
456	Application of the decoupled control theory for AGC. (Development of the automatic gauge control of universal finishing mill--II). Kazuhiko Fukutani, et al.	S1178
457	On-line application of the AGC. (Development of the automatic gauge control of unversal finishing mill--III). Kazuhiko Fukutani, et al.	S1179
458	High quality polyurethane coated steel pipe. Teruo Takamatsu, et al.	S1180
459	The change of properties of epoxy powder coating films before and after water absorption. Ken-ichi Tanigawa, et al.	S1181
460	Durability of embedded epoxy powder coated pipes under high temperature operation. Ken-ichi Tanigawa, et al.	S1182
461	Influence of the film properties on the corrosion resistance of internal coated film. Hirofumi Kishikawa, et al.	S1183
462	Improvement of adhesion between steel and polyethylene-coating. Yoshihisa Kariyazono, et al.	S1184
463	Development of film thickness meter for pipe outer coating. Satoru Takahashi, et al.	S1185
464	Application of painted aluminized steel sheets for automobile muffler. Koji Wakabayashi, et al.	S1186
465	Properties of organic film coated aluminized steel sheet. Takao Tomosue, et al.	S1187
466	Structure analysis of AlN and amorphous films formed in intermediate layer of hot dip aluminized steel sheets. (Study of Al-Si alloy coated steel--II). Seishiro Bando, et al.	S1188
467	Manufacturing process of vacuum zinc coated steel sheet. (Development of vacuum zinc coated steel sheet--I). Takuya Aiko, et al.	S1189
468	Properties of vacuum zinc coated steel sheet. (Development of vacuum zinc coated steel sheet--II). Norio Tsukiji, et al.	S1190
469	Influence of pretreatment and vacuum deposition parameters on adhesion of vacuum zinc coating. (Development of vacuum zinc coated steel sheet--III). Toshiharu Kittaka, et al.	S1191
470	Structure of electrodeposited Fe-Zn alloys. Yoshinobu Shima, et al.	S1192
471	Qualities of double-layer Zn-Fe alloy(Fe-P/Zn-Fe) electroplated steel sheet. Toru Honjo, et al.	S1193
472	Paint adhesion of Zn-Fe electroplated steel sheet in the water.	

(Study on Zn alloy electroplated steel sheets--III).		
473	Kazumi Nishimura, et al.	S1194
Effect of the outer layer on anti-cratering ability of double-layer Fe-Zn alloy electroplated steel sheet. Tetsuhiro Koike, et al.	S1195	
474	Paintability of Zn-Mn alloy plated steel sheets. Takayuki Urakawa, et al.	S1196
475	Investigation of Zn-SiO ₂ and Zn-Ni-SiO ₂ electro-codeposited steel sheet. Fumio Yamazaki, et al.	S1197
476	Cosmetic corrosion performance of pre-coated sheet steels. Tatsuo Kurimoto, et al.	S1198
477	Corrosion resistance of Ni-Zn base alloy coat by cathodic polarization behaviors. Ichiro Suzuki.	S1199
478	Development of automatic analyzer of Zn-Ni electrolyte. Tadahiro Abe, et al.	S1200
479	Development of steel plate for easy open end can. Kei-ichi Shimizu, et al.	S1201
480	The effect of the forming condition on the composition and structure of passivation film on tinplate. Kenzo Matsui, et al.	S1202
481	Sulfide staining of tinplate. Hidemi Matsushima, et al.	S1203
482	Investigation for IEV measurements on low tin coated steel sheets. Yoshihiro Kaneda, et al.	S1204
483	Effect of several pre flash coating on the property of low tin coated steel sheets. Kazuya Ezure, et al.	S1205
484	Effects of current wave forms on weldability in seam welding of materials for cans. Toshio Baba, et al.	S1206
485	Anodic treatment of tin free steel. Yoshitaka Kashiyama, et al.	S1207
486	Development of high corrosion resistance tinplate by Ni-diffusion treatment. Hisatada Nakakoji, et al.	S1208
487	Effect of the steel components on the corrosion behavior of nickel plated steel sheets. Toshinori Mizuguchi, et al.	S1209
488	Changes in surfaces condition of high chrome work rolls in hot rolling mill. Manabu Ohori, et al.	S1210
489	Effect of rolling speed on high temperature wear properties of roll materials for hot strip mill. Hiroshi Noguchi, et al.	S1211
490	Estimation of surface temperature for hot strip mill work rolls. Ryosaku Nawata, et al.	S1212
491	Wear mechanism of work roll for rear stands of finishing train in hot strip mill. Yoshihiro Nishimura, et al.	S1213
492	Newly developed high-chromium rolls and their applications to hot strip mill. Yoshihiro Nakagawa, et al.	S1214
493	Development of online roll grinder for hot strip mills. Megumi Kan, et al.	S1215
494	Increasing roll life by lubrication on edge rolling mill. (Application of rolling oil on edge rolling mill--I). Katsumi Takada, et al.	S1216
495	Simulation of surface defects by plasticine. Shigeru Odagiri, et al.	S1217
496	Application of computer control. (Improvement of reheating fuel consumption at Oita plate mill, Nippon Steel Corp.--III). Hiroshi Uekaji, et al.	S1218
497	Development of refractories for the open radiant tube type reheating furnace. Tateo Hanai, et al.	S1219
498	Simultaneous heating of hot and cold slabs. Masahiro Abe, et al.	S1220
499	Gas flow pattern in vertical direct fired furnace. Masahiro Abe, et al.	S1221
500	Effect of oxygen enriched combustion on heating efficiency. (Development of technology for oxygen enriched combustion--I). Motofumi Kaminaka, et al.	S1222
501	Development of low NO _x burner for oxygen enriched combustion. (Development of technology for oxygen enriched combustion--II). Motofumi Kaminaka, et al.	S1223
502	Basic characteristics of slit laminar. (Study on slit nozzle cooling--I). Shigenobu Yasunaga, et al.	S1224
503	Basic characteristics of slit nozzle cooling for the plate moving at high speed. (Study on slit nozzle cooling--II). Ryuichi Ishida, et al.	S1225

-- PROPERTIES OF IRON AND STEEL --

OCTOBER 9, 1984

504	Fatigue properties for carburizing SCM420 steels. Chitoshi Masuda, et al.	S1226
505	Fatigue fractography for arburizing steel tested under axial loading. Chitoshi Masuda, et al.	S1227

-
- 506 Rolling contact fatigue life and crushing strength of continuous casted roller bearing steel. Kazuhiro Kobayashi, et al. S1228
- 507 Visual observation of fatigue crack growth behavior of reactor pressure vessel steel in high temperature pressurized water. Norio Nagata, et al. S1229
- 508 Thermal fatigue and high temperature low cycle fatigue properties of spheroidal graphite cast iron. Masashi Nakashiro, et al. S1230
- 509 Fatigue strengths of shear pins. (Study of the fatigue strength of shear pins--I). Akira Mori, et al. S1231
- 510 Fractography of shear pins. (Study of the fatigue strength of shear pins--II). Chikayuki Urashima, et al. S1232
- 511 Contact-rolling fatigue life of high temperature bearing steel. Satoshi Yoshizaki, et al. S1233
- 512 High-temperature, high-cycle fatigue properties of 2 1/4Cr-1Mo steel plate (SCMV 4-NT). Kenji Kanazawa, et al. S1234
- 513 Development of Y_2O_3 dispersion strengthened nickel base superalloy and its creep rupture properties. Yōzō Kawasaki, et al. S1235
- 514 Mechanical properties of liquid phase diffusion bonded oxide dispersion strengthened Ni-base alloy. Teruo Hirane, et al. S1236
- 515 High temperature mechanical properties of new superalloy TMD-5 for directionally solidified turbine blade. (Evaluation of high temperature mechanical strength for directionally solidified material--IV). Hiroshi Hattori, et al. S1237
- 516 The effect of microstructure on elevated temperature fatigue property of powder metallurgy MERL76. Toshinori Yokomaku, et al. S1238
- 517 Effects of Carbon and (Zr + B) on high temperature creep properties of Ni-20Cr-3Nb-13W alloy. (Effects of microalloying elements on high temperature creep properties of Ni-20Cr-Nb-W system alloys--I). Masao Takeyama, et al. S1239
- 518 Changes in β -phase morphology and creep properties due to the additions of carbon and (Zr + B) to Ni-20Cr-3Nb-13W alloy. (Effects of microalloying elements on high temperature creep properties of Ni-20Cr-Nb-W system alloys--II). Kaoru Kawasaki, et al. S1240
- 519 Effect of C on high temperature creep resistance of Ni-20Cr alloy. Jun Shan Zhang, et al. S1241
- 520 Creep rupture properties of Ni-26Cr-17W alloys in air. Tatsuhiko Tanabe, et al. S1242
- 521 Effect of heat treatment on creep properties of a nickel-base superalloy single crystal. (Nickel-base superalloys by alloy design--XI). Toshihiro Yamagata, et al. S1243
- 522 Alloy design of superalloy by statistical method. (Alloy design of wrought superalloy--I). Ichiro Tsuji. S1244
- 523 Development of new superalloy by statistical method. (Alloy design of wrought superalloy--II). Ichiro Tsuji. S1245
- 524 Effect of nitrogen on the recrystallization texture in high purity iron. Atsuki Okamoto, et al. S1246
- 525 Effect of hot-rolling in α phase on recrystallization texture of extra-low-carbon cold rolled steel sheets. Susumu Satoh, et al. S1247
- 526 Effects of carbon concentration in solid solution and Cu precipitates on the {111} texture development through continuous-annealing cycle in cold rolled low carbon steel sheet. (Recrystallization textures of Cu containing steel sheets--IV). Hidenori Era, et al. S1248
- 527 Grain boundary segregation of carbon in ultra low carbon steels during continuous annealing. Yoshihiro Hosoya, et al. S1249
- 528 Effect of P on the quench aging in Fe-C alloy. Hiroshi Yashiki, et al. S1250
- 529 Effect of chemical compositions and annealing conditions on susceptibility for brittle fracture. (Development of ultra-deepdrawing cold rolled steel with less tendency for brittleness--III). Masataka Sakoh, et al. S1251
- 530 40-45 kgf/mm² grade high strength cold-rolled steel sheet with high r-value for automobile. Shigeru Konda, et al. S1252
- 531 Effect of temper rolling on r-value of cold rolled steel sheet. Seiichi Hamanaka, et al. S1253
- 532 Effects of ply ratio on the mechanical properties of three-ply stainless steel clad sheet. Tsuyoshi Azuma, et al. S1254
- 533 Crosswise curl observed in tensile test of one-side zinc-coated steel sheet. Hisao Kawase, et al. S1255
- 534 A kinetic analysis of interphase precipitation in niobium steels. Taketo Sakuma. S1256
- 535 On the partition of Alloying elements during the growth of proeutectoid ferrite in Fe-C-X alloys. Masato Enomoto. S1257
- 536 Evaluation of effect of boron on hardenability in terms of new hardenability concept. Masakatsu Ueno, et al. S1258

537	Widmanst�tten-like intergranular precipitation of MnS in a 0.45 % carbon steel. Koji Shibata, et al.	S1259
538	Formation of decarburized ferrite layer on carbon steel. Kanae Suzuki, et al.	S1260
539	Grain boundary segregation of phosphorus in austenite region and its effect on transformation behavior. Takashi Abe, et al.	S1261
540	Effect of prior microstructures on spheroidising behavior. Toshiyuki Hoshino, et al.	S1262
541	Influence of cold working. (Spheroidizing annealing of carbon steels--II). Susumu Kanbara, et al.	S1263
542	Development of fine structure and its superplastic behavior in hypo-eutectoid steel by cyclic heat treatment. Keizo Kawamura, et al.	S1264
543	Relation between solution behavior of TiN particles and austenite grain size in synthetic HAZ. Munetaka Koda, et al.	S1265
544	Influence of metallurgical factors on the distortion in heat treatment of SCM415 steel. (Distortion in heat-treatment by using the navy C type test piece--II). Noriyoshi Ohwada, et al.	S1266
545	Structure of iron containing multiple boride base hard alloy. Masao Komai, et al.	S1267
546	Properties of hard alloy and mechanism of sintering. Tsuneyuki Ide, et al.	S1268
547	Effect of quenching rate on the properties of 6 % Cr high-speed steel. Norimasa Uchida.	S1269
548	The Effect of microstructure on the toughness and high-temperature strength of 0.55C-1.7Ni-1.2Cr-Mo-V hot work alloy tool steel. Toshio Okuno.	S1270
549	Effect of heat treatment on annealing structure of hot work die steel. Hiroshi Kaede, et al.	S1271
550	Thermal fatigue properties and their evaluation. (The development of mold steels with excellent thermal fatigue properties--I). Tokihiko Mori, et al.	S1272
551	Effect of mechanical and physical properties on thermal fatigue life. (The development of mold steels with excellent thermal fatigue properties--II). Yukitaka Mizuno, et al.	S1273
552	Conditions of heat treatment and mechanical properties of 0.1C-8Cr-2Mo-7W-10Co steel. (The development of mold steels with excellent thermal fatigue properties--III). Yukio Mizuno, et al.	S1274
553	Development of quenched and tempered shapes by continuous heat treatment apparatus. Misao Makinohara, et al.	S1275
554	Influence of manufacturing process on mechanical properties of low carbon equivalent high tensile steel shape. (Development of high strength weldable steel shape--I). Akira Teramae, et al.	S1276
555	Development of cooling equipment for steel shape-flange. (Development of high strength weldable steel shape--II). Kenji Takahashi, et al.	S1277
556	Mechanical properties of low carbon equivalent YP 36 kgf/mm ² steel. (Development of high strength weldable steel shape--III). Taiz� Hiraishi, et al.	S1278
557	Effect of Mo on strength and toughness of maraging steels. (Effect of precipitation on strength and toughness of maraging steels--VI). Yasutaka Okada.	S1279
558	The influence of alloy compositions on electric and magnetic properties of Fe-Ni-Co-Mo-Ti maraging steels. Hitoshi Nakamura, et al.	S1280
559	Effect of rolling condition on the precipitation behavior of 18 % Ni maraging steel. Akihiro Matsuzaki, et al.	S1281
560	Manufacturing conditions of 18 % Ni maraging steel sheet with the continuous annealing process. Yoshihiro Hosoya, et al.	S1282

OCTOBER 10, 1984

561	Machinability of Ni base super alloys. Shigeo Yamamoto, et al.	S1283
562	Effect of impurities on the machinability of S45C steel with 0.005~0.025 % sulfur contents. Kazuyoshi Ônishi, et al.	S1284
563	Machinability of low carbon deoxidized steel. Tetsuo Shiraga, et al.	S1285
564	Effect of alloying elements on the toughness of carburized case. Kunio Namiki, et al.	S1286
565	Application of softnitriding to automobile transmission gears. Yoshihisa Miwa, et al.	S1287
566	Vacuum carburizing of dual phase steel. Kimihiro Shibata, et al.	S1288
567	Cyclic softening of high strength 32 % Mn steels. (Mechanical properties of high strength high Mn non-magnetic steels for very low temperature uses--I). Koji Shibata, et al.	S1289

568	Cyclic deformation behavior of high strength 32 % Mn steels at very low temperatures. (Mechanical properties of high strength high Mn non-magnetic steels for very low temperature uses--II). Koji Shibata, et al.	S1290
569	Effect of Si content and grain size on embrittlement to reheated high strength 32 % Mn steels. (Mechanical properties of high strength high Mn non-magnetic steels for very low temperature uses--III). Masahiko Kogita, et al.	S1291
570	Grain size dependence of cryogenic impact properties of a high manganese steel. Tomohide Matsumura, et al.	S1292
571	Strengthening of a nonmagnetic steel containing 35 % Mn and 5 % Cr. Jirou Namekata, et al.	S1293
572	Development of precipitation-hardened high manganese non-magnetic steel with high strength at room temperature. Kiyoshi Nohara, et al.	S1294
573	Development of 30 % Mn non-magnetic steel plate and H-shapes. Terufumi Sasaki, et al.	S1295
574	Improvement of machinability of high manganese non-magnetic steels. Yoshihiko Kamada, et al.	S1296
575	Effect of C, N, Mn, S and Pb on drillability and mechanical properties of nonmagnetic high manganese steels. Akihiko Yanagitani, et al.	S1297
576	The formation mechanism of pockmarked surface on high Mn steel in pickling treatment. Masaaki Ishikawa, et al.	S1298
577	Comparison of hot corrosion behavior in burner rig test with crucible test. (Hot corrosion of Ni base superalloys in a burner rig tester--II). Akira Ishida, et al.	S1299
578	Effect of heating rate on corrosion behavior of Ni-base heat resisting alloys. Yuji Kurata, et al.	S1300
579	Corrosion behavior of inconel 617 coated with SiO_2 film of various thickness in impure helium. Yoshikazu Sakai, et al.	S1301
580	Intergranular oxidation of Fe-Ni alloys. Yoshio Yamazaki, et al.	S1302
581	The influence of Niobium and titanium on the mechanical properties of γ' and γ'' precipitation-hardened nickel-base superalloys. (The strengthening mechanism of γ' and γ'' precipitation-hardened nickel-base superalloys--I). Masaaki Igarashi, et al.	S1303
582	Thermomechanical treatment of lowC-16Cr-75Ni-Fe alloy. Yoichiro Araya, et al.	S1304
583	High temperature properties of HP, HP-Nb and HP-NbTi centrifugal cast tubes after long-time service. Tsutomu Yoshida, et al.	S1305
584	Investigation of microstructure of 23Cr-34Ni iron based alloy with creep damage. (Investigation of incoloy 800 based alloy--IV). Hiroyuki Doi, et al.	S1306
585	Effect of nitrogen on high temperature creep resistance of 25Cr-28Ni steel. Nobuhiko Morioka, et al.	S1307
586	The development of less abrasive bar rods for grinding rod mill. (Development of direct quenching bars--I). Takashi Ueno, et al.	S1308
587	Development of low temperature-high strength reinforcing bars with controlled rolling and surface quenching. (Development of direct quenching bars--II). Takeo Harada, et al.	S1309
588	The effect of center line segregation on the micromartensite appearance in high carbon steel wire rod. Toshihiko Takahashi, et al.	S1310
589	Structural characteristics of in-line slow-cooled wire rod. Tsuyoshi Yamasaki, et al.	S1311
590	The controlled rolling for direct softening of Ti-containing steel wire rods. (Thermo-mechanical treatment of steel wire rods--I). Takayuki Ueda, et al.	S1312
591	Flow stress of titanium bearing low-carbon steel wire rod. (Study on low-carbon steel wire rod with good workability--II) Kazuharu Aoyama, et al.	S1313
592	Effect of drawing on flat-rolling of high carbon steel wire. Hiroshi Sasaki, et al.	S1314
593	Effect of lead additive in the case hardening steel on the gear pitching. Toyofumi Hasegawa, et al.	S1315
594	Effect of cold and warm forming on hardenability of induction heating. Hisao Maeda, et al.	S1316
595	The effect of microstructures on the response to induction hardening. Mitsuo Uno, et al.	S1317
596	Effect of Al, N on workability of steel when heated by cold work itself. Toshio Kojima, et al.	S1318
597	Influence and a countermeasure of softening layer on charpy type impact test value of flash butt welding line. Takeo Harada, et al.	S1319
598	The development of high strength steel for heavy duty chain cables. Masanori Sakamoto, et al.	S1320

599	Analysis of crystal orientation by means of electron channeling pattern. Shuichi Funaki, et al.	S1321
600	Development of speedy analyzing method of electron channelling pattern and presentation method of orientations. (Analysis of texture by ECP--I). Ryo Shimizu, et al.	S1322
601	Evaluation of the reliability of vector method by directly measuring of orientations of individual grains by ECP. (Analysis of texture by ECP--II). Kuniteru Ota, et al.	S1323
602	Extensive applications of energy dispersive X-ray diffraction technique to the texture analysis. Masayuki Okamoto, et al.	S1324
603	Microstructure dependence of acoustic emission in magnetization process. Eiji Kobayashi, et al.	S1325
604	Measurement of grain size by ultrasonic attenuation method. Shoichi Sekiguchi, et al.	S1326
605	Analysis of microstructure by digital image analyzer technique. Osamu Furukimi, et al.	S1327
606	Micro segregation of chromium in Fe-Cr binary alloy. Shinji Sato, et al.	S1328
607	The mechanical properties of C-Mn-Nb steel sheets manufactured by direct hot rolling after continuous casting. Yoshio Hashimoto.	S1329
608	The effect of hot rolling conditions on mechanical properties of middle carbon hot rolled sheets. Iwao Sawai, et al.	S1330
609	Effect of cooling condition on the formability of high strength hot rolled steel. Noriaki Nagao, et al.	S1331
610	Strength and ductility in dual phase steel including bainite. Kohichi Sugimoto, et al.	S1332
611	Effect of pre-straining mode on anisotropy in reyield stress of dual phase steel. Hiroshi Kuramoto, et al.	S1333
612	Influence of C, P, Si and Mn on the cross tension fatigue strength. (Influence of chemical composition on the cross tension fatigue strength of spot weld--IV). Tomoo Sekine, et al.	S1334
613	Occurrence of coarse grains in hot-rolled low carbon aluminium killed steel sheets coiled at high temperature. Yoshikuni Tokunaga, et al.	S1335
614	Refining of ferrite grains in hot rolling process. (Development of control technique of properties by steelmaking and hot rolling processes--X). Osamu Kawano, et al.	S1336
615	Recrystallization behavior in hot rolling process. (Development of control technique of properties by steelmaking and hot rolling processes--XI). Manabu Takahashi, et al.	S1337
616	Estimation of grain size in hot rolled steel strip. (Development of control technique of properties by steelmaking and hot rolling processes--XII). Manabu Takahashi, et al.	S1338
617	Mechanical properties of Ti added steel sheets directly hot-rolled just after casting. (Study of CC-DR process metallurgy--III). Kazuaki Sato, et al.	S1339
618	Mechanical properties of Ti added hot rolled high strength steel sheets manufactured by the CC-DR process. (Study of CC-DR process metallurgy--IV). Masaki Nagao, et al.	S1340
619	Mechanical properties and corrosion resistance of 0.1%C-25%Cr-2%Mo-Ni-Mn stainless cast steel. Kazuyoshi Hoshino, et al.	S1341
620	Influence of alloying elements on corrosion resistance of SUS430. Tomohito Iikubo, et al.	S1342
621	Effect of non-metallic inclusions on pitting corrosion of stainless steel. (Study on pit initiation site--I). Kenjiro Itō, et al.	S1343
622	Effect of various factors on corrosion resistance of 20Cr-25Ni-6Mo stainless steels for seawater. Toshiro Nagoya, et al.	S1344
623	Effect of alloying elements on the corrosion resistance of stainless steels to nitric acid. (Corrosion resistance of stainless steels to nitric acid--II). Haruhiko Kajimura, et al.	S1345
624	Intergranular corrosion and its prevention of boron alloyed austenitic stainless steel. Haruo Tomari, et al.	S1346
625	Relationship between carbides/ γ' precipitation and anti-intergranular corrosion characteristics of alloy 800L. Kazuo Yamanaka, et al.	S1347
626	Effects of Cr, Mo and N on the corrosion resistance of high alloy austenitic stainless steels. Takumi Ujiro, et al.	S1348
627	Effects of alloying elements on anti-fouling. (Anti-fouling of copper alloys in marine environments--II). Tsukasa Imazu, et al.	S1349
628	The corrosion of steel-making plants with LD gas and its protection measures. Shigeru Mizoguti, et al.	S1350
629	Corrosion and hydrogen entry for low alloy steel OCTG under sour gas environments. Akihiro Miyasaka, et al.	S1351
630	Influence of oil and gas well environmental factors on sulfide stress cracking resistance of OCTG steels. Akihiro Miyasaka, et al.	S1352

631	Effect of Ti precipitates on resistance to sulfide stress corrosion cracking. Hitoshi Asahi, et al.	S1353
632	Influence of environmental factors on sulfide stress corrosion cracking of low alloyed steels. Teruo Kaneko, et al.	S1354
633	Effects of Sn and Zn plating on sulfide stress corrosion cracking of oil country tubular goods joint. Shunji Sakamoto, et al.	S1355
634	Sulfide stress cracking of Ni-containing low alloy steels. Yuji Minozaki, et al.	S1356
635	Influence of Cr content in steel on CO ₂ corrosion. Masakatsu Ueda, et al.	S1357
636	Corrosion resistance of lowC-Ni-13Cr stainless steels in CO ₂ /H ₂ S environments. Takao Kurisu, et al.	S1358
637	SCC resistance of high alloy oil country tubular goods for sour gas wells. Toru Inazumi, et al.	S1359
638	SCC and HE behavior of duplex stainless steel in H ₂ S containing environment. Akira Seki, et al.	S1360
639	Heat resistant steels for continuous casting machine rollers. Tomio Takagi, et al.	S1361
640	An experimental study of the wear of 6 high intermediate rolls in the cold rolling. Shigeki Shimizu.	S1362
641	Influence of heat treatment on wear resistance of cold strip mill back up roll. Yoshihiro Ohkonomi, et al.	S1363
642	Development of 2 % Mn steel for generator shaft. Kiyoshi Uchida, et al.	S1364
643	Plastic deformation of the running surface of rail. Yukio Sato, et al.	S1365
644	Characteristic of SAE52100 steel processed by continuous casting. Yatsuka Takata, et al.	S1366
645	Effect of cooling pattern after solidification on hot-ductility of hypereutectoid steels. Yoshihiro Hanai, et al.	S1367
646	A method of predicting hardness of high carbon steel strip in batch annealing furnace. Satoru Usuki, et al.	S1368
647	Fundamental feature of medium-frequency electric resistance welding. Nobuo Mizuhashi, et al.	S1369
648	Properties on 2 1/4%Cr-1%Mo ERW boiler tubes. Tohru Okazawa, et al.	S1370
649	Development of high strength E.R.W. rifled tubes. Hiromitsu Kusachi, et al.	S1371
650	Machinability of electric resistance welded steel pipes for oil wells. Katsutoshi Yamada, et al.	S1372
651	Manufacturing results of duplex stainless UOE pipe. Noboru Yamakawa, et al.	S1373
652	Effect of welding material on mechanical properties and corrosion resistance of duplex stainless UOE pipe. Yoritaka Ueda, et al.	S1374
653	Influence of ovality and stress strain relation on collapse strength. (Theoretical analysis of collapse strength of O.C.T.G.--I). Toshitaka Tamano, et al.	S1375
654	Influence of circumferential residual stress on collapse strength. (Theoretical analysis of collapse strength of O.C.T.G.--II). Hiroyuki Miura, et al.	S1376
655	Analysis of bi-axial collapse strength. (Theoretical analysis of collapse strength of O.C.T.G.--III). Hiroyuki Miura, et al.	S1377
656	The thermomechanical treated high strength steel pipe using stretch-reducer mill. Takeshi Terasawa, et al.	S1378
657	Metallurgical factors influencing the toughness of middle carbon steels directly quenched and tempered. Masakazu Niikura, et al.	S1379
658	Effect of alloying elements on austenite grain refinement by Q-Q treatment. (Variation of properties of quenched and tempered low alloy steels--II). Terutaka Tsumura, et al.	S1380
659	Heat treatment conditions and mechanical properties of 13 Cr OCTG. Tadao Katagiri, et al.	S1381
660	Effect of alloy element on liquid zinc embrittlement of heat affected zone. (Development of high-strength 60 kgf/mm ² steel for zinc-coated steel pipe tower--I). Tomoya Koseki, et al.	S1382
661	Micro-alloy designing and liquid zinc embrittlemens of heat affected zone. (Development of high-strength 60 kgf/mm ² steel for zinc-coated steel pipe tower--II). Junya Matsuyama, et al.	S1383
662	Effect of hot rolling of steels on the resolution of boron compound on slab heating. Toshiie Hasegawa, et al.	S1384
663	Tensile strength of 80 kgf/mm ² grade steel for high heat input welding. Masataka Suga, et al.	S1385
664	Properties of heavy thick A543 steel plate produced by ultra low Mn-B treatment. Akinori Inami, et al.	S1386
665	Influences of rolling conditions on hardenability of direct-quenched steel plates. Nozomi Komatsubara, et al.	S1387

-
- 666 Hardenability of direct quenched steel and distribution of boron atoms. Chiaki Shiga, et al. S1388
 667 Development of low nickel content 80 kgf/mm² grade high strength steel with good weldability manufactured by DQ-T process. Kazuyuki Matsui, et al. S1389
 668 Investigation of chemical compositions and microstructures of controlled rolled and cooled 50 k HT steels with low carbon equivalent. (Research about the property control of the controlled cooled thick plates--III). Hiroshi Yoshikawa, et al. S1390
 669 Development of T.S. 50 kgf/mm² class high toughness steel plates for low temperature service. Ichiro Seta, et al. S1391
 670 Properties of 60 kgf/mm² grade steel manufactured by DAC (Dynamic Accelerated Cooling) process. Naokazu Nakano, et al. S1392
 671 Improvement in HAZ toughness of low temperature service Al-killed steel for high heat input welding. Toshiaki Kan, et al. S1393
 672 Mill trial study of low carbon-1.5%nickel steel. (Development of low temperature service steels with good arrestability to brittle fracture--III). Kazuyuki Matsui, et al. S1394
 673 Development of 80 kgf/mm² grade hot rolled steel sheet by controlled cooling on run-out-table. Atsushi Itami, et al. S1395
 674 Producing of hot strip with various mechanical properties by controlled cooling. Akio Tosaka, et al. S1396
 675 Influence of mechanical factors on critical COD of welded joints. (Development of steel plates with improved COD value in weld fusion zone--VI). Shuji Aihara, et al. S1397
 676 Condition of the formation of separations in control-rolled steels. (Separation in control-rolled steel--IV). Hiroyuki Kagawa, et al. S1398
 677 Tensile ductility of controlled rolled steels of X70 grade. Shuji Okaguchi, et al. S1399
 678 The effect of alloying elements on static recrystallization of austenitic stainless steel. Sadahiro Yamamoto, et al. S1400
 679 Strengthening mechanism of austenitic stainless steel by thermomechanical treatment. Sadahiro Yamamoto, et al. S1401
 680 Recrystallization progress and texture formation in hot rolling of ferritic steel. Munetsugu Matsuo, et al. S1402
 681 Formation of inhomogeneous texture in hot rolling of ferritic steel. Munetsugu Matsuo, et al. S1403
 682 Formation of deformation band and static recrystallization behavior of hot rolled Fe-19%Cr ferritic stainless steel. Yoshihiro Uematsu, et al. S1404
 683 The effect of transformation ($\alpha \rightleftharpoons \gamma$) on the α phase recrystallization behavior of SUS430 stainless steel at high temperature--IX. Tetsuro Takeshita, et al. S1405
 684 Effect of the hot rolling condition on the grain size of the hot rolled ferritic stainless steel sheets. (Development of lowC-17Cr-Nb·Cu stainless steel sheets--VII). Masao Koike, et al. S1406
 685 Microstructures after hot rolling and heating temperature in Al containing 17 Cr stainless steel. Michio Wakamatsu, et al. S1407

OCTOBER 11, 1984

- 686 Long-term creep behavior of commercial heat resistant steels. Akimitsu Miyazaki, et al. S1408
 687 Mechanical properties and corrosion resistance of corrosion resistant austenitic steels. (Development of high strength corrosion resistant austenitic steel for boiler--I). Yoshiatsu Sawaragi, et al. S1409
 688 Various properties of high strength corrosion resistant steel tube. (Development of high strength corrosion resistant austenitic steel for boiler--II). Minoru Kubota, et al. S1410
 689 Effects of Nb and C contents on high temperature strength of 25Ni-20Cr austenitic steel. (Study of high strength austenitic heat resisting steel--IV). Masao Kikuchi, et al. S1411
 690 Effect of cooling rate in solution treatment on creep rupture properties of an iron base alloy.
 (Investigation of the high temperature strength of 15Cr-26Ni-1.25Mo iron base alloy--IV). Katsumi Iijima, et al. S1412
 691 Effect of Al, B, Ti addition on high temperature strength of type 17Cr-14Ni-2.5Mo heat resisting steel.
 (Development of material for high temperature and high pressure turbine steam casing--I). Kiyoshi Hiyama, et al. S1413
 692 The effect of solutioning temperature and grain size on the creep rupture strength in the type 347H stainless steel for boiler application. Hiroshi Teranishi, et al. S1414

693	Effects of C and N contents on creep rupture strength of Nb stabilized austenitic stainless steel. Akira Tooyama, et al.	S1415
694	Creep rupture strength and ductility of 304/308 weldment. Masayoshi Yamazaki, et al.	S1416
695	Creep-fatigue properties of type 347 stainless steel. Shōzō Azuma, et al.	S1417
696	Creep-fatigue interaction for SUS304 stainless steel under combined loadings. Koichi Yagi, et al.	S1418
697	Quantitative evaluation of creep damage in type 304 stainless steel. Hideo Tanaka, et al.	S1419
698	Relation between hot-hardness and creep rupture strength of low Cr-Mo and high Cr-Ni heat-resisting steels. Yasuhisa Yamamoto, et al.	S1420
699	Effect of Cr content on creep rupture strength and toughness of Cr-2Mo-V-Nb steels. Hiroyuki Uchida, et al.	S1421
700	Effects of quenching conditions on creep rupture properties of a 10CrMoVNb heat-resisting steel. Kō yô Ryû, et al.	S1422
701	Effect of silicon on creep rupture strength and charpy impact properties of 9Cr-2Mo-V-Nb heat-resisting steels. Kentaro Asakura, et al.	S1423
702	Creep rupture strength and toughness after long time heated of a 9Cr-2Mo-V-Nb steel. Masanori Kumakura, et al.	S1424
703	Effects of V, Nb and Mo on the high temperature properties of a 9Cr-1Mo steel. Masayuki Fujiwara, et al.	S1425
704	Quantitative evaluation of microstructural change during creep for Cr-Mo-V steel. Junro Kyono, et al.	S1426
705	Evaluation of creep embrittlement sensitivity by SERT. Shinji Konosu, et al.	S1427
706	Effects of C content on low temperature toughness of 6 % Mn steels. Takashi Kumamoto, et al.	S1428
707	Effects of minor elements on weld reheat cracking of Fe-36%Ni alloy. (Development of Fe-36%Ni alloy for LNG--IV). Keiji Osaki, et al.	S1429
708	Influence of Al on hot ductility in Fe-high Ni alloy. (Study of hot ductility in Fe-high Ni alloy--II). Takuji Okiyama, et al.	S1430
709	Low temperature properties on 20Cr-8Ni duplex stainless cast steels. Naohiko Kagawa, et al.	S1431
710	The influence of grain size on the mechanical properties of A286 alloy at cryogenic temperature. Toshiya Moriyama, et al.	S1432
711	Interpretation of an apparent surface energy determined by X-ray line-broadening for crack arrestability of low carbon steels. Naoki Okumura, et al.	S1433
712	Effect of S content on the fracture toughness of ASTM A470 Cl.7 steel. Takashi Abe, et al.	S1434
713	A new testing method to evaluate the crack arrest properties. Toshiya Akiyama, et al.	S1435
714	Buckling of a pipe in hydrostatic tester. Matsuo Ataka, et al.	S1436
715	Real-time measurement of impedance spectra during corrosion fatigue. Masashi Ono, et al.	S1437
716	Corrosion-fatigue crack initiation behavior of duplex stainless steel in 0.9 % NaCl solution. Yakichi Higo, et al.	S1438
717	Surface damage of corrosion fatigue in pure water or 0.01 % aqueous NaCl for SM50B steel. Chitoshi Masuda, et al.	S1439
718	The behavior of fatigue crack growth of a 100 kgf/mm ² grade steel in waters under potentials. Masae Sumita, et al.	S1440
719	Role of electrochemical factor on fatigue crack propagation in 3 % NaCl solution. Hiroyuki Masuda, et al.	S1441
720	Effect of cathodic charging current density on the apparent hydrogen diffusivity through pure iron. Wung Yong Choo, et al.	S1442
721	Effect of controlled-cooling after controlled-rolling on the HIC properties. Tetsuo Takeda, et al.	S1443
722	Effects of chemical compositions of center segregation and cooling rates on the HIC sensibility. Mitsuo Kimura, et al.	S1444
723	Suppression of formation of hydrogen induced blister cracking in linepipe steels by control of segregation and inclusion size. Nobuchika Nomura, et al.	S1445
724	Hydrogen induced cracking of transformation strengthened steels. Toshio Yokoi, et al.	S1446
725	Oxidation scale of martensitic stainless steel at the annealing treatment. Yoshiharu Takeuchi, et al.	S1447
726	Relation between heat treatment and mechanical properties of 12 % Cr steel. Kikuo Morita, et al.	S1448
727	Development of 12 Cr cast steel with high strength and low	

- embrittlement. (Development of heat resisting steel for high temperature and high pressure turbine--III). Takatoshi Yoshioka, et al. S1449
- 728 Relation between carbide-induced embrittlement and phosphorus content in 13Cr-4Ni steel casting. Yoshitaka Iwabuchi, et al. S1450
- 729 Effect of alloying elements and grain size on the flow stress of high purity ferritic stainless steel. Katsuhisa Miyakusu, et al. S1451
- 730 Properties of laser welds of ferritic stainless steels. Nobushige Koresawa, et al. S1452
- 731 Ternary phase diagram for high manganese-high aluminum steels and heat-treated microstructures. Katsuhiko Tanaka, et al. S1453
- 732 Mechanical properties of Fe-Mn-Al alloys--I. Hitoshi Misao, et al. S1454
- 733 Oxidation resistance of Mn-Al steel--II. Keiichi Seino, et al. S1455
- 734 Effect of cold work on age-hardening behavior in N-bearing austenitic stainless steels. Michio Okabe, et al. S1456
- 735 Hot rolling condition on the plastic anisotropy in austenitic stainless steel sheets. Hidehiko Sumitomo, et al. S1457
- 736 Irradiation embrittlement of type 316 stainless steels. Naohiro Igata, et al. S1458
- 737 Effects of sensitization on fracture toughness of SUS321 and SUS347 at cryogenic temperature. Masao Shimada, et al. S1459
- 738 Precipitation model of carbide in austenitic stainless steels. Hiroshi Arai, et al. S1460
- 739 Effects of alloying elements on δ ferrite content in ingots of austenitic stainless steels. Yoshinobu Honkura, et al. S1461
- 740 Precipitates formed in δ -ferrite region included in the 316 stainless steel during low cycle fatigue at elevated temperatures. Shozo Ikeda, et al. S1462
- 741 Change of the domain pattern of grain oriented silicon steel by laser irradiation. (A method for reducing core loss of grain oriented silicon steel by laser irradiation--III). Kikuji Hirose, et al. S1463
- 742 Magnetostriction and inner stress of laser scribed grain oriented silicon steel. (A Method for reducing core loss of grain oriented silicon steel by laser irradiation--IV). Motoharu Nakamura, et al. S1464
- 743 Effect of laser and surface-film on magnetic property of model transformer. (A method for reducing core loss of grain oriented silicon steel by laser irradiation--V). Masashi Tanida, et al. S1465
- 744 Transmission kossel study of goss grains after an intermediate annealing in grain oriented silicon steel containing a small amount of Mo. Chizuko Maeda, et al. S1466
- 745 Mo compounds formed on the surface of silicon steel slabs. Yukio Inokuti, et al. S1467
- 746 The effect of cooling condition of hot band annealing on the texture formation of primary recrystallized grain-oriented silicon steel sheet containing Al. (Study on the secondary recrystallization behaviour of grain-oriented silicon steel containing AlN as an inhibitor--V). Jirou Harase, et al. S1468
- 747 Effects of Sn on precipitates, structure and texture formation of 3%Si-Fe. Hajime Komatsu, et al. S1469
- 748 Effects of decarburizing annealing conditions on the properties of high permeability grain-oriented silicon steel. Kenzo Iwayama, et al. S1470
- 749 Metallurgy on producing of cold strip in Mizushima continuous annealing line, Kawasaki Steel Corp. (Technical development in continuous annealing line at Mizushima Works--II). Osamu Hashimoto, et al. S1471
- 750 Characteristics of properties on drawable cold roll sheet produced in Mizushima continuous annealing line, Kawasaki Steel Corp. (Technical development in continuous annealing line at Mizushima Works--III). Osamu Shibasaki, et al. S1472
- 751 Mechanical properties of continuous cast pseudo-rimmed steel sheet by continuous annealing. Kenji Iwata, et al. S1473
- 752 MnS + AlN complex precipitates as nucleation sites of cementites in grains. (Behaviour of cementite precipitation during over-aging treatment of continuous annealing of low-carbon sheet steels--II). Koichi Kawasaki, et al. S1474
- 753 Availability of the reported model through rapid-cooling and isothermal over-aging experiment. (Behaviour of cementite precipitation during over-aging treatment of continuous annealing of low-carbon steel sheets--III). Kazuo Koyama, et al. S1475
- 754 Limit of the resistance for strain-aging of practical, cold-rolled steel sheets. (Behaviour of cementite precipitation during over-aging treatment of continuous annealing of low-carbon steel sheets--IV). Kazuo Koyama, et al. S1476
- 755 Effects of carbon and aluminum content on the impact property.

(Toughness of $\frac{1}{2}$ Mo steel for pressure vessel--III).	
Hachiro Okada, et al.	S1477
756 Effects of chemical compositions and direct quenching on the mechanical properties of 2 1/4 Cr-1Mo steels. Haruo Suzuki, et al.	S1478
757 Development of carbon steel plates of pressure vessel with good weldability. Motonori Uemura, et al.	S1479
758 Effect of stress on the temper embrittlement of 2.25Cr-1Mo steels. Hirooki Nakajima, et al.	S1480
759 Improvements in elevated-temperature embrittlement properties of 2 1/4 Cr-1Mo steels. Takuichi Imanaka, et al.	S1481
760 Hydrogen concentration at the interface between Cr-Mo steel and stainless steel overlay weldment during cooling. Jun-ichi Shimomura, et al.	S1482
761 Prevention of hydrogen induced disbonding in austenitic stainless steel weld overlay. Toshiaki Saitoh, et al.	S1483
762 Effect of Si, Mn and Ti on hydrogen attack in 2 1/4 Cr-1Mo steel. (Hydrogen attack in Cr-Mo steels--III). Toshio Takano, et al.	S1484
763 Effect of alloy elements on susceptibility to hydrogen embrittlement in Cr-Mo steels. Tadashi Iida, et al.	S1485
764 Effect of tensile strength on hydrogen embrittlement susceptibility. (Rising load test method to evaluate hydrogen embrittlement susceptibility of Cr-Mo steel--II). Tohru Nomura, et al.	S1486
765 Conditions of continuous hot strip rolling for ultra fine grained low carbon steel. (Study on the metallurgy of high speed continuous hot rolling--X). Yoshikazu Matsumura, et al.	S1487
766 Microstructure of austenite of carbon steels in high speed hot working processes. (Study on the metallurgy of high speed continuous hot rolling--XI). Takehide Senuma, et al.	S1488
767 Dynamic recrystallization of ferrite in the intercritical rolling. Kunio Watanabe, et al.	S1489
768 The role of austenite grain boundaries in the ferrite-pearlite transformation of control-rolled steel. Hirosuke Inagaki, et al.	S1490
769 Effects of deformation and cooling conditions in austenite state on the ferrite formation behaviour in a HSLA steel. Hideyuki Ohtsuka, et al.	S1491
770 Mechanism of ferrite grain refinement through interrupted accelerated cooling. (Studies on mechanism of accelerated cooling--I). Takashi Abe, et al.	S1492
771 Effect of cooling rate from austenite on the ferrite grain size in a carbon steel. Guo Zing Hai, et al.	S1493
772 Relationship between the microstructure and the critical cooling rate after hot deformation. Akihiko Takahashi, et al.	S1494

~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ . ~ .

© Copyright 1984, ISIJ

This publication, or any part thereof, may not be reproduced in any form without the written permission of the ISIJ.