

- 19 High strength steel rolling by using a mill having unequal diameter rolls and differential speeds of top and bottom work rolls. Hiroyuki Shiozaki, et al. A72
- 20 Rolling characteristics of high hardness materials by a newly developed rolling mill (UC-MILL). Mitsuru Nihei, et al. A76

--- PROPERTIES OF IRON AND STEEL ---

APRIL 2, 1984 13:00 - 17:20 Chairman: Minoru Kitayama

Theme IV. Evaluation of Corrosion Resistance of Autobody Steel Sheets

- 21 Adhesiveness of zinc and zinc alloy seam of galvanized steel sheets. Shigeru Wakano, et al. A80
- 22 Controlling factors of anti-moisture adhesiveness of electrically painted steel sheets and quick evaluation of adhesiveness. Shigeyoshi Maeda, et al. A84
- 23 Evaluation of corrosion resistance of painted galvanized steel in chloride solution. Yoshiaki Shimizu, et al. A88
- 24 Perforation corrosion of precoated steel for autobody. Takeshi Adaniya, et al. A92
- 25 Effects of cosmetic paint layer damages and corrosive environmental factors on outside surface of autobody. Tenji Ban, et al. A96
- 26 Corrosion behavior of zinc-alloy plated steel sheets under various corrosive environments. Kazutoshi Shimogouri, et al. A100
- 27 Evaluation methods of corrosion resistance for autobody steel sheets. Yasuhiko Miyoshi, et al. A104

APRIL 1, 1984 13:00 - 17:30 Chairman: Eiichi Furubayashi

Theme V. Recrystallization and Crystal Grain Boundary

- 28 Preferential uncleaning of recrystallized grains with specific orientations. Mitsunobu Abe, et al. A108
- 29 Effects of carbon and carbide on recrystallization textures of cold rolled sheet steels. Atsuki Okamoto, et al. A112
- 30 Kinetics of recrystallization, grain growth and texture formation in Fe-P alloys. Hirosuke Inagaki. A116
- 31 Effect of carbon and nitrogen contents on the recrystallization texture of box annealed aluminium killed steel. Hideo Kobayashi, et al. A120
- 32 Orientation of recrystallized grains in and near shear bands of a copper single crystal caused by rolling. Shiro Kohara, et al. A124

P A P E R P R E S E N T A T I O N S

-- IRONMAKING --

APRIL 1, 1984

- 1 Wall-brick strength. (Change in the silica brick quality used for the coke ovens--II). Yuuji Narita, et al. S1
- 2 Operation of coal moisture control equipment at Oita Nos. 1 & 2 coke oven batteries of Nippon Steel Corporation. Shinjiro Wakuri, et al. S2
- 3 Effect of flue temperature and soaking time on coke oven. (Analysis of operating conditions in low working rate--I). Masaki Fukunaga, et al. S3
- 4 Effect of flue temperature and soaking time on coke quality. (Analysis of operating conditions in low working rate--II). Takao Yamaki, et al. S4
- 5 Changes of properties of by-products during the coking process. (Analysis of operating conditions in low working rate--III). Jyun Kobayashi, et al. S5
- 6 Effect of mulling and pelletizing condition on the coal pellet properties. (Pellet blend coking process--II). Mitsunobu Morita, et al. S6
- 7 Effect of the breeze addition on the coke quality in briquette blending process. Haruhisa Iwakiri, et al. S7
- 8 Fundamental study on degradation of rapidly heated coke. Koji Takatani, et al. S8
- 9 Determination of coal-oxidation by thermogravimetric analysis. Hisatsugu Izuhara, et al. S9
- 10 Simulation model of heat transfer in a combustion room of coke oven. Yutaka Suzuki, et al. S10
- 11 Simulation model of material balance for coke oven batteries and its application. Kiyoshi Miura, et al. S11

12	Improvement of coke oven combustion control system. Kazutoshi Matsumoto, et al.	S12
----	---	-----

APRIL 2, 1984

13	Construction and operation of ore yard system. Shin-ichiro Yamana, et al.	S13
14	Management system for raw materials demand and supply. Noboru Horibata, et al.	S14
15	Coating technology of coking coal at the stock yard. Hiroichi Ishii, et al.	S15
16	Selective granulation method of the fine part of sinter mix. Tetsuzo Haga, et al.	S16
17	Blending design of sinter mix by use of micro-segregation of chemical composition and coke breeze. Tetsuzo Haga, et al.	S17
18	Grain size effect of SiO ₂ source on sinter quality. (Study on combination of iron ore sinter feeds--VI). Tasuku Takahashi, et al.	S18
19	Evaluation of fine ores for sintering. Kozo Takata, et al.	S19
20	Basic research for segregation of sinter material. (Study on the charging method of sinter material--I). Hirobumi Nisimura, et al.	S20
21	Influence of charging chutes on the size-segregation of materials on the sintering pallet. (Study on the charging method of sinter material --II). Katuyoshi Fukami, et al.	S21
22	Effect of the segregation charging of raw materials on the mineral phases in sinter. Shirou Tarumoto, et al.	S22
23	Increase in productivity of sinter by improvement of quasi-particle structure and raising the sintering bed height. Mikio Deguchi, et al.	S23
24	Prediction of permeability of sinter mix on pallets. Shin-ichi Mizukami, et al.	S24
25	Automatic sintering operation with operation guide system. Taisuke Oiyama, et al.	S25
26	Recent sintering operation. Mitsuo Nozawa, et al.	S26
27	Investigation of the reduction of return fine sinter operation. Takuma Kodama, et al.	S27
28	Wind distribution on sintering machine and countermeasures of its unification. Nobuhiko Takamatsu, et al.	S28
29	Operation of Sakai No. 2 Sinter Plant, Nippon Steel Corporation, at high productivity. Kei-ichi Nakamura, et al.	S29
30	Test on high layer thickness at No. 1 Sintering Plant of Hirohata Works, Nippon Steel Corporation. Nozomi, Sasaki, et al.	S30
31	Development of split suction sintering. Kazumasa Katoh, et al.	S31
32	Influence of melting behavior of iron ores on the sintering properties. (Sintering characteristics of iron ores--II). Hidetoshi Noda, et al.	S32
33	Production of high-basicity sinter and the blast furnace operation. Kazuhiro Yamamoto, et al.	S33
34	Development of pulverized coal injection system and its operation at blast furnace. (Development of pulverized coal injection into blast furnace--III). Shin-ichi Tamada, et al.	S34
35	Tuyere injection test of iron oxide at Wakayama No. 4 Blast Furnace of Sumitomo Metal Industries, Ltd. Takahisa Miyake, et al.	S35
36	Accumulation of fine coke and gas flow around the raceway in the experimental furnace. Yoshikazu Seki, et al.	S36
37	Water spray equipment for blast humidification. Yoshio Saito, et al.	S37
38	Preheating system of hot stove fuel gas at Chiba No. 6 Blast Furnace, Kawasaki Steel Corporation. Ryoji Takabe, et al.	S38
39	Improvement of Thermal Efficiency of hot stove at Kokura No. 2 Blast Furnace, Sumitomo Metal Industries, Ltd. Moritaka Oonishi, et al.	S39
40	Decending blow-out operation of No. 5 BF in Fukuyama Works, Nippon Kokan K.K. Kazuhiro Kikuchi, et al.	S40
41	Second relining of Fukuyama No. 2 B.F. of Nippon Kokan K.K. Norio Saito, et al.	S41
42	Experiment on bell-less top charging by full scale model. Il-Ock Lee, et al.	S42
43	Effect of raw material segregation on burden distribution. (The research for the control of burden distribution of bell-less top blast furnace--II). Yasuhiko Fujiwara, et al.	S43
44	Effect of impact energy at charging on top burden distribution. (Studies on formation mechanism of burden distribution--II). Jun-ichi Sakane, et al.	S44
45	Estimation of coke layer collapse and control of burden distribution. (Studies on formation mechanism of burden distribution--III). Kazuya Kunitomo, et al.	S45
46	Simulation model of burden distribution in blast furnace equipped with movable armors. Michitaka Sato, et al.	S46
47	Development of mathematical model for burden distribution in which collapse of the coke bed is taken into consideration.	

	(Studies on characteristics of burden distribution--IV).	
	Shinroku Matsusaki, et al.	S47
48	Application of burden distribution predicting model to blast furnace. (Studies on characteristics of burden distribution--V).	
	Hajime Otsuka, et al.	S48
49	Effect of burden distribution on blast furnace by two dimensional mathematical model. Koichi Kurita, et al.	S49
50	Preliminary investigation on mixed charge of iron ores and coke. Haruo Kokubu, et al.	S50
51	Formation of mixed burden layer near blast furnace wall. Kunihiro Kondo, et al.	S51
52	Microwave burden sensor in blast furnaces. Hirokatsu Yashiro, et al.	S52
53	Application of the shaft gas samplers to BF operation. Shigeki Sasahara, et al.	S53
54	Measurement of gas flow in lumpy zone. Yasushi Takamoto, et al.	S54
55	Evaluation of effective diffusivities of gases in coke and reduced iron by Wicke-Kallenbach Method. Yoshihito Shigeno, et al.	S55
56	Reduction process of iron ore containing CaF ₂ . Gouwei Yin, et al.	S56
57	Analysis of reduction rate of sinter by multi-stage zone-reaction model. Masaaki Naitō, et al.	S57
58	Reduction behavior of wustite pellets with different levels of porosity by sulphur bearing hydrogen at high temperatures. Shoji Hayashi, et al.	S58
59	Swelling of wustite pellets during the reduction with CO-CO ₂ mixtures containing small amounts of sulphur. Shoji Hayashi, et al.	S59
60	Experimental study on Si transfer after the blow-out. Hiroji Sato, et al.	S60
61	Effect of oxide addition on the reduction rate of liquid wustite with CO. Tetsuya Nagasaka, et al.	S61
62	Reduction rate of molten iron oxide by solid carbon. (Research on the smelting reduction of iron ore with coal--V). Akira Sato, et al.	S62
63	Reduction of carbon-coated iron ore briquette by rotary kiln. (Production of direct reduced iron using petroleum residue--V). Yoshifumi Kameoka, et al.	S63
64	Application of diagnosis system for blast furnace operation. Akio Shimomura, et al.	S64
65	Man-machine-interface of No. 2 Blast Furnace operation at Fukuyama Works, Nippon Kokan K.K. Takaharu Ishii, et al.	S65
66	Development of blast furnace process data analysis system. Shigeru Katoh, et al.	S66
67	Investigation on bottom lining of Fukuyama No. 2 BF of Nippon Kokan K.K. after the blow down. Yasujiro Koyama, et al.	S67
68	Mechanism of crack initiation in blast furnace carbon brick by alkali absorption. Ken-ichiro Uemura, et al.	S68
69	The prevention of inactive hearth by new cooling method for furnace bottom. Junji Misawa, et al.	S69
70	Estimation of erosion lines and solidified layers of the blast furnace hearth by means of boundary element method. Fumiaki Yoshikawa, et al.	S70
71	Textures of tap hole mix bored from a blast furnace. Tei-ichi Ando, et al.	S71
72	Saving of trough refractory and tap hole mud of blast furnaces at Ohgishima, Nippon Kokan K.K. Shigeki Furuya, et al.	S72
73	Effects of coke hot properties on blast furnace operation. (Investigation of the influence of coke hot properties on blast furnace operation in Kashima Steel Works, Sumitomo Metal Industries, Ltd.--I). Masateru Kojima, et al.	S73
74	Relationship between properties of coke sampled at tuyere level and blast furnace operation. (Physical and chemical investigation of coke sampled at tuyere level--IV). Kohji Kawaoka, et al.	S74
75	Mathematical model analysis of coke oxidation. Koji Takatani, et al.	S75

APRIL 3, 1984

76	Effects of particle size and chemical composition of raw mix which takes part in sintering matrix on the quality of the sinter. Ki-Sam Nan, et al.	S76
77	Analysis of raw materials for iron making by computer aided micro analyzer. Hiroki Hamada, et al.	S77
78	Analysis of chemical compositions in sinter by a new micro analyzer CMA. Aribumi Niida, et al.	S78
79	Morphological classification and quantification of sinter microstructure. (Uniformalization of sintering heat pattern--VI). Nobuo Kusakabe, et al.	S79
80	Textural analysis of calcium-ferrites and hematite grains in sinter. Takeshi Miyazaki, et al.	S80
81	Influence of partial pressure of oxygen in the atmosphere on the formation of acicular calcium ferrite. (Production of "acicular calcium ferrite bonded" sinter--III). Jun Okazaki, et al.	S81
82	Effects of basicity and porosity on the reducibility of iron ore sinter. Takayuki Maeda, et al.	S82

83	Degradation of sintered ore during reduction in elevating temperature. Kazuyoshi Kuriyama, et al.	S83
84	Estimation of reducibility of sinter based on the mineral structures. (Production of mineral phase controlled sinter--V). Noboru Sakamoto, et al.	S84
85	Estimation of degradation of sinter at low temperature reduction based on the mineral structures. (Production of mineral phase controlled sinter-VI). Hiroshi Fukuyo, et al.	S85
86	Degradation of sinter during reduction. (Study on evaluation method of sinter quality--I). Tsukasa Takada, et al.	S86
87	Degradation of sinter in the upper part of blast furnace. Seiki Nagano, et al.	S87
88	Analysis of coke combustion and heat transfer speed in the sintering bed. Kiyoshi Kojima, et al.	S88
89	Comparison between measurement result of actual plant and sintering simulation. Shigeru Yamada, et al.	S89
90	Two phase flow of gas-solid in packed bed. Hideyuki Yamaoka, et al.	S90
91	Cause and characteristics of the burden distribution with the temperature decrease in the central position of the blast furnace. Yukio Konishi, et al.	S91
92	Improvement in the controllability of burden distribution at Sakai No. 1 Blast Furnace of Nippon Steel Corporation. Kazuya Kunitomo, et al.	S92
93	Improvement of energy recovery ratio under the high coke rate operation. Toshiro Sawada, et al.	S93
94	Blast furnace operation control under the decrease in production. Hironao Matsuoka, et al.	S94
95	Blast furnace operation with low sinter ratio. Mitsuru Kiguchi, et al.	S95
96	Properties of the ores sampled from the blast furnace shaft. Hidetoshi Yamaguchi, et al.	S96
97	Reduction behavior of sintered ore in blast furnace. Kosei Kushima, et al. Kosei Kushima, et al.	S97
98	Effect of sinter size on blast furnace operation. Hideharu Shibaike, et al.	S98
99	Numerical evaluation of reduction degradation of sinter on blast furnace operation. Kanji Takeda, et al.	S99
100	Effect of sinter properties on blast furnace operation. Kazuyoshi Yamaguchi, et al.	S100
101	Blast furnace operation with small size coke. Yasuo Yoshida, et al.	S101
102	Operation test using much amount of small size coke (7~20 mm) mixed with ore in the blast furnace. Hirohisa Endo, et al.	S102
103	Estimation of agglomeration of ore. (Study on cold bonded pellets with coke--I). Hajime Yamada, et al.	S103
104	Condition of agglomeration and reduction property of pellets. (Study on cold bonded pellets with coke--II). Junsuke Haruna, et al.	S104
105	Fundamental study of conditions for glassy slag production. (Development of rapid cooling method of molten blast furnace slag by rolling--I). Tetsuyuki Nakamura, et al.	S105
106	Development of air atomized molten slag cooling process. (Development of heat recovery technology for blast furnace slag-III). Masanobu Muranaka, et al. ..	S106
107	Hydraulic hardening property of BF slag in soft clayey soil. Ei-ichiro Konishi, et al.	S107
108	Production of mild char by 2 T/D process development unit. (Development of mild char process--III). Izumi Shimoyama, et al.	S108
109	Evaluation of residual oil for metallurgical coke producing. Kenji Matubara, et al.	S109
110	Reduction and melting behavior of complex cold pellet for silico-manganese production. Hideyuki Yoshikoshi, et al.	S110
111	Dissolution behavior of carbon into molten high chromium alloy. Masatoshi Kuwabara, et al.	S111
112	Combustion of pulverized coal in a top blow type gasifier with molten iron. Tsutomu Tanaka, et al.	S112
113	Molten iron coal gasification process and its application for a smelting reduction process. Shin Fukagawa, et al.	S113
114	Smelting reduction of chromite ore by arc-plasma. Kazuki Morita, et al.	S114
115	Fundamental study on reduction of chrome ore in flux by graphite. Koin Ito, et al.	S115
116	Influence of main factors on the reaction. (Production of ferro-chrome by the smelting reduction in a stirred bath--I). Masaki Fujita, et al.	S116
117	Influence of slag composition and reaction mechanism. (Production of ferro-chrome by the smelting reduction in a stirred bath--II). Masaki Fujita, et al.	S117
118	Smelting reduction of 20% chromium molten iron with 650 kg top and bottom blowing converter. (Production of ferro-chrome by the smelting reduction in a stirred bath--III). Masatoshi Kuwabara, et al.	S118

-- STEELMAKING --

APRIL 1, 1984

119	A fundamental study on a process to change Si in molten iron to gaseous SiCl_4 by use of FeCl_2 . Syunji Takashima, et al.	S119
120	The desiliconizing treatment in the runner of the blast furnace. (Development of the desiliconizing treatment in the runner of the blast furnace--II). Takaiku Yamamoto, et al.	S120
121	Desiliconization at runner of Tobata No.1 Blast Furnace, Nippon Steel Corp. Kazuyoshi Inokuchi, et al.	S121
122	Desiliconization treatment at BF main trough. (Development of continuous hot-metal pretreatment--VII). Haruo Ito, et al.	S122
123	Reaction mechanism of the desiliconization at BF runner. (Development of continuous hot-metal pretreatment--VIII). Katsuhiro Iwasaki, et al.	S123
124	Dephosphorization of hot metal by top injection method at BF runner. (Development of continuous hot-metal pretreatment--IX). Haruo Ito, et al.	S124
125	Characteristics of agitation and mixing in torpedo vessel. (Injection metallurgy of hot metal in torpedo vessel--I). Tetsuharu Ibaraki, et al.	S125
126	Analysis of desiliconization reaction. (Injection metallurgy of hot metal in torpedo vessel--II). Tetsuharu Ibaraki, et al.	S126
127	Construction and operation results of hot metal refining furnace. Tetsuzo Ogura, et al.	S127
128	Characteristics of exhaust gas during hot metal pretreatment. Masayasu Kimura, et al.	S128
129	Hot metal temperature loss between blast furnace and basic oxygen furnace. Yūichi Abe, et al.	S129
130	Analysis of the interaction between the components in $\text{Fe-C-X}_1\text{-X}_2\text{-...-X}_i\text{-...}$ Liquid solution. Joji Inaba, et al.	S130
131	Solubility of CaS in $\text{CaO-Al}_2\text{O}_3\text{-CaS}$ system. Toshiharu Fujisawa, et al.	S131
132	Thermodynamics of $\text{Fe}_t\text{O-MnO}$ and $\text{Fe}_t\text{O-SiO}_2\text{-MnO}$ slags in equilibrium with solid iron. Mitsutaka Hino, et al.	S132
133	Distribution of niobium between liquid iron and $\text{CaO-SiO}_2\text{-Al}_2\text{O}_3$ slags. Tsuyoshi Yamasaki, et al.	S133
134	Dephosphorization of hot metal containing chromium by CaO-CaF_2 flux. Yoshiteru Kikuchi, et al.	S134
135	The behavior of phosphorus in BaO-BaF_2 melts under strongly reducing condition. Satoshi Tabuchi, et al.	S135
136	Dephosphorization of crude stainless steel using barium carbonate based fluxes. Kotaro Yamamoto, et al.	S136
137	Identification of vapors evolved from iron dephosphorized by Na_2CO_3 or $\text{K}_2\text{CO}_3\text{-KCl}$ mixture. Kazuhiro Itsumi, et al.	S137
138	Dephosphorization of liquid Fe-Cr-C alloy by sodium silicate flux. Kyoji Kunisada, et al.	S138
139	Dephosphorization of liquid steel by sodium carbonate. Hideo Katagiri, et al.	S139
140	Dephosphorization characteristics with Na_2CO_3 . (Dephosphorization of molten steel with $\text{Na}_2\text{CO}_3\text{--I}$). Takeyuki Hirata, et al.	S140
141	Dephosphorization mechanism with Na_2CO_3 . (Dephosphorization of molten steel with $\text{Na}_2\text{CO}_3\text{--II}$). Takeyuki Hirata, et al.	S141
142	Decarburization characteristics with Na_2CO_3 . (Dephosphorization of molten steel with $\text{Na}_2\text{CO}_3\text{--III}$). Takeyuki Hirata, et al.	S142
143	Influence of physical property of casting powder on consumption rate. (Development of casting powder for high speed casting--I). Takuji Teraoka, et al.	S143
144	Influence of physical property of casting powder on heat flux in mould. (Development of casting powder for high speed casting--II). Takashi Mori, et al.	S144
145	Effect of casting conditions on powder pool thickness and powder consumption in continuous casting. (Study on the mold powder technology in continuous casting--X). Yutaka Nagano, et al.	S145
146	Heat flux hysteresis in continuous casting mold. (Study on the mold powder technology in continuous casting--XI). Yoshihito Mimura, et al.	S146
147	Flow behavior of powder pool and film in continuous casting mold. (Study on the mold powder technology in continuous casting--XII). Kunio Koyama, et al.	S147
148	Properties of mold powder on the friction between mold and strand in continuous casting. Hidenori Sakai, et al.	S148
149	Relation between slag flow from meniscus and powder characteristics during continuous casting of stainless steel slabs. (Development of high cycle oscillation casting--III). Hakaru Nakato, et al.	S149

150	Friction force between mold and slab for absorbed Al ₂ O ₃ content in molten powder. (New method for predicting surface defects of C.C. slab--VIII). Kenji Tokiwa, et al.	S150
151	Analytical calculation of friction force between mould wall and strand. (Basic study on interaction between mould wall and solidified shell in C.C. of steel--III). Hideaki Mizukami, et al.	S151
152	Establishment of measuring system for the powder flow condition in C.C. mold. (Development of the measurement method of the powder flow condition between a mould and a C.C. slab--III). Yukio Nakamori, et al.	S152
153	Measurement results of powder film thickness. (Development of the measurement method of the powder flow condition between a mould and a C.C. slab--IV). Yukio Nakamori, et al.	S153
154	Analysis of mold friction in slab caster. Takashi Kimura, et al.	S154
155	Modeling of slag rim formation and pressure in molten flux near the meniscus. Ken-ichi Tada, et al.	S155
156	Dynamical observation of molten products in metallurgical reaction by the oscillating-plate viscometer. Masayuki Kawamoto, et al.	S156
157	Kinetics of water vapor dissolution in molten CaO-SiO ₂ -MgO slags. Seiji Yamamoto, et al.	S157
158	Hydrogen dissolution in an iron melt from slag exposed to an atmosphere of controlled humidity. Morihiro Hasegawa, et al.	S158
159	Relation between mass transfer rate and concentration of reactants in slag-metal reaction. Masahiro Hirasawa, et al.	S159
160	The analysis of the fluid flow. (The fluid flow of the molten metal and the metallurgical reaction rates in the bottom gas blowing ladle--I). Ikuo Sawada, et al.	S160
161	The mass transfer rates between the slag and the metal. (The fluid flow of the molten metal and the metallurgical reaction rates in the bottom gas blowing ladle--II). Ikuo Sawada, et al.	S161
162	Effect of physical properties on jet behavior in the initial jet formation zone. Kazumi Mori, et al.	S162
163	Gas-holdup distribution in a gas-stirred tank. Shoji Taniguchi, et al.	S163
164	The characteristics of agitated mixing of mechanical stirring vessel investigated by water model test. Ye Yuzhong.	S164
165	Role of kinetic energy of injection gas in injection metallurgy. Osamu Haida, et al.	S165

APRIL 2, 1984

166	Tomogram of refractories by industrial X-ray CT scanner. Yoshiro Aiba, et al.	S166
167	A gunning repair apparatus for torpedo car. (Development of a new gunning repair system for torpedo car--I). Nobuyoshi Hiroki, et al.	S167
168	High wear resistance of Al ₂ O ₃ -SiC-C bricks. Tatsuhito Takahashi, et al.	S168
169	Operation of flame gunning equipment and drivility of gunned materials. (Test results of flame gunning repair by LPG burner for BOF--I). Hiroshi Sakamoto, et al.	S169
170	Properties of basic flame gunformed blocksand. (Test results of flame gunning repair with a large capacity LPG burner in LD converter--II). Takehiro Horio, et al.	S170
171	Improvement of refractory life in LD for stainless steel. Naoki Shigematsu, et al.	S171
172	Effect of electrode heater on refractory for the RH lower vessel. Masayuki Yamamoto, et al.	S172
173	Improvement of tundish lining method. Kiyoharu Akiizumi, et al.	S173
174	Gunning trial on tundish for bloom continuous caster. Tadashi Uchida, et al.	S174
175	Measurement of load in vertical bending zone of continuous casting plant. (Study on the straightening process of the strand in continuous casting plant--III). Tateshi Mishima, et al.	S175
176	Bulging behavior of strand under low ferrostatic pressure. Mikio Suzuki, et al.	S176
177	The prevention method of the streak at the surface of round C.C. billet. (Round billet casting process--V). Shuji Kobayashi, et al.	S177
178	Development of whirling mist cooling at round billet caster. (Round billet casting process--VI). Chitoshi Matsumura, et al.	S178
179	Cooling characteristics of mist spray and its application result at the top secondary cooling zone. Yoshihisa Kitano, et al.	S179
180	Construction and operation of No.3 Continuous Casting Machine at Kashima Works, Sumitomo Metal Industries, Ltd. Mikio Yamashita, et al. ...	S180
181	Development of automatic casting start and stop system for continuous casting machine. Shigeru Katoh, et al.	S181
182	Development of AGC curcuit of eddy-current type mold level meter using mold oscillation. Yoshihiro Kawase, et al.	S182

183	Development of scanning pyrometer for continuous casting slab. Kohji Kawamura, et al.	S183
184	Improvement of cutting accuracy of continuous casting slab by using width detector. Kazuhisa Kurihara, et al.	S184
185	Improvement of HSLA steel slab surface quality. (Hot charging of HSLA steel slab--I). Jun-ichi Fukumi, et al.	S185
186	Operational improvement for HSLA slab hot charging. (Hot charging of HSLA steel slab--II). Joji Aoki, et al.	S186
187	Effect of temperature on dephosphorization of pig iron with lime-oxygen injection. Toshiyuki Kaneko, et al.	S187
188	The effect of treatment conditions on the hot metal dephosphorization by lime based flux. Osamu Yamase, et al.	S188
189	Dephosphorization and desulfurization of hot metal by lime based fluxes. Jun-ichiro Katsuda, et al.	S189
190	The effect of powder-injection on the dephosphorization in pig iron. Mitsuru Sato, et al.	S190
191	Development of high speed injection method in hot metal treatment. Masaru Washio, et al.	S191
192	Hot metal pretreatment by KR impeller injection method. Noriyuki Shidawara, et al.	S192
193	Application of vacuum slag cleaner to producing clean steels. Akira Kichishima, et al.	S193
194	Operation results of capped steel ladle. (Operation with capped steel ladle--III). Shinya Kawai, et al.	S194
195	Continuous measurement of oxygen potentials in slag and pig iron flown out of blast furnace. Kuniyoshi Urata, et al.	S195
196	Effect of the static pressure on the observed oxygen activity in molten iron and steel by oxygen probe. Kenzo Yamada, et al.	S196
197	Improvement of Al-hitting ratio by correction of oxygen-probe measurements. Masahito Suitoh, et al.	S197
198	Development of quantitative molten aluminum injection system. (Development of molten aluminum injection process into steel melt in the ladle--II). Hiroaki Ohnuma, et al.	S198
199	Deoxidation of molten steel with silicon, manganese and a slight amount of aluminum. Koji Arakawa, et al.	S199
200	Measurement of activity of ferrous oxide in soda-based slags. Yue Sheng Liu, et al.	S200
201	Activities of Fe_xO in the slags at the final stages of external dephosphorization of hot metal. Noriaki Yamada, et al.	S201
202	A thermodynamic study of $CaO + CaCl_2 + Fe_xO$ fluxes used for the external dephosphorization of hot metal. Hiroshi Akizuki, et al.	S202
203	Phosphorus distribution between carbon saturated iron and $CaO-SiO_2-CaF_2-CaCl_2$ melts saturated with $CaO, 3CaO \cdot SiO_2$ or $2CaO \cdot SiO_2$. Mineo Muraki, et al.	S203
204	Influence of dephosphorization on the interfacial tension between slag and molten iron. Yoshiaki Hara, et al.	S204
205	The concept and organization of the system of the mold total diagnosis technology. (Development of the mold total diagnosis technology--I). Wataru Ohashi, et al.	S205
206	Prevention of sticking break out and analysis of surface quality by the mold total diagnosis system. (Development of the mold total diagnosis technology--II). Akira Matsushita, et al.	S206
207	Improvements of deformation of narrow face of continuous casting mould. Kaizou Okamoto, et al.	S207
208	Effect of 3-dimensional mold-taper of narrow face on the heat extraction. Shin-ichi Deshimaru, et al.	S208
209	Fatigue strength of Cu-Ag alloy for continuous casting mold. Minoru Horiguchi, et al.	S209
210	Elongation of the life of mold coating. Akio Fujisawa, et al.	S210
211	Three dimensional analysis of molten metal flow in continuous casting mould. (Development of three dimensional flow simulation code--II). Minoru Yao, et al.	S211
212	Surface quality of C.C. blooms affected by the shape of immersion nozzles. Yutaka Shinsho, et al.	S212
213	Influence of molten steel flow on inclusion in ultra deep drawing steel sheet. Yasunori Kato, et al.	S213
214	Influence of phosphorous content on high-temperature embrittlement of carbon steels. Yukio Yashima, et al.	S214
215	Effect of cooling pattern after solidification on hot ductility of hypoeutectoid steels. Yoshihiro Hanai, et al.	S215
216	Effect of cooling rate during solidification on hot ductility of steels. Yoshihiro Hanai, et al.	S216
217	Bending theories of hot strand and an analysis of straightening process in continuous casting plant. (Study on the straightening process of the strand in continuous casting plant--I). Shigefumi Kihara, et al.	S217

218	Straightening test by small scale model machine with aluminium strand. (Study on the straightening process of the strand in continuous casting plant--II). Kiyoshi Tsune, et al.	S218
219	Calculation of solid-liquid equilibrium in Fe-Cr-Ni systems. Akira Yamada, et al.	S219
220	Equilibrium distribution coefficient of phosphorus in iron alloys. Toshihiro Tanaka, et al.	S220
221	Formation of oxide inclusion during solidification of molten iron. Chihiro Taki, et al.	S221
222	Separation of solid and liquid in steel ingot rolled during solidifying. Mikio Mugita, et al.	S222
223	Theoretical analysis on negative segregation caused by liquid flow. Sumio Kobayashi.	S223
224	Solidification structure of C.C. round billet. Yasuo Hitomi, et al.	S224
225	Solidification structure of high-nickel grain roll material by unidirectional solidification method. Toshiaki Himemiya, et al.	S225
226	Manufacture of unidirectionally solidified ingot with water cooled stool. Katsuo Kinoshita, et al.	S226

APRIL 3, 1984

227	Bloom horizontal continuous casting for stainless steel and high alloy steel. (Development of the horizontal continuous casting process--X). Masahiro Tsuru, et al.	S227
228	Technology for the improvement of the billet surface with the horizontal continuous casting process. (Development of the horizontal continuous casting process--XI). Masahiro Tsuru, et al.	S228
229	Characteristics of solidification structure of stainless steel billets by horizontal continuous casting. (Development of the horizontal continuous casting process--XII). Yutaka Tsuchida, et al.	S229
230	Application of horizontal continuous casting steel for hot-forging, wire-drawing and cold-heading. (Development of the horizontal continuous casting process--XIII). Eihachiro Sunami, et al.	S230
231	Effect of refractory nozzle materials on initial solidification phenomena in horizontal continuous casting. (Development of horizontal continuous casting--VI). Ken Nakai, et al.	S231
232	Trial manufacturing of composite ingot by bimetallic ESR process. Yasuo Kondo, et al.	S232
233	Development of simulation model for top and bottom blowing AOD furnace. (Development of top and bottom blowing AOD process--III). Minoru Ishikawa, et al.	S233
234	Newly developed "hot metal-AOD" process in stainless steelmaking. Masayoshi Yokoyama, et al.	S234
235	Development of refining in the production of extra low sulfur grade stainless steel. Ryoichi Hidaka, et al.	S235
236	Chromium reduction behavior of stainless steel. Hajime Mori, et al.	S236
237	Deoxidation and morphology of inclusions in 18-8 stainless steel. Kenzo Mori, et al.	S237
238	Applications to the commercial furnace of reduction dephosphorization and basic considerations for safety treatment of slags. Toshiaki Arato, et al.	S238
239	Decarburization in RH degasser. (Analysis of RH refining reaction--I). Nobuhide Aoki, et al.	S239
240	Acceleration of nitrogen removal with decarburization by oxide-powder injection from a top lance under reduced pressure. Kaoru Shinme, et al.	S240
241	Degassing and elimination of minor amounts of impurities in the strongly stirred refining of steel with argon. Jun-ichi Tsubokura, et al.	S241
242	Melting and refining of superalloys in a 5-ton VIM furnace. Yoshiro Hosoda, et al.	S242
243	Stable mass production of ultra low sulphur steel. Yoshimi Komatsu, et al.	S243
244	Water model experiment on shape of cavities and spitting by top blowing lance. Masateru Mori, et al.	S244
245	Influence of bottom gas flow rate on (%T.Fe) of BOF. Nozomu Katagiri.	S245
246	Improvement of dephosphorization of high carbon steel by top and bottom blowing process with lime injection in BOF. (Development of top and bottom blowing process with lime-powder injection from top lance in BOF--VI). Takashi Okada, et al.	S246
247	Characteristics of refining process with desiliconized and dephosphorized hot metal in top and bottom blowing converter. Masatomo Sasagawa, et al.	S247
248	Metallurgical characteristics of oxygen top and bottom blowing (LD-OB) with a little quantity of slag. Keishi Kiuchi, et al.	S248

249	Test results of high carbon steel making with pretreated low phosphorus hot metal. Kazuya Iemura, et al.	S249
250	Discussion on equilibria of phosphorus during de-phosphorization of iron and steel. Shu Yamaguchi, et al.	S250
251	Thermodynamic properties of dephosphorization reaction in BOF. Toshiya Harada, et al.	S251
252	Thermodynamic study on phosphorus distribution in BOF. Hiroki Goto, et al.	S252
253	Improvement of bottom nozzle in top and bottom blown converter. Hitoshi Kobayashi, et al.	S253
254	Mechanism of accretion growth around tuyere in bottom-blowing converter. Yasuo Kishimoto, et al.	S254
255	Method of monitoring tuyere linings by thermocouples. Takahiro Itō, et al.	S255
256	Protection of oxygen blown tuyere with CO gas. Toshikazu Sakuraya, et al. ...	S256
257	Development of a process for producing CO ₂ gas for use as a composite blowing gas. (Application of exhaust gas from iron works--II). Takahiro Toyoda, et al.	S257
258	The exhaust gas recovery system at Fukuyama No.2 BOF Shop, Nippon Kokan K.K. Masachika Fukuda, et al.	S258
259	Deformation analysis of LD converter vessel shell. Kazuyuki Kawano, et al.	S259
260	Direct tapping using sublance dynamic at LD-OB. Gakushi Yoshida, et al.	S260
261	Development of automatic blowing technique of top and bottom blowing process. Michinori Hoteiya, et al.	S261
262	Production of ultra low carbon steel by test converter. Nobuo Harada, et al.	S262
263	Optimizing the operational conditions of manganese-ore addition in converter. Haruji Okuda, et al.	S263
264	LD heat compensation by carbon. Matsuhide Aoki, et al.	S264
265	Pinch effect of molten steel in tundish heater. (Development on the controlling method of casting temperature in continuous casting--IV). Yoshinori Kawashima, et al.	S265
266	Numerical analysis of the transfer of inclusion across molten steel-slag interface. (Development of inclusion removal method in tundish--II). Keiji Nakajima, et al.	S266
267	Improvement of automatic level control system in CCM mold. Akihiko Ueno, et al.	S267
268	Non-oxydation casting in beam blank continuous caster. Akira Shirayama, et al.	S268
269	Large inclusion of Kashima No.3 Slab Continuous Casting Machine, Sumitomo Metal Industries, Ltd. Tadashi Nakayama, et al.	S269
270	Improvement of internal slab quality at non-regular period in continuous casting. Setsuo Kakiyama, et al.	S270
271	Improvement of surface quality of strand cast sulfur free cutting steel. Akitoshi Teraguchi, et al.	S271
272	Operating performance of high carbon steel casting by twin bloom caster. (Techniques for twin bloom castings--III). Kazuaki Tanaka, et al.	S272
273	Improvement of continuously cast stainless steel slab surface and performance of rolling the slab free from surface conditioning. Shogo Matsumura, et al.	S273
274	Effects of operational conditions on the oscillation mark of continuously cast stainless steel slabs. Yoshio Kobayashi, et al.	S274
275	Development of electromagnetic stirrer in C.C. mold. Toshihiro Ajishi, et al.	S275
276	Hot model experiments on effects of electromagnetic stirring on solidification rate and on washing of oxide inclusions out of solidified shell. Shōji Miyagawa, et al.	S276
277	Fundamental study on electromagnetic stirring at the final stage of solidification of large section bloom caster. (Application of electromagnetic stirring at the final stage of solidification for continuous casting of large section blooms--I). Hideaki Mizukami, et al.	S277
278	Determination of solidification front of large section bloom strand by silver addition. (Application of electromagnetic stirring at the final stage of solidification for continuous casting of large section blooms--II). Akira Ishizaka, et al.	S278
279	Effects of electromagnetic stirring at the final stage of solidification on the quality of large section blooms. (Application of electromagnetic stirring at the final stage of solidification for continuous casting of large section blooms--III). Akira Ishizaka, et al.	S279
280	Effect of solidification structure on the suitable condition of electromagnetic stirring at just before complete solidification in a bloom caster. Ken-ichirō Suzuki, et al.	S280

281	White-band suppression by conduction EMS under static magnetic field. Sumio Kobayashi, et al.	S281
282	Analysis of measurement conditions of spotlike segregation of C.C. slab. Yoshimori Fukuda, et al.	S282

-- ANALYSIS --

APRIL 2, 1984

283	New analysis computer system in Mizushima Works, Kawasaki Steel Corp. Takashi Sugihara, et al.	S283
284	Coexistent element correction in X-ray fluorescence analysis of iron ores. Yoshiro Matsumoto, et al.	S284
285	Correction of scattered X-rays in X-ray fluorescence analysis with glass bead technique. Noriko Yasui, et al.	S285
286	Trace analysis of Al, V, Mn, Cu, As, Se, Sb, La, Ta, W in steel by neutron activation. Kimio Sugimoto, et al.	S286
287	Phase analysis of precipitates in stainless steels. Fumio Kurosawa, et al.	S287
288	Extraction of inclusions in steel by slime method. Masaaki Takagi, et al.	S288
289	Analysis of carbon on cold rolled sheet surface and in steel. Nobukatsu Fujino, et al.	S289
290	Determination of trace amount of carbon in steel. Takashi Ochiai, et al.	S290
291	Detection of hydrogen in steel by secondary ion mass spectroscopy. Ken-ichi Suzuki, et al.	S291
292	Influence of aperture in cylindrical mirror analyzer on analytical value by auger electron spectroscopy. Tokuo Egawa, et al.	S292
293	Effects of roughness on angular distributions in XPS. Takako Hane, et al. ...	S293
294	Analysis of plates by ion microprobe mass analyzer. Toshiko Suzuki, et al.	S294
295	Correction method for matrix effect. (Quantitative analysis of alloy plating layers using GDS--I). Ken-ichi Suzuki, et al.	S295
296	Investigation by integral calculus of spectrum intensity. (Quantitative analysis of alloy plating layers using GDS--II). Naoki Henmi, et al.	S296
297	Analysis of electroplated Fe-Zn alloy deposits by glow discharge spectrometry. Takanori Akiyoshi, et al.	S297
298	Analysis of high alloy steels by glow discharge spectrometry. Teruo Okano, et al.	S298
299	Effect of co-existing elements on internal standard Y intensity in induction coupled plasma spectroscopy. Fumikichi Mogi, et al.	S299
300	Application of injection method to inductively coupled plasma atomic emission spectrometry--Simplification of calibration curve and improvement of detection limit. Kyoko Kurokouchi, et al.	S300
301	Extraction method of organic solvent for inductively coupled plasma emission spectrochemical analysis. Tomoyuki Ichioka, et al.	S301
302	Spark discharge condition and reproducibility of analytical results. (Ultra fine particle-ICP emission spectrometry for steel analysis--I). Akihiro Ono, et al.	S302
303	Fundamental studies on carbon determination. (Ultra fine particle-ICP emission spectrometry for steel analysis--II). Kōichi Chiba, et al.	S303