

- 19 High strength steel rolling by using a mill having unequal diameter rolls and differential speeds of top and bottom work rolls. Hiroyuki Shiozaki, et al. A72
- 20 Rolling characteristics of high hardness materials by a newly developed rolling mill (UC-MILL). Mitsuru Nihei, et al. A76

--- PROPERTIES OF IRON AND STEEL ---

- APRIL 2, 1984 13:00 - 17:20 Chairman: Minoru Kitayama
- Theme IV. Evaluation of Corrosion Resistance of Autobody Steel Sheets
- 21 Adhesiveness of zinc and zinc alloy seam of galvanized steel sheets. Shigeru Wakano, et al. A80
- 22 Controlling factors of anti-moisture adhesiveness of electrically painted steel sheets and quick evaluation of adhesiveness. Shigeyoshi Maeda, et al. A84
- 23 Evaluation of corrosion resistance of painted galvanized steel in chloride solution. Yoshiaki Shimizu, et al. A88
- 24 Perforation corrosion of precoated steel for autobody. Takeshi Adaniya, et al. A92
- 25 Effects of cosmetic paint layer damages and corrosive environmental factors on outside surface of autobody. Tenji Ban, et al. A96
- 26 Corrosion behavior of zinc-alloy plated steel sheets under various corrosive environments. Kazutoshi Shimogouri, et al. A100
- 27 Evaluation methods of corrosion resistance for autobody steel sheets. Yasuhiko Miyoshi, et al. A104

- APRIL 1, 1984 13:00 - 17:30 Chairman: Eiichi Furubayashi
- Theme V. Recrystallization and Crystal Grain Boundary
- 28 Preferential uncleaning of recrystallized grains with specific orientations. Mitsunobu Abe, et al. A108
- 29 Effects of carbon and carbide on recrystallization textures of cold rolled sheet steels. Atsuki Okamoto, et al. A112
- 30 Kinetics of recrystallization, grain growth and texture formation in Fe-P alloys. Hirosuke Inagaki. A116
- 31 Effect of carbon and nitrogen contents on the recrystallization texture of box annealed aluminium killed steel. Hideo Kobayashi, et al. A120
- 32 Orientation of recrystallized grains in and near shear bands of a copper single crystal caused by rolling. Shiro Kohara, et al. A124

P A P E R P R E S E N T A T I O N S

-- PLASTIC WORKING AND OTHER FABRICATION PROCESSES --

- APRIL 1, 1984
- 304 Progress and features in the research and development on the cross roll rotary piercer. Chihiro Hayashi, et al. S305
- 305 Effect of cross angle and feed angle on rotary forging effect. (Principle of piercing of Sumitomo cross roll type rotary piercer--I). Chihiro Hayashi, et al. S306
- 306 Effect of cross angle and feed angle on metal flow. (Principle of piercing of Sumitomo cross roll type rotary piercer--II). Chihiro Hayashi, et al. S307
- 307 Piercing characteristics in new piercer with cross angle. Touru Morimoto, et al. S308
- 308 Piercing of stainless steel by new piercer with cross angle. Touru Morimoto, et al. S309
- 309 Effect of cross angle and feed angle on inside micro-bore defects of a shell pierced from a continuous casted billet. (Features and effects of Sumitomo cross roll type rotary piercer--I). Yoriyuki Inoue, et al. S310
- 310 Effect of cross angle and feed angle on inside bore defects of pierced stainless steel shell. (Features and effects of Sumitomo cross roll type rotary piercer--II). Tomio Yamakawa, et al. S311
- 311 Effect of cross angle and feed angle on inside bore defects and laminations of pierced high alloy steel shell. (Features and defects of Sumitomo cross roll type rotary piercer--III). Tomio Yamakawa, et al. S312

312	Characteristics of hot rolling in bar retained mandrel mill. Hideki Hora, et al.	S313
313	Outline of mill control system in mandrel mill line. (Computer control system in mandrel mill line--I). Kenji Moribe, et al.	S314
314	End thinning control in mandrel mill. (Hydraulic screwdown control in mandrel mill--I). Tateo Yamada, et al.	S315
315	Heat load of mandrel bar during mandrel rolling. (Feasibility study on seamless tube rolling process through a heat dissipation of shells--III). Tatsuro Udagawa, et al.	S316
316	Operating total controls system in chromium electrolytic plating line. (Outline of electrolytic chromium plating line--I). Tokumitsu Kimura, et al.	S317
317	Solution automatic controls system in chromium electrolytic plating line. (Outline of electrolytic chromium plating line--II). Toshio Yokoyama, et al.	S318
318	Manufacturing process of tin free steel with superior lacquer adhesivity by reverse electrolysis method. Hajime Ogata, et al.	S319
319	Mechanism of splashing in seam welding of cans. (Investigation of the phenomena in seam welding of cans--V). Kenji Yasunaka, et al.	S320
320	Improvement of steel structure for easy open end. Shin-ichi Arai, et al.	S321
321	Characteristics of lightly tin-coated steel sheet based on the alloy layer formed in annealing furnace. Yoshinori Yomura, et al.	S322
322	Alloying behavior of the Ni-P/Sn plated layer on steel sheet. (The thin Ni-P/Sn plated steel sheet for cans--I). Mitsuo Yoshida, et al. ...	S323
323	Effect of metallic Cr on the corrosion resistance of the thin Sn/Cr coated steel. (Development of the thin Sn/Cr coated material for cans--III). Mitsuo Yoshida, et al.	S324
324	The development of [Sn/(Ni-Fe) electrodeposition] double layer coated steel sheet. (The development of lightly tin-coated steel sheet for welded cans--I). Tomonari Ouga, et al.	S325
325	Effect of surface metallic chromium on properties of lightly coated tinplates with Ni-diffusion treatment. (Development of lightly coated tinplate for welded cans--III). Hisatada Nakakouji, et al. ...	S326
326	Behavior of β -Sn electro-deposition and spontaneous alloy on Ni flash coated steel sheets. Takao Saito, et al.	S327
327	Stannous alloy formation on Ni flash coated steel surface by baking. Kazuya Ezure, et al.	S328
328	New conversion coating of zinc and zinc alloy coated steel sheet--chemical nickel plating--. Teppei Tamura, et al.	S329
329	Development of the new baffle system preventing the nozzles from the secondary soil of splash. (Study on conversion coating process by gas wiping--II). Yasuhisa Tajiri, et al.	S330
330	Corrosion and flaking resistances of plated steel sheets coated with zinc rich paint. Sachio Matsuo, et al.	S331
331	Effect of composition and coating weight of organic-silicate composite coating on quality characteristics. (Organic-silicate composite coated Ni-Zn plated sheet--II). Akira Enatsu, et al.	S332
332	Chromate treated electrogalvanized steel sheet with property of high corrosion resistance and antifingerprint. Takahisa Yoshihara, et al.	S333
333	Adhesion of formed paint films at high temperature. Tetsuo Sakai, et al.	S334
334	Continuous colouring for stainless steel. Takeshi Takeuchi, et al.	S335
335	Quality of vibration-damping sheets after forming. (Development of vibration-damping sheets--I). Yukichi Watanabe, et al.	S336
336	Effect of damping materials on press formability of vibration- damping sheets. (Development of vibration-damping sheets--II). Masahumi Yoshida, et al.	S337
337	Welding of vibration-damping sheets. (Development of vibration- damping sheets--III). Makoto Kabasawa, et al.	S338

APRIL 2, 1984

338	Simulation model of heat transfer in a reheating furnace. Hiroyuki Takashima, et al.	S339
339	Newly developed combustion type slab reheating furnace of Nagoya Plate Mill, Nippon Steel Corp. Kouzo Sekiya, et al.	S340
340	Reconstruction of reheating furnace in hot strip mill. Masaomi Hirose, et al.	S341
341	Improvement of reheating fuel consumption at Oita Plate Mill, Nippon Steel Corp. (Application of hot charge--II). Hiroshi Uekaji, et al.	S342

342	Influence of hearthroll-thermalcrown on operation. (Study of stable operation in continuous annealing furnace--II). Yasuhiro Yamaguchi, et al.	S343
343	Ceramic coated roll for continuous annealing line. (Study of stable operation in continuous annealing furnace--III). Satoshi Kasai, et al.	S344
344	The ability of mist cooling equipment. (The cooling equipment in the continuous annealing line--I). Tetsuya Ohara, et al.	S345
345	The characteristics of the mist cooling equipment. (The cooling equipment in the continuous annealing line--II). Tetsuya Ohara, et al.	S346
346	Cooling control for accelerated cooling equipment. (The cooling equipment in the continuous annealing line--III). Masakazu Iwaki, et al.	S347
347	Saving electric power by application of Plunger-type descaling pump. Kōzō Kōno, et al.	S348
348	KA. cut to length line, Kawatetsu full automatic. Yasuyuki Niwa, et al.	S349
349	Out line of a new strip slitting line. Kōji Ono, et al.	S350
350	Development of automatic steel plate reconditioning grinder. Yasuo Hoshina, et al.	S351
351	Estimation of product quality level by using process diagnosis technology. Eiji Sumitani, et al.	S352
352	Diagnosis of Thyristor leonard system by Thyristor fail tracer. Eiji Sumitani, et al.	S353
353	Adaptation of symmetrical arc gear for reduction gear used metal bearings. Takushi Nakada, et al.	S354
354	Application of advanced control to boiler system. Shun-ichi Yamazaki, et al.	S355
355	Development of the production planning system for steel making and hot strip rolling. Hidekazu Yasuda, et al.	S356
356	Quality information system for hot strip mill at Mizushima Works, Kawasaki Steel Corp. Akira Urano, et al.	S357
357	Energy control system at Kashima Steel Works, Sumitomo Metal Industries, Ltd. Shigeru Katō, et al.	S358
358	Quality and operation control system. (U.O.E. pipe total production control system at Chiba Works, Kawasaki Steel Corp.--I). Satoru Takahashi, et al.	S359
359	Piece tracking method and application of pipe number reader. (U.O.E. pipe total production control system at Chiba Works, Kawasaki Steel Corp.--II). Hideyuki Yuzawa, et al.	S360
360	Development of load balance control on reeler rolling. Mikio Kodaka, et al.	S361
361	Mathematical model for automatic setting of tube straightening. (Study on tube straightening--V). Munetatsu Furugen, et al.	S362
362	Development of rifled tube. Yasuyuki Hayashi, et al.	S363
363	Rapid heating equipment for upset pipes. Haruho Niwa, et al.	S364
364	Computing system for redress judgement of elongater plug. Toshio Tanaka, et al.	S365
365	An advanced computer system of rolling line at seamless tube mill. Minami Sukegawa, et al.	S366
366	An advanced computer system of warehouse of seamless tube mill. Masao Tatsuwaki, et al.	S367
367	An advanced computer system of finishing line at seamless tube mill. Masaki Watanabe, et al.	S368
368	Characteristics of deformation, rolling load and torque in partial rolling of plate. Katsuhiko Takebayashi, et al.	S369
369	Profile control by VC roll in plate mill. Yasuhiro Yamamoto, et al.	S370
370	Comparison of crown controlability between various mill types. Tetsu Matoba, et al.	S371
371	Crown control by changing pass schedules in a plate mill. Hiroyuki Sumi, et al.	S372
372	Development of accelerated cooling control device. (Multi-purpose accelerated cooling system--I). Sadao Ebata, et al.	S373
373	Development of direct quenching device. (Multi-purpose accelerated cooling system--II). Sadao Ebata, et al.	S374
374	Development of uniform controlled cooling method. (Multi-purpose accelerated cooling system--III). Motomu Kimura, et al.	S375
375	Basic characteristics of flat laminar flow cooling. Motoshi Tagashira, et al.	S376
376	Roll gap setting of universal mill by pre-loading method. Arihide Kawamura, et al.	S377
377	Development of breaking down sleeve roll for shape rolling. Shuji Noguchi, et al.	S378
378	Development of in-line slit process in welded H shape mill. Moriyuki Kakihara, et al.	S379

379	Outline of Nagoya electrolytic galvanizing line, Nippon Steel Corp. Michio Sato, et al.	S380
380	Alloying process and formability of electrogalvanized steel sheets. Toshio Nakamori, et al.	S381
381	Influence of electrolyte flow on the electrodeposition of zinc-iron alloy. Tetsuaki Tsuda, et al.	S382
382	Zn-Fe alloy electroplating at high current density in chloride bath. Kazuaki Kyono, et al.	S383
383	Manufacture of Zn-Fe alloy plated steel sheets at high current densities by radial cell. Akira Matsuda, et al.	S384
384	Properties of double-layered Fe-Zn alloy electroplated steel sheet. Toshiyuki Honma, et al.	S385
385	Improvement of paintability with Fe-P coating on alloy electroplated steels. Toru Honjo, et al.	S386
386	Manufacture of Zn-Ni alloy plated steel sheets by soluble anodes. Akira Matsuda, et al.	S387
387	Improvement of corrosion resistance by Zn-Ni alloy striking. Masayoshi Tatano, et al.	S388
388	A simple theoretical equation of three-dimensional deformation zone in cold strip rolling. Yoshitsugu Sakamoto, et al.	S389
389	Strip edge profile behavior by cold edger. (Development of cold edger automatic width control--I). Yukio Matsuda, et al.	S390
390	A measurement of horizontal and vertical displacement of backup roll in cold reduction mill. Takao Kita, et al.	S391
391	Computer control system renovated for Kashima's fully-continuous tandem cold mill. (The development of KCM--II). Toshiya Ohi, et al.	S392
392	Development of testing machine for evaluating lubricity of lubricants in cold sheet rolling. (Study on evaluation of lubricants in cold sheet rolling--I). Akira Azushima.	S393
393	Evaluation method of lubricity of lubricants in cold sheet rolling by means of testing machine. (Study on evaluation of lubricants in cold sheet rolling--II). Akira Azushima, et al.	S394
394	Evaluation of lubricity of lubricants added various additives in paraffinic base oil. (Study on evaluation of lubricants in cold sheet rolling--III). Yoshihiko Kita, et al.	S395
395	The application of the dispersed phase type rolling oil at the actual cold rolling mill. (Development of a new type rolling oil--V). Shuichi Iwadoh, et al.	S396
396	Effect of emulsion concentration of lubricant on surface roughness decreasing of work roll for cold rolling. Hideo Sekiguchi, et al.	S397
397	An experimental study on the wear of work roll for cold rolling. Shigeki Shimizu.	S398
398	The spalling observed on the surface of back up roll. Hiroshi Goto, et al.	S399
399	Reclaiming system of rolling oil in cold rolling. Toru Kikuchi, et al.	S400

APRIL 3, 1984

400	Seam positioner for E.R.W. pipe. Tetsuo Nakano, et al.	S401
401	Relation between current and power in oscillator and load circuit during HF ERW. (A study on heating and melting phenomena in ESR--III). Michio Saito, et al.	S402
402	Height and leveling control of O-ing press in UO pipe forming. Noboru Yamakawa, et al.	S403
403	Quality assurance system in UOE-pipe welding. Tatsufumi Uegaki, et al.	S404
404	Outline of laser welder operation. (Development of laser welder--I). Noboru Tsuruda, et al.	S405
405	Outline of machine and machine accuracy. (Development of laser welder--II). Mamoru Tabuchi, et al.	S406
406	Development of plasma powder overlay welding. Yuko Takeuchi, et al.	S407
407	Outline of hot slab surface inspection by eddy current testing system (ECT). Yukio Higashi, et al.	S408
408	Outline of hot slab surface inspection by laser scanning testing system (LST). Tomoharu Shimokasa, et al.	S409
409	Evaluation of inclusion cleanliness by ultrasonic focused probe testing. J.M. Jolivet.	S410
410	Development of camber detector for hot strip mill. Yasumasa Nariyai, et al.	S411
411	Hot coil telescope sensing device utilized laser distance meter. Yoshimi Fukutaka, et al.	S412
412	Analysis of light reflection from cold-rolled steel sheets and development of on-line surface roughness meter. Yuichiro Asano, et al.	S413
413	Automated surface inspection system for finishing line of cold rolling plant. Kenji Kodama, et al.	S414

414	On-line color difference measurement of colored galvanized sheets by a telescopic colorspectrophotometer. Akira Torao, et al.	S415
415	Application of hot eddy current inspection to the hot rolling process. Koji Yoshioka, et al.	S416
416	On-line measurement of the eccentricity rate of hot seamless pipe by electromagnetic ultrasonic testing. Shoji Murota, et al.	S417
417	Tube inspection system in the new seamless tube mill. Koji Yoshioka, et al.	S418
418	The application of speech recognizer for visual inspection. Koji Yoshioka, et al.	S419
419	Development of automatic thickness gauge for polyethylene coated pipes. Kohji Kawamura, et al.	S420
420	Development of an industrial beam dimensions measuring device. P. Petit, et al.	S421
421	Development of eddy current testing instrument for rail surface defects inspection. Koji Babazono, et al.	S422
422	Ultrasonic inspection facilities for all over section of round bars. Kaoru Nakamura, et al.	S423
423	Development of hot eddy current testing system for flaw detection of wire rods. Kohji Kawamura, et al.	S424
424	Development of X-ray computerized tomography for iron and steel and a new analytical method. Isamu Taguchi, et al.	S425
425	Characteristics of edge rolling of continuously cast slab. Katsumi Takada, et al.	S426
426	Effect of back tension on slab end shape during edge rolling. Katsumi Takada, et al.	S427
427	Control method of full stands looperless rolling of hot strip finishing mill. (Development of new tension control system in hot strip finishing stands--I). Sunao Tanimoto, et al.	S428
428	Field applied results of full stands looperless rolling of hot strip finishing mill. (Development of new tension control system in hot strip finishing stands--II). Sunao Tanimoto, et al.	S429
429	Main specification of high crown control mill at Mizushima hot strip mill of Kawasaki Steel Corp. (Construction of high crown mill (HC mill)--I). Takayuki Naoi, et al.	S430
430	Mechanical equipments of high crown control mill at Mizushima hot strip mill of Kawasaki Steel Corp. (Construction of high crown mill (HC mill)--II). Kiyoshi Takagi, et al.	S431
431	Electric equipments of high crown control mill at Mizushima hot strip mill of Kawasaki Steel Corp. (Construction of high crown mill (HC mill)--III). Takayasu Okuda, et al.	S432
432	Control system and effect of high crown control mill at Mizushima hot strip mill of Kawasaki Steel Corp. (Operation and quality of high crown control mill (HC mill)--I). Yoshiyuki Yamamoto, et al.	S433
433	Characteristics of crown control of high crown control mill at Mizushima hot strip mill of Kawasaki Steel Corp. (Operation and quality of high crown control mill (HC mill)--II). Yuji Hirose, et al.	S434
434	Specifications of work roll shifting mill, and shifting force, thrust load measured from it. (Crown control of hot strip by work roll shift mill using bottom tapered rolls--IV). Takushi Nakada, et al.	S435
435	Effect of crown control on actual mill. (Crown control of hot strip by work roll shift mill using bottom tapered rolls--V). Soichiro Onda, et al.	S436
436	Effect of WRCS (work roll cyclic shift) rolling. (Crown control of hot strip by work roll shift mill using bottom tapered rolls--VI). Tadao Tanomura, et al.	S437
437	Frictional stress and relative slip between roll and strip in hot strip rolling. Tetsuo Sakai, et al.	S438
438	Grease lubrication rolling on hot strip mill. Osamu Miyoshi, et al.	S439
439	Heat transfer between metals in contact and its application to protection of rolls. Kyohei Murata, et al.	S440
440	Thermal response characteristics of various insulators for transfer table. Masahiro Abe, et al.	S441
441	Development of high-speed control valve (KR-valve) for heavy-duty use. Takayoshi Kawano, et al.	S442
442	Development of temperature control system for hot strip. Tadateru Endo, et al.	S443
443	Down-coiler for decreasing top-mark. Tomoo Nishi, et al.	S444
444	The development of embossed polyethylene and concrete coating pipe for offshore pipeline. Yuji Ikeda, et al.	S445
445	Effect of surface treatment on anticorrosive properties of external polyethylene coated pipes. Fuminori Mukaiyama, et al.	S446
446	Effect of pre-treatment on the corrosion resistance of polyethylene coated pipe at high temperature. Toshiyuki Ohkuma, et al.	S447

447	Estimation method for the life of an anti-corrosion coating against sea water by the acceleration with the temperature slope. Teruo Takamatsu, et al.	S448
448	Rust-preventing coating for steel pipe by ultraviolet radiation curing. Toyofumi Fuga, et al.	S449
449	Cure ratio and bendability of epoxy powder coating. Yoshimi Funayama, et al.	S450
450	The relationship between formation and properties of fusion bonded epoxy powder for anticorrosion external coating of steel pipe. Masakazu Ookita, et al.	S451
451	Properties of epoxy powder coatings absorbed with water. Masami Ishida, et al.	S452
452	Corrosion resistance and coating performance of epoxy powder coated reinforcing steel bar. Satoshi Owada, et al.	S453
453	Effect of crevice NaCl concentration and dipping time on corrosion of lapped sheet steel. Hiroshi Hosoda, et al.	S454
454	Effect of chemical conversion coatings on corrosion resistance of painted steels. Sakae Fujita, et al.	S455
455	Corrosion resistance of zinc alloy coated steel by cathodic polarization behaviors. Ichiro Suzuki, et al.	S456
456	Effect of vibration on the electrochemical behavior of painted steel for automobile in NaCl solution. Ichiro Suzuki, et al.	S457
457	Depth analysis of phosphated films formed on various surface treated sheets. Masahiro Yamamoto, et al.	S458
458	Effect of boron in continuous annealed steel sheets on their surface characteristics. Shigeyoshi Maeda, et al.	S459
459	Improvement of scab corrosion resistance of cold-rolled steel sheets. (Studies on surface properties of cold-rolled steel sheets--I). Akihiro Kasuya, et al.	S460
460	Wet adhesion on Zn-Ni alloy electroplated steel sheet. (Study on paint adhesion of steel sheets for automobiles--IV). Takao Saito, et al.	S461
461	Transformation of phosphate film after water immersion. (Study on paint adhesion of steel sheets for automobiles--V). Hisao Odashima, et al.	S462
462	Relationship between wet adhesion and change of stress on water immersion. (Study on paint adhesion of steel sheets for automobiles--VI). Hisao Odashima, et al.	S463
463	Influence of surface roughness on wet adhesion of painted galvanized steel sheet. Masatoshi Iwai, et al.	S464
464	Black tarnished phenomenon of galvanized steel sheet containing Al and Mg. (Surface dark-colored change of galvanized steel sheet in high humidity environment--III). Kazuko Uchida, et al.	S465
465	Effects of entry strip temperature and Al concentration of bath on adhesion property of hot dip galvanized steel with deep drawing quality. Ni-ichi Tamoto, et al.	S466
466	New method for evaluating the powdering phenomenon of pre-coated sheet metals. Tadashi Sakane, et al.	S467
467	Effect of Fe-content of galvanized coating on surface characteristics. Yuko Takeuchi, et al.	S468
468	Material for preventive roll of zinc picked up in hot dip galvanizing line. Motohiro Nakayama, et al.	S469
469	Reaction of Al with bottom drosses formed in galvanizing bath. Yoshinori Wakamatsu, et al.	S470
470	Discussion on Zn-Co coelectroplating of hot dip galvanizing as a pretreatment for paint coating. Masashi Ichishima, et al.	S471
471	Effect of iron content of base galvanized steel sheet and blade clearance on paint loss occurs at the edge of pre-coated steel sheet. Akitoshi Shiota, et al.	S472
472	Improvement of the corrosion resistance of painted aluminized steel sheet. Keizi Izumi, et al.	S473
473	Characteristic at high temperature of painted aluminized steel. Ken-ichi Masuhara, et al.	S474
474	Effect of nitrogen in steel on alloying of coated layer of Al-Si alloy coated steel during heating. (Study of Al-Si alloy coated steel--I). Yukio Numakura, et al.	S475
475	Production process and properties of aluminum coated steel sheet by powder method. Shigeru Kobayashi, et al.	S476
476	A simple evaluation test for peeling of coated metal in aluminized steel sheet. (Formability of aluminized steel sheets--V). Toshiro Yamada, et al.	S477
477	Partial formation of Fe-Zn intermetallic compounds by heating at 550 °C. (High-temperature oxidation behaviour of Zn-Al alloy coated steel sheets--I). Yukio Uchida, et al.	S478

478	Effects of structural change of coatings on the weight gain by heating at 700 °C. (High-temperature oxidation behaviour of Zn-Al alloy coated steel sheets--II). Yukio Uchida, et al.	S479
479	The effect of Al on the formation of zinc-phosphate coatings on Zn-Al alloy coated steel. Yasuharu Maeda, et al.	S480
480	Hydrogen permeation behavior in coating layer of Zn-Al alloy coated steel sheets. Tomohisa Aoki, et al.	S481
481	Effect of La and Ce additions on the coatability of Zn-Al alloy coated sheet steel. Yusuke Hirose, et al.	S482

-- PROPERTIES OF IRON AND STEEL --

APRIL 1, 1984

482	Fracture toughness of high strength OCTG. Toru Shimada, et al.	S483
483	FEM analysis of the collapse strength of a seamless tube. (FEM analysis of the collapse strength of a seamless tube--III). Kenichi Tanaka, et al.	S484
484	Production of high strength seamless steel pipes for rigs and line pipes with high toughness at low temperature by direct quenching and tempering. Yoshimitsu Iwasaki, et al.	S485
485	Effect of initial microstructures on mechanical properties and microstructures after quenching and tempering. (Variation of properties of quenched and tempered low alloy steels--I). Terutaka Tsumura, et al.	S486
486	Effect of alloying elements and accelerated cooling on mechanical properties of low C-Ti-B steel. (Development of Ti-B bearing steel for large diameter UOE pipe--I). Ken-ichi Amano et al.	S487
487	Evaluation of linepipe girth weldabilities. (Development of Ti-B bearing steel for large diameter UOE pipeline--II). Junya Matsuyama, et al.	S488
488	The mechanical properties and HIC resistance of high strength linepipe. (Development of Ti-B bearing steel for large diameter UOE pipeline--III). Ichiro Nakagawa, et al.	S489
489	HIC and blistering of seamless pipes. Kazuo Suzuki, et al.	S490
490	C-ring test results of quenched and tempered ERW steel pipes for OCTG in sour gas fields. Katsutoshi Yamada, et al.	S491
491	Failure analysis of an unused linepipe. Akira Yagi, et al.	S492
492	Development Cu bearing line pipe steel. Masahiko Murata, et al.	S493
493	Effect of alloying elements on yield ratio. (Study on low yield ratio steels by controlled rolling--I). Shuji Okaguchi, et al.	S494
494	Mechanism of failure of pipes for slurry transportation. Shiro Inoue.	S495
495	Cryogenic tensile deformation behavior of high manganese steel observed through radial extensometer. Kotobu Nagai, et al.	S496
496	The fracture toughness and fatigue crack growth rate of 0.024C-18Mn-5Ni-16Cr-0.22N steel at cryogenic temperatures. Rikuo Ogawa, et al.	S497
497	The influence of alloy composition on the cryogenic toughness of nitrogen-strengthened high Mn stainless steels. Rikuo Ogawa, et al.	S498
498	Effect of cooling condition after rolling and solution treatment on toughness of the aged high Mn steel for cryogenic use. Koji Shibata, et al.	S499
499	Manufacturing technology of rolled H-beam of 30 % Mn non-magnetic steel. Noriyuki Kuriyama, et al.	S500
500	Controlled rolling of high manganese non-magnetic steels. Yoshihiko Kamada, et al.	S501
501	Effect of thermomechanical processing on cryogenic mechanical properties of the 22Mn-13Cr-5Ni non-magnetic steel plates. Shoji Tone, et al.	S502
502	Temperature and Mn content dependence of tensile deformation in Fe-high Mn binary alloys. Yo Tomota, et al.	S503
503	Strength vs. toughness relation in Fe-high Mn alloys. Yo Tomota, et al.	S504
504	Mechanical stabilization of austenite against ϵ martensite and its effect on deformation behavior in high Mn steel. Yo Tomota, et al.	S505
505	Development of a stainless steel for a structural material of the superconducting coil. Tetsu Sakamoto, et al.	S506
506	Partition of Mn during the growth of proeutectoid ferrite in an Fe-C-Mn alloy. Masato Enomoto, et al.	S507
507	The relationship between the austenite and ferrite grain sizes in steels. Guo Zing Hai, et al.	S508

508	Effect of the number of α/γ transformation on mechanical properties of steel. Yoshio Namba, et al.	S509
509	Distortion in heat-treatment by using the navy C type test piece. Noriyoshi Ohwada, et al.	S510
510	The effect of rolling condition and alloy additions on strength and ductility of eutectoid steel. (Improvement in ductility and toughness of high carbon steel--II). Tsunemi Wada, et al.	S511
511	Effect of chemical composition and grain size on toughness of microalloyed steels. Yasuji Fukui, et al.	S512
512	Brittle fracture initiation properties in polycrystal iron and iron-nickel alloys. Yasuya Ohmori, et al.	S513
513	Effect of specimen size on elastic-plastic fracture toughness for temper embrittled CrMoV steel. Keiichi Shimomura, et al.	S514
514	COD design curve for notched plates subjected to tensile stress. Yoshifumi Nakano, et al.	S515
515	Analysis of fracture surface of charpy specimen by digital image analyzer technique. Makoto Imanaka, et al.	S516
516	Development of high strength and low temper-embrittlement susceptibility Cr-Mo-V steel for turbine rotor. (Development of heat resisting steel for high temperature and high pressure turbine--I). Masao Shiga, et al.	S517
517	Effect of V, Al and Ti on high temperature strength and stress relief cracking of CrMoVB cast steel. (Development of heat resisting steel for high temperature and high pressure turbine--II). Takatoshi Yoshioka, et al.	S518
518	Relation between steady state creep rate and heat treatment of Cr-Mo-V steel. Kikuo Morita, et al.	S519
519	Correlation between creep rupture properties and creep damage of Cr-Mo-V steel. Junro Kyono, et al.	S520
520	Effect of Ca on creep embrittlement characteristics of $1\frac{1}{4}\text{Cr}-\frac{1}{2}\text{Mo}$ steel. Katsukuni Hashimoto, et al.	S521
521	Creep rupture strength and charpy impact properties of low Si-9Cr2MoVNb heat-resisting steel with N. Kentaro Asakura, et al.	S522
522	Effect of V and Nb on long term creep rupture strength and microstructure of 12 % Cr steel for boiler. Atsurou Iseda, et al.	S523
523	Improvement on toughness of low carbon 9Cr1MoVNb steel. (Development of structural steel for fast breeder reactor--I). Manabu Tamura, et al.	S524
524	Weldability of low C-9Cr-1MoNbV steel. (Development of structural steel for fast breeder reactor--II). Nakatsugu Abe, et al.	S525
525	Formation and growth of creep damage in type 304 stainless steel. Hideo Tanaka, et al.	S526
526	Effect of creep damage on creep-fatigue interaction for SUS316 stainless steel under combined creep-fatigue loading. Koichi Yagi, et al.	S527
527	Long-time stress relaxation behavior for SUS316 steel at 650°C. Toshio Ohba, et al.	S528
528	New direct patenting process of high carbon steel wire rods. (Technique of in-line heat treatment on salt--II). Yutaka Satano, et al.	S529
529	Properties of high carbon steel wire rods treated by new direct patenting process. (Technique of in-line heat treatment on salt--III). Mitsuo Honda, et al.	S530
530	Corrosion fatigue of high carbon steel wire. Hitoshi Tashiro, et al.	S531
531	Effect of alloying elements on mechanical properties of high carbon steel wire rod. Yutaka Tamai, et al.	S532
532	Effect of rolling and cooling condition on properties of wire rod for cold forging. (Study on controlled rolling and cooling of wire rod by STELMOR process--I). Yutaka Sagae, et al.	S533
533	Effect of controlled rolling on drawability of high carbon and high hardenability steel wire rod. (Study on controlled rolling and cooling of wire rod by STELMOR process--II). Hiroshi Sasaki, et al.	S534
534	Development of non-aging low-carbon steel wire rod. (Study on low-carbon steel wire rod with good workability--I). Kazuharu Aoyama, et al.	S535
535	Growth of columnar structure during annealing of low-carbon steel wire. (Behaviour of grain growth of low-carbon steel wire during annealing--III). Hiroshi Ohba, et al.	S536
536	Mechanical properties of steel bars for cryogenic use manufactured by a combination of controlled rolling and subsequent tempering. (Thermo-mechanical treatment of steel bars--VI). Fukukazu Nakasato, et al.	S537
537	Effect of original structure on hardness changes and structure in carbon steels after short-time annealing. Haruo Mori, et al.	S538

538	Effect of austenitizing temperature and supercooling on the precipitation of spheroidal carbide. Koji Kaneko, et al.	S539
539	Investigation of producing condition for spheroidizing of cementite. (Development of direct spheroidizing rolling method--I). Susumu Kanbara, et al.	S540

APRIL 2, 1984

540	Effect of oxide film on gaseous hydrogen permeation in steels. Katsuyoshi Miyamoto, et al.	S541
541	Estimation of trapping energy of hydrogen in iron by tritium simulation. Kiyoshi Kusabiraki, et al.	S542
542	Monitoring of the hydrogen content in line pipe steel. Tetsuya Mizuno, et al.	S543
543	Effect of controlled-cooling after controlled-rolling on the HIC properties. Tetsuo Takeda, et al.	S544
544	Microstructural effect on hydrogen induced cracking (HIC) of high strength line pipe steels. (Metallurgical factors associated with arrest of HIC--I). Kōichi Yamamoto, et al.	S545
545	Microstructural effect on hydrogen induced cracking (HIC) of high strength line pipe steels. (Metallurgical factors associated with arrest of HIC--II). Kōichi Yamamoto, et al.	S546
546	Effect of carbon, manganese and phosphor content on center segregation of continuous cast slab. Junichiro Murayama, et al.	S547
547	Production results of low carbon-low phosphorus linepipe for sour gas service. Hiroshi Nakate, et al.	S548
548	Effect of deformation condition and chemical composition on hydrogen induced cracking susceptibility in segregation zone. Kazuaki Matsumoto, et al.	S549
549	Automation of internal friction measurement system by desktop computer. Masayoshi Motegi, et al.	S550
550	Effect of C, P, Mn, S content on mechanical properties of extra low carbon steel. Hiroshi Tsunekawa, et al.	S551
551	Effects of carbon and manganese on the deep drawability of cold rolled steel sheets. Koichi Osawa, et al.	S552
552	Recrystallization and texture in low-carbon titanium-added sheet steels. Takeshi Suzuki, et al.	S553
553	Effect of coiling condition in hot rolling on recrystallization texture of cold rolled steel sheets. Naomitsu Mizui, et al.	S554
554	Manufacturing method of 45 kgf/mm ² class high strength cold steel sheet with high r-value and excellent resistance for deep drawing-induced brittleness. Masato Yamada, et al.	S555
555	Development of rephosphorized Al-killed steel with good aging resistance by box-annealing. Tojiro Ikeda, et al.	S556
556	Influence of microstructure on yielding behavior of continuous-annealed multi-phase sheet steel. Ichiro Tsukatani, et al.	S557
557	The Lankford's r value of dual-phase steels. Tsuneaki Sakaki, et al.	S558
558	Basic metallurgy concept in continuous cold strip producing line at Hirohata Works and its products. Osamu Akisue, et al.	S559
559	Effect of cast structure in continuous-cast steel slabs on mechanical properties of continuous-annealed and cold-rolled steel sheets. Hideo Suzuki, et al.	S560
560	Prediction of the number of cementite particles from nucleation and growth model. (Behaviour of cementite precipitation during over-aging treatment of continuous annealing of low-carbon sheet steels--I). Kazuo Koyama, et al.	S561
561	Effect of chemical composition on the carbide precipitation rate during overaging in continuous annealing. Kiwami Kurihara, et al.	S562
562	Development of rephosphorized high strength steel with deep drawability by controlled cooling in continuous annealing. Kei Sakata, et al.	S563
563	Development of an inverse pole figure measurement system by white X-ray diffraction. Michio Katayama, et al.	S564
564	The texture analysis by the vector method in specimens having low preferred orientations. Ryo Shimizu, et al.	S565
565	Automatization of orientation analysis using Kikuchi patterns obtained from very small region. Osamu Furukimi, et al.	S566
566	Formation of texture for the generation of goss nuclei in the hot-rolled silicon steel containing a small amount of Mo. Chizuko Maeda, et al.	S567
567	Solubility and precipitation of Cu _x S. (Improvement of magnetic properties by Cu addition in grain-oriented silicon steel--I). Takahide Shimazu, et al.	S568

568	Cold rolling reduction and magnetic properties. (Improvement of magnetic properties by Cu addition in grain-oriented silicon steel--II). Kentaro Chikuma, et al.	S569
569	Effect of heat treatment on mechanical properties of 13Cr-1.5Ni-0.5Mo stainless steel. Hisashi Kaga, et al.	S570
570	Effects of P and Si on temper embrittlement of 12 % Cr martensitic steel. Satoshi Tanimoto, et al.	S571
571	Behavior of precipitation of carbide at γ phase and M phase and on-line softening system of 420 J ₂ steel. (Study on thermomechanical treatment of martensitic stainless steel--IV). Hajime Ikeda, et al.	S572
572	Low temperature sensitization of austenitic stainless steels. Hiroyuki Tsuge, et al.	S573
573	Sigma phase precipitation in the sodium loop material, type 316 stainless steel, used for the corrosion tests of vanadium alloys. Toshiyuki Hirano, et al.	S574
574	The influence of REM, Ca, Mg and B on the high temperature properties of high Si austenitic stainless steels. Satoshi Kato, et al.	S575
575	Hot deformation behavior of ferritic stainless steels. Sadahiro Yamamoto, et al.	S576
576	Behavior of γ precipitation and α recrystallization under hot rolling process of two phase region in 430 stainless steel. Yoshihiro Uematsu, et al.	S577
577	Effect of Aluminium on the characteristics of SUS 430 stainless steel sheet processed without hot band annealing--VIII. Jirou Harase, et al.	S578
578	A mechanism of generation of white streak on SUS 430 cold strip. Takumi Ujio, et al.	S579
579	Effect of sulfur on oxidation resistivity of ferritic stainless steels. Tadashi Sakon, et al.	S580
580	Thermal stress measurement of titanium clad stainless steels by X-ray method. Noboru Tani, et al.	S581
581	Effect of B on the quenching and tempering characteristics of high speed tool steel type M 41. Naoyuki Yamauchi, et al.	S582
582	The effect of microstructure on the toughness and high-temperature strength of the 0.2C-3Ni-3Mo precipitation hardening hot work alloy tool steel. Toshio Okuno.	S583
583	Extension of fatigue life of bearing steel by LF-RH process. Yatsuka Takata, et al.	S584
584	Influence of various factors on tensile shear fatigue strength (Fatigue strength of spot welded joints--I). Moriaki Ono, et al.	S585
585	Influence of various factors on cross tension fatigue strength (Fatigue strength of spot welded joints--II). Moriaki Ono, et al.	S586
586	The effect of C, P and Si. (Influence of chemical composition on the cross tension fatigue strength of spot-weld in high strength steel sheets--III). Tomoo Sekine, et al.	S587
587	A re-condensing type cooling system designed for fatigue testing at liquid helium temperature. Toshio Ogata, et al.	S588
588	Effect of tempering temperature and Si content on repeated impact fatigue life of steels for chisels. Sumio Yamashita, et al.	S589
589	Effect of hardness on fatigue strength in water for 13Cr-3.8Ni steel casting. Yoshitaka Iwabuchi, et al.	S590
590	Corrosion fatigue properties of 50 kgf/mm ² class steels manufactured by on-line accelerated cooling for offshore structures. (Corrosion fatigue of steels in sea water--I). Takahiro Fujita, et al.	S591
591	Investigation of corrosion fatigue mechanism of 50 kgf/mm ² steel. (Corrosion fatigue of steels in sea water--II). Takahiro Fujita, et al.	S592
592	Corrosion fatigue strength of the steels for offshore structures. Asao Narumoto, et al.	S593
593	Fatigue strength of a high strength steel in the various sea water environment. Norio Maruyama, et al.	S594
594	Corrosion fatigue crack propagation for high strength steel in the lower da/dN region. Chitoshi Masuda, et al.	S595
595	Effect of frequency on corrosion fatigue crack growth of high strength steels. Tetsuya Saito.	S596
596	Frequency effect in corrosion fatigue of low alloy steels. Satoshi Nishijima, et al.	S597
597	Effects of niobium content on elevated temperature low-cycle fatigue of SUS type 347 stainless steel. Shuzo Azuma, et al.	S598
598	Effects of molybdenum content on elevated temperature low-cycle fatigue of SUS type 316 stainless steel. Takemi Yamada, et al.	S599

599	Manufacturing method and properties of fine-grained 347 H stainless steel. (Development of fine-grained 347 H stainless steel for high performance boilers--I). Minoru Kubota, et al.	S600
600	Long term high temperature properties of fine-grained 347 H stainless steel. (Development of fine-grained 347 H stainless steel for high performance boilers--II). Hiroshi Teranishi, et al.	S601
601	Effect of Si on creep rupture strength of cold-worked 15Cr-25Ni-2.5Mo-Ti steels for fast reactor fuel cladding tubes. Hiroyuki Uchida, et al.	S602
602	Oxidation behavior and mechanical properties of high Mn austenitic stainless steel. Tetsu Narutani, et al.	S603
603	Elevated temperature strength and microstructure of corrosion resistant austenitic steels. Yoshiatsu Sawaragi, et al.	S604
604	Effects of heat treatment conditions on mechanical properties of Fe base heat resistant alloy at room and elevated temperatures. Takemitsu Honjō, et al.	S605
605	Effect of cooling rate after solution treatment on high temperature properties of iron-base alloy. Katsumi Iijima, et al.	S606
606	High temperature properties of niobium containing centrifugal cast tubes after long-time heating in a steam reforming furnace. Tsutomu Yoshida, et al.	S607
607	Creep-fatigue life and intergranular fracture area. Koji Yamaguchi, et al.	S608
608	Mechanical properties of 23Cr-34Ni iron based alloy after long-time exposure at 700 °C. (Investigation of incoloy 800 based alloy--III). Hiroyuki Doi, et al.	S609
609	Creep-rupture data of 21Cr-20Ni-20Co-3Mo-2.5W-(Nb+Ta)-N alloy (N-155). Masatsugu Kaise, et al.	S610
610	Effects of Si and Mn contents on mechanical properties of A286 alloy at room and elevated temperatures. Takemitsu Honjō, et al.	S611
611	Creep rupture data of Ni base 19Cr-18Co-4Mo-3Ti-3Al-B alloy (U-500). Kenji Yokokawa, et al.	S612
612	Creep rupture strength and microstructures of Mar M247 containing Y ₂ O ₃ . Koichi Asakawa, et al.	S613
613	Effects of hot isostatic pressing and aluminizing on strengths of cast nickel-base superalloys. Yutaka Koizumi, et al.	S614
614	Production and characterization of Ni base superalloy single crystals. (Development of single crystal production technology--I). Akira Ohtomo, et al.	S615
615	Mechanical properties and microstructure in Udimet 720 after long-term high-temperature heating. Yoshikuni Kadoya, et al.	S616
616	Grain coarsening behavior in carburizing steels. Shuji Tanoue, et al.	S617
617	Effect of hardened profile on fatigue strength of steels for nitriding. Kazuo Sotoyama, et al.	S618
618	Fatigue properties for carburizing SCr 420 steels. Chitoshi Masuda, et al.	S619
619	Effect of sulphur and phosphorus contents on the impact properties of carburized case. Kunio Namiki, et al.	S620
620	Surface case depth in induction hardening. Sadao Shoji, et al.	S621
621	Effects of deoxidation and free-cutting additives on machinability in gear hobbing. Tatsuya Imai, et al.	S622
622	Mechanical properties of MnS at various temperatures between room temperature and high temperature. Hisashi Ikezaki, et al.	S623
623	The development of high arrest 1.5Ni steel for low temperature services. Noboru Aikawa, et al.	S624
624	Investigation on enhancement of yield strength in rapidly cooled steels. Nozomi Komatsubara, et al.	S625
625	Mechanical properties control in controlled rolling and controlled cooling. Yoshiyuki Saito, et al.	S626
626	Effect of boron on strength and toughness of 50 kgf/mm ² class tensile strength steel for low temperature service. (The development of arctic offshore structural steel by accelerated cooling--I). Manabu Yamauchi, et al.	S627
627	Properties of 36 kgf/mm ² yield strength steel for low temperature service as low as -60 °C available for high heat input welding. (The development of arctic offshore structural steel by accelerated cooling--II). Manabu Yamauchi, et al.	S628
628	Strength of controlled cooled HT50 steel joints welded with large heat input. Shiro Imai, et al.	S629
629	Properties of high strength pipe line steel plates for low temperature use by accelerated cooling. (Application of new controlled rolling process on steel plates production--I) Shigehiko Yoshimura, et al.	S630

- 630 Properties of 50 kgf/mm² class structural steel plates for arctic use by accelerated cooling. (Application of new controlled rolling process on steel plates production--II) Eiji Kobayashi, et al. S631
- 631 Properties of 50~60 kgf/mm² class steel plates for low temperature to high temperature use by direct quench-tempered. (Application of new controlled rolling process on steel plates production--III). Hiroshi Nishizaki, et al. S632
- 632 The relationship between charpy V-notch toughness of DQT-plate and the microstructure in DQ state. Masana Imagumbai, et al. S633
- 633 Effect of Al, N contents and quenching condition on mechanical properties of B bearing direct quenched and tempered steel. Makoto Imanaka, et al. S634

APRIL 3, 1984

- 634 The effect of Cr and Mo on hydrogen attack in Cr-Mo steels. (Hydrogen attack in Cr-Mo steels--I). Toshio Takano, et al. S635
- 635 The effect of C on hydrogen attack in 2¹/₄Cr-1Mo steel. (Hydrogen attack in Cr-Mo steels--II). Toshio Takano, et al. S636
- 636 Estimation of hydrogen attack limit of 2.25Cr-1Mo and 3Cr-1Mo steels. Tadamichi Sakai. S637
- 637 Development of heavy section 3Cr-1Mo steel plates with improved strength and toughness. Seishi Tsuyama, et al. S638
- 638 Rising load test method to evaluate hydrogen embrittlement susceptibility of Cr-Mo steel. Tohru Nomura, et al. S639
- 639 Surface enrichment of impurities in 2¹/₄Cr-1Mo steels. Suzuya Oshiba, et al. S640
- 640 Effect of chemical composition on mechanical properties of 3Cr-1Mo steel. (Pressure vessel steel for coal liquefaction reactor--I). Isamu Takagi, et al. S641
- 641 Mechanical properties and weldability of 3Cr-1Mo modified steel. (Pressure vessel steel for coal liquefaction reactor--II). Isamu Takagi, et al. S642
- 642 Co-existing effect of Si and P on temper embrittlement of 2¹/₄Cr-1Mo steels. Takuichi Imanaka, et al. S643
- 643 Effects of Mo content on microstructure and impact properties. (Toughness of 1/2Mo steel for pressure vessel--I). Hachiro Okada, et al. S644
- 644 Effects of microstructure and hardness on the impact property. (Toughness of 1/2Mo steel for pressure vessel--II). Hachiro Okada, et al. S645
- 645 High temperature behavior of 2¹/₄Cr-1Mo steel. (Strength and toughness of 2¹/₄Cr-1Mo steel for pressure vessel of multi-purpose high temperature gas-cooled reactor--I). Hiroyuki Takemata, et al. S646
- 646 Neutron irradiation embrittlement of 2¹/₄Cr-1Mo steel at elevated temperature. (Strength and toughness of 2¹/₄Cr-1Mo steel for pressure vessel of multi-purpose high temperature gas-cooled reactor--II). Masahide Suzuki, et al. S647
- 647 Effect of compositional elements on weld cracking. (Prevention of weld cracking in invar steel--III). Kiyohiko Nohara, et al. S648
- 648 Development of 9 % Ni steel by controlled cooling process. Osamu Furukimi, et al. S649
- 649 Influence of Al, S, P, O and N on hot ductility in Fe-41%Ni alloy. Kouji Mukai, et al. S650
- 650 Influence of descaling conditions on galling behavior of hot rolled steel sheets. Tadafumi Honda, et al. S651
- 651 Improvement in formability of middle strength hot rolled sheet by lowering carbon content. Takeshi Okuyama, et al. S652
- 652 Effect of carbon on the grain size of ferrite in low-carbon steel after hot deformation. Takaaki Nakamura, et al. S653
- 653 Fine ferrite grains in low carbon steel induced by high reduction at around Ar₃ temperature. (Study on the metallurgy of high speed continuous hot rolling--VIII). Yoshikazu Matsumura, et al. S654
- 654 Fine ferrite grains in C-Mn steel rapidly cooled on R.O.T. subsequent to continuous hot rolling. (Study on the metallurgy of high speed continuous hot rolling--IX). Yoshikazu Matsumura, et al. S655
- 655 Effect of the micro-structure on tensile strength of hot rolled steel sheet. Junichi Wakita, et al. S656
- 656 γ to α transformation during hot deformation. (Development of control technique of properties by steelmaking and hot rolling processes--VII). Manabu Takahashi, et al. S657

657	Strength control by microstructure. (Development of control technique of properties by steelmaking and hot rolling processes--VIII). Seishirou Katou, et al.	S658
658	Strength controll of hot strip steel sheet by grain size. (Development of control technique of properties by steelmaking and hot rolling processes--IX). Manabu Takahashi, et al.	S659
659	Controlling factors of ferrite grain size in hot-rolled ultra low C steel. (Studies by TMT simulator--I). Tomoyoshi Okita, et al.	S660
660	55 kgf/mm ² grade hot rolled steel sheets for automotive use. Noriaki Nagao, et al.	S661
661	Mechanisms for improving the strength, toughness and formability of 80 kgf/mm ² grade Ti bearing steel by low temperature coiling. Kazutoshi Kunishige, et al.	S662
662	Strength control of high strength hot rolled steel sheet with good formability. (Development of high strength hot rolled steel sheet with good formability--II). Seishirou Katou, et al.	S663
663	Effect of retained austenite on the ductility of high carbon bainitic steel. Kunikazu Tomita, et al.	S664
664	Fatigue strength of notched specimen in hot rolled high strength steel for automotive use. Shigeki Hamamatsu, et al.	S665
665	Relationship between fishscale formation and behavior of hydrogen in steel. Shuichi Yamazaki, et al.	S666
666	Microscopical critical condition for its initiation. (Disbonding of weld overlaid pressure vessel steel by hydrogen--II). Kazuhisa Kinoshita, et al.	S667
667	Correspondence between disbonding and abnormal C-scan images from latent structural defects. Takuichi Imanaka, et al.	S668
668	Development of austenitic stainless weld overlay having an excellent resistivity against disbonding. Takuichi Imanaka, et al.	S669
669	Effect of Al on toughness and precipitation behavior of 18Cr-2Mo steel. Kenji Fuchigami, et al.	S670
670	Properties of superferritic stainless steel, 26Cr-4Mo for seawater service. Ryuichi Hasegawa, et al.	S671
671	Worky hardenability of Ni-free Cr-Mn austenitic stainless steels. Kazuyoshi Umeda, et al.	S672
672	Effect of Mo on mechanical properties and precipitation behavior of 15Cr-7Ni-Si-Ti stainless steels. (Development of precipitation hardenable martensitic stainless steel for spring materials--V). Takeshi Utsunomiya, et al.	S673
673	Effect of mean diameter of beads and pressure for blasting on surface character of shot blasted materials. (Development of low carbon high strength stainless steels--V). Teruo Tanaka, et al.	S674
674	Effect of chemical compositions on strength and corrosion resistance of duplex stainless steel welds. (Development of high strength stainless steel for railway car structure--I). Kazuo Hirahara, et al.	S675
675	Mechanical properties of duplex stainless steel at low-temperature. Tomohito Iikubo, et al.	S676
676	Isothermal δ - γ transformation of duplex stainless steels. Hiroshi Ohtsuki, et al.	S677
677	Superplasticity in duplex stainless steels. Yasuhiro Maehara, et al.	S678
678	Austenitic grain refinement and superplasticity in HSLA steel. Naomi Matsumura, et al.	S679
679	Grain super-refining of austenitic stainless steel. Setsuo Takaki, et al.	S680
680	Superplastic behavior of a powder metallurgical Ni-base superalloy. Kenichi Aota, et al.	S681
681	The relation between cooling rate and the structures of rapidly-quenched Fe-10Mo-1.6C steel using twin-rol technique. Makoto Tominaga, et al.	S682
682	Anti-fouling of copper alloys in marine environments. Tsukasa Imazu, et al.	S683
683	Localized corrosion of carbon steel at the supporting-portion of over head pipe-line system. (Corrosion control for industrial pipe line--III). Kohji Murakami, et al.	S684
684	Selective corrosion and countermeasures for welded joint area of coating pipe. (Corrosion control of industrial pipe line--IV). Shigeru Mizoguchi, et al.	S685
685	Stress corrosion cracking of mild steel in coal gas liquid. Eiji Sato, et al.	S686
686	Yield strength and intergranular corrosion of ferritic stainless steel. Sunao Otabu, et al.	S687

687	Corrosion resistance of various stainless steels in nitric acid containing some cations. (Corrosion resistance of stainless steels to nitric acid--I). Haruhiko Kajimura, et al.	S688
688	Effect of misorientation on intergranular stress corrosion cracking of type 304 steel with coarse columnar crystals in tetrachloric acid solution. Akinori Sato, et al.	S689
689	Effects of alloying elements of austenitic stainless steel on localized corrosion resistance in chloride environment. Kazutoshi Ogawa, et al.	S690
690	Relationship between environmental factors and corrosion product on CO ₂ corrosion. Masakatsu Ueda, et al.	S691
691	Effect of alloying elements on corrosion resistance of 13 Cr stainless steels in oil well environments. Haruo Tomari, et al.	S692
692	Effects of environmental variables and temper treatment on the performance of 12Cr-Ni-Mo stainless steels in chloride and sulfide environment. Akihiko Ikegaya, et al.	S693
693	Theoretical background for sour resistance [SR] of high alloys. Ryō Matsubashi, et al.	S694
694	Repassivation potential for crevice corrosion of type 444 steel in NaCl solutions containing H ₂ S at 80 °C. Yasuji Uesugi, et al.	S695
695	Effects of Ni and Mo on repassivation potential for crevice corrosion of stainless steels in 3%NaCl solution containing H ₂ S at 80 °C. Yasuji Uesugi, et al.	S696
696	Corrosion resistant matrix composition for nickel base alloy (Development of corrosion resistant high strength nickel base alloy--I). Shigeo Hattori, et al.	S697
697	Alloy design for corrosion resistant high strength nickel base alloy. (Development of corrosion resistant high strength nickel base alloy--II). Rikizo Watanabe, et al.	S698
698	Properties of new corrosion resistant high strength nickel base alloy. (Development of corrosion resistant high strength nickel base alloy--III). Shigeo Hattori, et al.	S699
699	d-electrons alloy design for heat-resisting alloys. Natsuo Yukawa, et al.	S700
700	Evaluation of some properties of Fe-Cr-Ni heat-resisting alloys by d-electrons alloy design. Hisakazu Ezaki, et al.	S701
701	Alloy design for high strength nickel-base single crystal alloys. (Nickel-base superalloys by alloy design--X). Toshihiro Yamagata, et al.	S702
702	Properties at elevated temperature of liquid phase diffusion bonded in oxide dispersion strengthened alloy of nickel-base. Teruo Hirane, et al.	S703
703	Effect of substitutional solid solution elements on hot hardness properties of Ni and Fe system heat-resistant alloys. (Estimation of properties of heat-resistant metallic materials by hot hardness and indentation creep--IV). Hiroshi Takahashi, et al.	S704
704	Tungsten fiber reinforced superalloy by composite casting method. Takashi Arai, et al.	S705
705	Main factors influencing the ferrite grain refinement in steels which transformed from the austenite deformed below the recrystallization temperature. Hideyuki Ohtsuka, et al.	S706
706	Effect of high-reduction deformation on the change in austenitic structure and mechanical properties. (Studies by TMT simulator--II). Masakazu Niikura, et al.	S707
707	Metallurgical variables influencing arrest-toughness of controlled rolled plates. Naoki Okumura, et al.	S708
708	Fatigue properties of 50 kgf/mm ² high tensile strength, ship hull structural steels produced by new-CR process. Shigeto Matsumoto, et al.	S709
709	Effect of Nb on the separation and texture formation in control-rolled steels finished in two phase region. (Separation in control-rolled steel--III). Hirosuke Inagaki, et al.	S710
710	The effect of impurity boron on the mechanical properties of the thermomechanically treated steels. Sadahiro Yamamoto, et al.	S711
711	Fundamental studies on mechanical properties and weldability of 100 kgf/mm ² grade steel plate. (Development of 100 kgf/mm ² grade steel plate with high toughness and improved weldability--I). Kazuhide Takahashi, et al.	S712

