

The 109th ISIJ Meeting Programme*

SYMPOSI A

-- IRONMAKING --

APRIL 1, 1985 13:00 - 17:00 Chairman: Teiji SHIBUTANI

Theme I. Burden Distribution Control of Blast Furnace Operation

- | | | |
|---|--|-----|
| 1 | Role of burden distribution in the process analysis of a blast furnace. Jun-ichiro Yagi. | A1 |
| 2 | Development of a simulation model for burden distribution with consideration of mixed layer formation and its application to actual operation. Yoshimasa Kajiwara, et al. | A5 |
| 3 | Development of mathematical simulation model for burden distribution and its application to blast furnace operation. Ken-ichi Okimoto, et al. | A9 |
| 4 | Development of new means of burden distribution control for blast furnace with bell-armour and bell-less top. Kazuaki Tanaka, et al. | A13 |
| 5 | Burden distribution control at Fukuyama No. 2 Blast Furnace of Nippon Kokan K.K. Norio Saitoh, et al. | A17 |
| 6 | Studies on configuration of burden distribution at the furnace top and its control. Yoshio Okuno, et al. | A21 |

-- STEELMAKING --

APRIL 2, 1985 13:00 - 17:30 Chairman: Hiroshi SAKAO
Chairman: Kiichi NARITA

Theme II. Behavior of Nonmetallic Inclusion in Production of Ultra-clean Steel

- | | | |
|----|---|-----|
| 7 | On inclusions in the steels deformed with high reduction. Hiroyuki Ichihashi, et al. | A25 |
| 8 | On the behavior of inclusion in the flux treatment of high carbon silicon killed steel. Kanehiro Ogawa, et al. | A29 |
| 9 | Influence of the secondary steelmaking on nonmetallic inclusion in the high carbon steel for tire cord. Yutaka Shinsho, et al. | A33 |
| 10 | Behavior of the inclusion in the process of producing ultra low oxygen and sulfur steel. Akira Ishizaka, et al. | A37 |
| 11 | Behavior of the inclusion in the tundish of continuous casting. Keiji Nakajima, et al. | A41 |
| 12 | Precipitation behavior of iron phosphide in the centerline segregation zone of continuous cast slab. Fumio Kurosawa, et al. | A45 |

-- SHAPING & FABRICATION · INSTRUMENTATION & CONTROL --

APRIL 1, 1985 13:00 - 17:00 Chairman: Takashi JINMA
Vice-Chairman: Yutaka MIHARA

Theme III. Recent Progress of Manufacturing Technology for ERW Pipes and Tubes

- | | | |
|----|---|-----|
| 13 | Recent and future progress of technology for electric welded steel pipes and tubes. Kenzo Kato. | A49 |
| 14 | Development of the automatic heat-input control system and optimization of welding conditions. Hiroyo Haga, et al. | A53 |

* Tetsu-to-Hagané, 71(1985), No. 4 contains S1 to S285 preprints in Japanese for Paper Presentations and Tetsu-to-Hagané, 71(1985), No. 5 does S287 to S776 preprints for them.

The preprints for Symposia were published in Tetsu-to-Hagané, 71(1985), No. 2, A1 to A168, in Japanese.

Part of those preprints for Paper Presentations are to be published in Transactions ISIJ, 25 (1985), Nos. 7 to 12, in English.

PAPER PRESENTATIONS

-- IRONMAKING --

APRIL 1, 1985

1	Heating pattern in coke oven by a thermal state simulator. Keihatirou Tanaka, et al.	S1
2	Development of coke oven coking control system. Akihiko Hasegawa, et al.	S2
3	Ammonia concentration control of ammonia liquor from coke ovens. Akikazu Nakazaki, et al.	S3
4	Dynamic prediction of the emission of coal tar in the coke oven. Katutoshi Igawa, et al.	S4
5	Effect of the coal blending on the yield of the coking products. Katuhiko Oguri, et al.	S5
6	Reducing procedure of FeCl ₃ and NaOH in the coagulating sedimentation equipment for activated sludge process. Masatoshi Mizusawa, et al.	S6
7	Approach to reducing coke quality deviation across oven width. Shuhei Yoshida, et al.	S7
8	Reduction of heat consumption in coke oven. Yasuhiro Kawaguchi, et al.	S8
9	Carbon adhesionless to coke oven doors. Kazumi Kurayoshi, et al.	S9
10	Full automatic apparatus for proximate analysis of coal and coke. Yoichi Ishibashi, et al.	S10
11	The analytical method of coke ash-forming elements by X-ray fluorescence spectroscopy. Kazuhito Sakamoto, et al.	S11
12	Laboratory-scale study on the change in size and tensile strength of coke during conveyance. Tsunao Kamijo, et al.	S12
13	Investigation on the packing properties of powder coal. Shinji Aso, et al.	S13
14	The experimental study on the accelerated charging method of coal. Yasuo Miyazaki, et al.	S14
15	Effect of coal thermal plasticity on coke qualities. (Basic coking mechanism--I). Shozo Itagaki, et al.	S15
16	Development of the measuring method for the tensile strength of coke. Toshihiro Aramaki, et al.	S16
17	Evaluation of the tensile strength of coke based on the cohesive state model. Toshihiro Aramaki, et al.	S17
18	Applicability of diametral compression test to coke. (Characterization of mechanical properties of coke based on pore-structure--I). Hidetaka Suginohe, et al.	S18
19	Relation between the pore-structure, tensile strength and effective Young's modulus of coke. (Characterization of mechanical properties of coke based on pore-structure--II). Hidetaka Suginohe, et al.	S19
20	Change of the pore-structure, tensile strength and effective Young's modulus of semicoke during carbonization. (Characterization of mechanical properties of coke based on pore-structure--III). Hidetaka Suginohe, et al.	S20
21	Pseudo-granulation of raw materials for sintering by means of a mixer with high speed agitator. Satoru Suzuki, et al.	S21
22	Evaluation methods of the green pellet strength. (Behavior of agglomerates in the raw material treatment and the sintering process--I). Masahiko Mizuma, et al.	S22
23	Automatic measuring system of iron ore moisture. Tenji Seto, et al.	S23
24	Iron ore purchase planning system. Jun-ichi Matsumoto, et al.	S24
25	Improvement of the charge on the strand of sinter machine. (Investigation on the segregate-charging method of sinter raw materials--III). Kohzi Ano, et al.	S25
26	Technique for uniform sintering. Kazuaki Sato, et al.	S26
27	Operational study of high-FeO sinter product at No. 4 Sintering Plant of Chiba Works, Kawasaki Steel Corporation. Nobuhiro Takashima, et al.	S27
28	Several countermeasures to prevent air leakage at sintering machine and its effect. Nobuhiro Takashima, et al.	S28
29	Fluctuation of sintering in the sintering bed and improvement of sinter yield. Genji Saito, et al.	S29

APRIL 2, 1985

30	Effect of basicity on sintering operation. Takahisa Miyake, et al.	S30
31	Effect of use of preheated air and preparation of raw mix for sintering iron ore. (Study on the production of self-fluxing sinter--I). Noboru Taguchi, et al.	S31

32	Improvement of sinter property by control of air distribution. Akira Takaki, et al.	S32
33	Analysis of the sintering heat patterns by the simulation model. Tsutomu Tanaka, et al.	S33
34	Estimation of temperature profile in sintering bed based on sensor informations. (Development of sinter quality control system--I). Yoshifumi Matsunaga, et al.	S34
35	Measurement and its analysis of temperature, pressure, differential pressure drop and air flow rate in bed of commercial sintering plant. (Analysis of sintering operation--V). Hirohisa Hotta, et al.	S35
36	The new instrumentation system of Chiba Sinter Plant of Kawasaki Steel Corporation and its effect. Katsuyuki Miki, et al.	S36
37	Pulverized coal combustion system for ignition furnace of Kure No. 1 Sintering Plant of Nisshin Steel Co., Ltd. Kiyonori Yamamoto, et al.	S37
38	Main exhaust gas circulation system at Ohgishima No. 1 Sintering Plant of Nippon Kokan K.K. Terutoshi Sawada, et al.	S38
39	Effect of characteristics of iron ores in raw mix on productivity of sinter. Yosio Kimura, et al.	S39
40	Effect of dust mini pellets on sinter operation. Akira Takaki, et al.	S40
41	Effect of particle size and mineral constituent in raw mix on formation of calcium ferrite in heating and cooling courses of sintering. Takaho Otomo, et al.	S41
42	Mechanism of formation of acicular calcium ferrite. (In-situ observation and its analysis of sintering process of iron ores--II). Jun Okazaki, et al.	S42
43	Effects of the ratio of adhering powder to nucleus in raw mix and the size of nucleus on the productivity and the quality of sinter. (Investigation on the use of a large quantity of iron ore with excessive fusibility--I). Nobuo Kusakabe, et al.	S43
44	Granulating characteristics of various iron ores. (Production of mineral phase controlled sinter--VII). Hiroshi Fukuyo, et al.	S44
45	Kinetics of calcium ferrite formation and its morphology during sintering of iron ores. (Production of mineral phase controlled sinter--VIII). Noboru Sakamoto, et al.	S45
46	Effect of iron ore properties on sinter porosity. Haruo Kokubu, et al.	S46
47	The degradation of sinter during reduction. Seiki Nagano, et al.	S47
48	Reduction degradation of sinter in blast furnace. (Study on evaluation method of sinter quality--II). Tsukasa Takada, et al.	S48
49	Change of pore structure of sinter during reduction process. (Study on the inner-reaction of a blast furnace by using BIS-IV). Masaaki Naitō, et al.	S49
50	High temperature properties of sinter containing lots of primary hematite. Shirou Tarumoto, et al.	S50
51	Simulation program for heat transfer of hot stove system. (Analytical method for heat transfer of hot stove system and its application--I). Naoki Tamura, et al.	S51
52	Improvement of thermal efficiency for hot stove system. (Analytical method for heat transfer of hot stove system and its application--II). Naoki Tamura, et al.	S52
53	Blowing-out operation with lowering stock level at Kure No. 1 BF, Nisshin Steel Co., Ltd. Takahisa Funakoshi, et al.	S53
54	Repair of upper shaft profile of Kashima No. 3 Blast Furnace, Sumitomo Metal Industries, Ltd. Atsunori Koike, et al.	S54
55	Dismantling investigations on hearth lining of Fukuyama No. 5 BF of Nippon Kokan K.K. Yasujiro Koyama, et al.	S55
56	Blast furnace operation with high productivity at Kimitsu No. 2 Blast Furnace of Nippon Steel Corporation. (Phenomena at the productivity of 2.51 t/D/m ³). Shunsuke Nagata, et al.	S56
57	Control of gas flow distribution in blast furnace under high productivity operation. Ikuo Tohno, et al.	S57
58	Operation with pulverized coal injection (P.C.I.) and high productivity operation at Nogoya No. 1 Blast Furnace, Nippon Steel Corporation. Yasuhiko Fujiwara, et al.	S58
59	Development of liquid flow model in blast furnace. Hideharu Shibaike, et al.	S59
60	Unsteady-state analysis of gas flow, heat transfer and iron oxides reduction in packed bed with cohesive layer. Kouji Takatani, et al.	S60
61	An analysis of the effect of sinter quality on blast furnace operation by use of two-dimensional mathematical model. Koichi Kurita, et al.	S61
62	Development of a detecting device for states of dead man in the blast furnace. (Investigation of dead man and raceway--I).. Yoshihiro Inoue, et al.	S62
63	Observation and some studies of dead man. (Investigation of dead man and raceway--II). Yoshihiro Inoue, et al.	S63

64	Determination of temperature, radiation intensity and atomic alkali species in the tuyere by spectroscopic analysis. (Technology for determining of heat level in blast furnace--I). Mitsuhiro Fukuda, et al.	S64
65	Coke movement in the blast furnace hearth. Shunsuke Arino, et al.	S65
66	Conditions of coke bed in the hearth. (Dissection results of the hearth in Kimitsu No. 3 Blast Furnace of Nippon Steel Corporation-I). Kazuyoshi Yamaguchi, et al.	S66
67	Coke behaviour in the hearth of the blast furnace. (Dissection results of the hearth in Kimitsu No. 3 Blast Furnace of Nippon Steel Corporation --II). Kazuyoshi Yamaguchi, et al.	S67
68	Analysis of flow and heat transfer in blast furnace hearth by two-dimensional model experiment. Yoshikazu Senoo, et al.	S68
69	Identification and prediction of temperature difference at furnace bottom plate by the use of autoregressive model for stabilizing the tapping operation. Kazuya Asano, et al.	S69

APRIL 3, 1985

70	The application of layer thickness meter to blast furnace operation. Kiichirou Kurihara, et al.	S70
71	Burden profile measurement system with laser light developed for No. 6 Blast Furnace at Chiba Works, Kasawaki Steel Corporation. Yuichiro Asano, et al.	S71
72	Development of measuring method of gas streamline and gas velocity in the blast furnace with helium gas tracer. Akihiro Tsuda, et al.	S72
73	Effect of burden descending speed on burden distribution of blast furnace. (Studies on characteristics of burden distribution--VI) Shinroku Matsuzaki, et al.	S73
74	Influence of grain size of ores on burden distribution in blast furnace. Kanji Takeda, et al.	S74
75	Effects of charging condition on the packing characteristics of the lower part of a blast furnace. (Study on the packing characteristics of the lower part of a blast furnace and its control method--V). Morimasa Ichida, et al.	S75
76	Application of two-size separate charging method of coke Sakai No. 2 Blast Furnace of Nippon Steel Corporation. Kazuya Kunitomo, et al.	S76
77	Development of blast furnace condition control system. Koichi Otsuka, et al.	S77
78	Influence of temperature distribution in blast furnace on hydrogen utilization of top gas. Shinji Imamura, et al.	S78
79	Low [Si] content operation of Chiba No. 6 Blast Furnace at Kawasaki Steel Corporation. Hideyuki Momokawa, et al.	S79
80	Blast furnace operation with low-silicon pig iron at Mizushima No. 2 Blast Furnace, Kawasaki Steel Corporation. Toshio Uetani, et al.	S80
81	Desiliconization reaction under blast furnace condition. Hiroji Sato, et al.	S81
82	Investigation of silicon content below the tuyere level of Kimitsu No. 3 Blast Furnace, Nippon Steel Corporation. Hiroji Sato, et al.	S82
83	Combustion characteristics of pulverized coal injected into the experimental blast furnace. (Study on the combustion behavior in the lower part of blast furnace--I). Tatsuro Ariyama, et al.	S83
84	Blast furnace operation with the water injection at tuyeres. Kazumasa Wakimoto, et al.	S84
85	NO _x reduction process of waste gas from sinter plant by use of blast furnace. Mamoru Kuwabara, et al.	S85
86	Influence of liquid injection on raceway depth. Katsuhiro Tanaka, et al.	S86
87	Heat transfer and reaction of injected iron ore powder in the raceway. (Tuyere injection test of iron oxide at experimental furnace--II). Yukio Konishi, et al.	S87
88	Iron oxide injection through blast tuyeres. Masahiko Hamada, et al.	S88
89	Experimental production of formed coke samples and investigation of their properties. (New development of formed coke process by two stage heating--XI). Koichi Ikeda, et al.	S89
90	Deterioration of formed coke by CO ₂ gasification. (New development of formed coke process by two stage heating--XII). Hiroshi Haraguchi, et al.	S90
91	Pulverization characteristics of formed coke in the raceway. (New development of formed coke process by two stage heating--XIII). Hiroshi Haraguchi, et al.	S91
92	The effect of coke properties on its disintegration in the raceway of the combustion test furnace. Takefumi Saito, et al.	S92
93	Gasification reaction of ash in coke at high temperature. Hiroyuki Mitsufoji, et al.	S93

94	Alkali circulation and coke degradation in the blast furnace. (Investigation results of the samples in Kimitsu No. 3 Blast Furnace of Nippon Steel Corp. before blowing out). Kazuyoshi Yamaguchi, et al.	S94
95	Strength deterioration mechanism of cold bonded pellets under the blast furnace condition. Hajime Yamada, et al.	S95
96	The briquetability of manganese ore. Katuyoshi Fukami, et al.	S96
97	The rates of reduction of iron ore and water-gas shift reaction. Tomohiro Akiyama, et al.	S97
98	Reduction rate of iron oxide pellets with CO-H ₂ gas mixtures. Chong-Min Cho, et al.	S98
99	The zone-reaction models for hydrogen reduction of porous wustite pellets. Tateo Usui, et al.	S99
100	Experiment on rapid cooling slag producing by pilot plant. (Development of rapid cooling method of molten blast furnace slag by rolling--II). Tetsuyuki Nakamura, et al.	S100
101	Distribution model of slag granules in the gas atomizing granulation hood. (Development of heat recovery technology for blast furnace slag--V). Masanobu Muranaka, et al.	S101
102	Experiment on waste heat recovery of blast furnace. Kazutoshi Iwami, et al.	S102
103	Application of ceramics to large size and high rotation speed blower runners. Takashi Takahashi, et al.	S103
104	Development of dry type gas cleaning system. (Development of dry type blast furnace gas energy recovery system--I). Norio Saito, et al.	S104
105	Development of regenerative buffer. (Development of dry type blast furnace gas energy recovery system--II). Norio Saito, et al.	S105

-- IRONMAKING/STEELMAKING --

APRIL 1, 1985

106	Desiliconization at runner of No. 4 BF at Mizushima Works, Kawasaki Steel Corporation. Kouichi Shinohara, et al.	S106
107	Continuous desulphurization pretreatment by top injection method at BF runner. (Development of continuous hot metal pretreatment--XI). Haruo Itoh, et al.	S107
108	Behavior of particle penetration during top injection by cold model simulation. (Development of continuous hot metal pretreatment--XII). Katsuhiko Iwasaki, et al.	S108
109	Construction and operation of hot metal pre-treatment in Chiba Works, Kawasaki Steel Corporation. Masaru Washio, et al.	S109
110	Development of desiliconization control system by process computer in blast furnace cast house. Masamichi Taira, et al.	S110
111	The relation between the oxygen activity in hot metal and the desulphurization. Yoshiaki Tabata, et al.	S111
112	Metallurgical reaction of hot metal refining furnace. (Operational results of new steel making process--I). Kiminori Hajika, et al.	S112
113	Effect of vessel shape on dephosphorization rate in the hot metal pretreatment process. Akihide Hikosaka, et al.	S113
114	Development of calcium ferrite based dephosphorization agent. Minoru Ishikawa, et al.	S114
115	Effect of oxygen flux from atmosphere on the rephosphorization during hot metal pre-treatment. Mitsutaka Matsuo, et al.	S115
116	Selective removal of niobium and manganese from molten pig iron. (Refining of pig iron containing Nb--II). Akira Sato, et al.	S116
117	Selective oxidation of Nb in molten pig iron by alkali metal carbonate system. (Refining of pig iron containing Nb--III). Tsuyoshi Ozaki, et al.	S117
118	Expressions for some physical properties of molten salts at their melting points. Takamichi Iida, et al.	S118
119	Characteristic features of molten salts deduced from some physical properties. Takamichi Iida, et al.	S119
120	Density and surface tension of CaF ₂ -MO(M:Mg, Ca, Ba) melts. Shigeta Hara, et al.	S120
121	Density of CaO-SiO ₂ -Al ₂ O ₃ melts. Atsushi Nishiwaki, et al.	S121
122	Comparison of the laser-flash method and hot-wire method for measuring thermal conductivity from metallurgical slags. Karl-Heinz Lindner, et al.	S122
123	Application of conformal ionic solution theory to steelmaking slags. Hideaki Suito.	S123
124	Solubility of carbon dioxide in molten CaO-CaCl ₂ fluxes. Masafumi Maeda, et al.	S124

- 125 Activities of P_2O_5 in magnesium phosphate slag and of phosphorus in liquid copper. Masanori Iwase, et al. S125
- 126 Manganese partitions between carbon-saturated iron melts and lime-based fluxes containing MnO, BaO, Na₂O oxides. Simeon Ratchev Simeonov, et al. S126
- 127 Activities of Fe_xO in CaO + SiO₂ + CaF₂ + Fe_xO quaternary slags. Hiroshi Akizuki, et al. S127

APRIL 2, 1985

- 128 Gas-powder injection into water. (Measurement of velocity of particles). Yasuhiro Fukunaka, et al. S128
- 129 The structure of the submerged jet near the nozzle. Kimihisa Ito, et al. S129
- 130 Behaviour of gas jets injected into liquid and pressure traces at the orifice exit. Yasuhisa Ozawa, et al. S130
- 131 Effect of injected-gas stirring on the reaction rate between liquid slag and liquid metal. Masahiro Hirasawa, et al. S131
- 132 The rate of nitrogen desorption from molten iron by argon top- and bottom-blowing. Masamitsu Takahashi, et al. S132
- 133 Rate of nitrogen desorption from liquid iron and iron-chromium alloys. Yasutaka Iguchi, et al. S133
- 134 Decarburization of molten steel by the formation of small droplets in reduced atmosphere. Kenji Takahashi, et al. S134
- 135 Decarburization, denitrogenization and deoxidation of molten iron alloys by hydrogen-argon plasma. Tohru Matsuo, et al. S135
- 136 Removal of copper and tin from molten iron by hydrogen-argon plasma. Tohru Matsuo, et al. S136

APRIL 3, 1985

- 137 Gasification and reduction of iron ore coated with carbon by continuous fluidized bed. (Production of direct reduced iron using petroleum residue--VIII). Ryo Watanabe, et al. S137
- 138 Use of composite cold pellet in silico-manganese production. Kazuo Yamagishi, et al. S138
- 139 Reduction rate of molten iron oxide by the carbon in molten iron. (Research on the smelting reduction of iron ore with coal--VII). Akira Sato, et al. S139
- 140 Effect of TiO₂ content on smelting reduction rate of magnetite ore. Bing-Huan Zhing, et al. S140
- 141 Solubility of MgO Cr₂O₃ in slags at 1600 °C. Kazuki Morita, et al. S141
- 142 Smelting reduction of chromium ore in 5 t test converter. Hideo Nakamura, et al. S142
- 143 Effect of slag on reduction of chromium ore in BOF. (Smelting reduction of chromium ore by BOF--II). Hisashi Yamana, et al. S143
- 144 Reduction of chromium ore by dissolved carbon in hot metal in AOD process. Norinao Mochizuki, et al. S144
- 145 Reduction of manganese ore in top and bottom blowing converter. Ryoichi Sakomura, et al. S145
- 146 Reduction of manganese ore in top and bottom blowing converter for production of high carbon steel and stainless steel. Keizo Taoka, et al. S145

-- STEELMAKING --

APRIL 1, 1985

- 147 Theoretical study on mold width changing. (Development of high-speed mold width changing method--IV). Kazuhiko Tsutsumi, et al. S147
- 148 Shell deformation force and limit of acceleration during high speed width changing. (Development of high-speed mold width changing method--V). Takeyoshi Ninomiya, et al. S148
- 149 Control system for high-speed mold width changing. (Development of high-speed mold width changing method--VI). Masami Temma, et al. S149
- 150 Effect of mould surface condition on heat flux in mould. (Improvement of C.C. slab surface by the soft cooling method--II). Ken Nakai, et al. S150
- 151 Improvement of mold life from a surface coating point of view. Kazuhisa Mitani, et al. S151

152	Development of vibration-tyre mold-bath-level control system. Takashi Kimura, et al.	S152
153	Improvement of operational conditions and quality of products. (The results of improvement in the slab casters in No.2 steelmaking shop at Mizushima Works, Kawasaki Steel Corp.--I). Shōichi Hiwasa, et al. ...	S153
154	Automation of operations in continuous casting. (The results of improvement in the slab casters in No.2 steelmaking shop at Mizushima Works, Kawasaki Steel Corp.--II). Shinji Shiraishi, et al.	S154
155	Improvement of tundish service yard. (The results of improvement in the slab casters in No.2 steelmaking shop at Mizushima Works, Kawasaki Steel Corp.--III). Masao Nanbu, et al.	S155
156	Facilities of high speed slab caster for HDR. (Technique and operation of No.5 CCM at Fukuyama Works, Nippon Kokan K.K.--I). Tsutomu Wada, et al.	S156
157	High speed casting technique of No.5 CCM at Fukuyama Works, Nippon Kokan K.K. (Technique and operation of No.5 CCM at Fukuyama Works, Nippon Kokan K.K.--II). Toshio Masaoka, et al.	S157
158	Rationalization of tundish service at No.3 CC shop of Kakogawa Works, Kobe Steel, Ltd. Hideki Yokoyama, et al.	S158
159	Improvement of slab quality at No.3 continuous caster in Kakogawa Works, Kobe Steel, Ltd. Kiyoharu Akiizumi, et al.	S159
160	Detection system of slab carry-over in continuous casting process by optical method. Masatoshi Tokuda, et al.	S160
161	Prevention of nozzle clogging by slag control. Ryuji Yamaguchi, et al.	S161
162	Nozzle clogging in high alloy steel containing Ti and Al. Tadahito Sudō, et al.	S162
163	Development of mold diagnostic technology. (Breakout prediction and quality prediction). Kazuhisa Kurihara, et al.	S163
164	Analysis of mold temperature transition of sticking breakout. (Development of the mold total diagnosis technology--III). Akira Matsushita, et al.	S164
165	Effect of thermal cycle after solidification on hot-ductility of low alloy steels. Yoshihiro Hanai, et al.	S165
166	Hot ductility and deformation resistance in high speed tensile test of low carbon steel. Atsushi Aizawa, et al.	S166
167	Effects of compression casting on strain of slabs during continuous straightening. Kazuhiko Tsutsumi, et al.	S167
168	Development of closed OG system. (Development of closed system for OG and refining process--I). Takashi Harabuchi, et al.	S168
169	Development of controlling technology for closed OG system. (Development of closed system for OG and refining process--II). Toshiki Hino, et al.	S169
170	Operating results of closed OG system. (Development of closed system for OG and refining process--III). Yujiro Ueda, et al.	S170
171	The construction and operation of waste gas boiler at No.3 steel making shop at Fukuyama Works, Nippon Kokan K.K. Masahiro Kawakami, et al.	S171
172	Applying the split bearing to converter trunnion. Shigeki Tamada, et al.	S172
173	Operation result of top and bottom blown converter with wide range of flow rate. (Development of top and bottom blown converter with wide range of flow rate--II). Hiroshi Kondo, et al.	S173
174	Automatic blowing control system for combined blowing process of bottom gas flow rate variable type. (Integrated automatic and optimum control system for BOF using informations driven from exhaust gases--V). Shoichi Osada, et al.	S174
175	Formation of acceleration on bottom tuyere by inert gas. (Operating results of a new combined blowing using CO ₂ --IV). Tetsuharu Ibaraki, et al.	S175
176	Choking phenomena of gas flow in the tuyere of the combined blowing. (Conversion to combined blowing system with wide range of flow rate--I). Rinso Tachibana, et al.	S176
177	Control system for combined top- and bottom-blown converter of No.1 steelmaking plant at Mizushima Works, Kawasaki Steel Corp. (Conversion to combined blowing system with wide range of flow rate--II). Akira Yamane, et al.	S177
178	Operation of LD converter using pre-treated hot metal. (Operational results of new steel making process--III). Tetsuzo Ogura, et al.	S178
179	Operation with low silicon hot metal in the top and bottom blowing converter. Natsuki Namura, et al.	S179
180	Refining stainless steel in top and bottom blowing converter with dephosphorized hot metal. Haruhiko Ishizuka, et al.	S180

181	Decarburization mechanism of high chrome molten steel under top-and-bottom blowing condition. (Basic research on decarburization of high chrome steel--III). Shin-ya Kitamura, et al.	S181
182	Development of scrap preheating method by combined blowing process. (Development of a new method of stainless steel making process--III). Hiroyuki Aoki, et al.	S182
183	Effect of (MnO) on LD-OTB operation. Shin-ichi Nakajima, et al.	S183
184	Temperature and reactions at fire spots in top-and-bottom blowing converter. Norio Misaki, et al.	S184
185	Nitrogen behavior in the top and bottom blowing converter. Jun-ichi Fukumi, et al.	S185
186	Thermal compensation by post combustion in converter. Haruji Okuda, et al.	S186
187	Development of the post combustion technology in LD converter. (Study of post combustion in LD converter--I). Toshiya Harada, et al.	S187
188	A consideration of the post combustion mechanism in LD converter. (Study of post combustion in LD converter--II). Ryoji Tsujino, et al.	S188
189	Investigation of the effect on post combustion in LD converter. (Study of post combustion in LD converter--III). Ryoji Tsujino, et al.	S189
190	Removal of sulphur and nitrogen from molten steel by flux injection in RH vessel. Takashi Okada, et al.	S190
191	Manufacturing of clean steel by injection refining with intensive stirring in ladle. (Development of injection refining with intensive stirring in ladle--II). Yoshio Watanabe, et al.	S191
192	A dephosphorization of molten steel containing chromium. (Production of clean steel by ladle refining technology--III). Naoto Tsutsumi, et al.	S192
193	Development of refining for the production of high sulfur grade stainless steel in AOD. Haruki Ariyoshi, et al.	S193
194	Bottom Ar gas bubbling utilized pretreated hot metal. Takahiko Sato, et al.	S194
195	Nitrogen behavior during vacuum decarburization in 50 ^T VOD. Hazime Mori, et al.	S195
196	Ladle furnace operation technique using cored wire. (Nozzle blockage controlling for molten steels containing Al in ladle). Katsuhiko Matsubara, et al.	S196
197	Unification of facilities and improved technology for high grade steel production in Yawata No.1 steelmaking plant, Nippon Steel Corp. Kosuke Yamashita, et al.	S197

APRIL 2, 1985

198	Thermodynamic analysis on peritectic point in Fe-C-M system. Kiyohito Ishida, et al.	S198
199	Solute redistribution in planar solidification with solid state diffusion. Sumio Kobayashi.	S199
200	Equilibrium distribution coefficients of solute elements at high concentration range of carbon in Fe-C base ternary alloys. Akihito Kiyose, et al.	S200
201	Observation of solute redistribution in dendrites by $\delta \rightarrow \gamma$ transformation in solidification process. Yoshiyuki Ueshima, et al.	S201
202	Analysis of solute redistribution in dendrites by $\delta \rightarrow \gamma$ transformation in solidification process. Yoshiyuki Ueshima, et al.	S202
203	The effect of chemical compositions on redistribution of manganese and phosphorous in steels. Wataru Yamada, et al.	S203
204	Solidification of supercooled Fe-P melt and its crystallized phases. Hidetoshi Matsuno, et al.	S204
205	Effect of cooling rate and alloying element on the grain growth of austenite. Kunio Yasumoto, et al.	S205
206	Effect of carbon contents on the solidification structure in continuous cast billet. Masayoshi Yokoyama, et al.	S206
207	Application of electro-magnetic stirrer on round billet caster. (Round billet casting process--IX). Hironori Yamamoto, et al.	S207
208	Influence of electromagnetic stirrer in the mold on center line segregation of CC bloom. Hisao Yamasaki, et al.	S208
209	Effect of mold EMS on round bloom quality of stainless steel. (Development of continuous casting for stainless steel round bloom--IV). Shogo Matsumura, et al.	S209
210	Accomplishment of low superheat and its effect on center line segregation. Masahito Suitoh, et al.	S210
211	Development of technology of light-reduction casting of blooms. Shin-ichi Fukunaga, et al.	S211
212	Effect of soft-reduction on the formation of V-segregation at the final stage of solidification for C.C. slab. Masafumi Zeze, et al.	S212

213	Theoretical analysis of the fluid flow in the mushy zone of continuously cast steel slab. (Analytical studies on the fluid flow during the late stage of solidification in the continuous casting of steel--I). Ken-ichi Miyazawa, et al.	S213
214	Measurements of the fluid flow during solidification by the pin method. (Analytical studies on the fluid flow during the late stage of solidification in the continuous casting of steel--II). Hideyuki Misumi, et al.	S214
215	Effect of roller bending on centerline segregation of continuously cast slab. Seiji Nishimoto, et al.	S215
216	Improvement in centerline segregation of continuously cast slab by split roller. Mamoru Yamada, et al.	S216
217	Effects of V-shaped segregation in the continuous cast slab on the hydrogen induced crack sensitivity. Yasuo Hitomi, et al.	S217
218	Analysis of sulphide inclusions in CC slab by computer aided micro analyzer. Yoshimori Fukuda, et al.	S218
219	Effect of CO gas on the mechanical properties of SiC bricks for blast furnace. Tetsuo Hirota, et al.	S219
220	Result of insulating lining for torpedo car. Kinji Kanematsu, et al.	S220
221	Microstructural consideration of wear mechanism of refractories for torpedo car. Tsutomu sato, et al.	S221
222	Development and improvement of hot metal refining furnace. (Operational results of new steel making process--II). Toshiharu Takebayashi, et al.	S222
223	Application of unburned MgO-CaO-C brick to combined blowing converters. Yasuo Imaida, et al.	S223
224	Development of refractories for LD-OB converter. Shigemi Harada, et al.	S224
225	Improvement of unburned tar magnesite-dolomite bricks for converter. Akira Ohte, et al.	S225
226	MgO-C tuyere brick for the top and bottom blowing converter. Yasushi Sato, et al.	S226
227	The thermal behavior of alumina ladle. (Operation with capped steel ladle--IV). Tsuyoshi Mimura, et al.	S227
228	Application of basic castable refractories to ladle lining. Hisaki Kato, et al.	S228
229	Improvement of drying method of ladle refractory. Kiyoshi Muta, et al.	S229
230	Development of basic ladle refractory for casting method. Hitoshi Nakamura, et al.	S230
231	Application of forsterite-carbon brick to side wall in LF ladle. Saburo Matsuo, et al.	S231
232	Some improvement of vessel life at Fukuyama No.2 RH degasser, Nippon Kokan K.K. Masafumi Ikeda, et al.	S232
233	Effect of chromium raw materials on life of MgO-Cr ₂ O ₃ DB brick. Haruya Nagai, et al.	S233
234	Lance for powder injection. Haruya Nagai, et al.	S234
235	Refractory materials for casting high manganese steel. (Development of technology of high manganese steel making--II). Taijiro Matsui, et al.	S235
236	Evaluation of thermal shock resistance of alumina-graphite nozzles by high frequency induction heating method. Shigeyuki Takeshita, et al.	S236
237	Reasons of sliding nozzle free opening failures. (Development of the new technology for sliding nozzle free opening--I). Akira Nobumoto, et al.	S237
238	Sintering phenomena of sand for sliding nozzle free opening. (Development of the new technology for sliding nozzle free opening--II). Kouichi Shimada, et al.	S238
239	Development of sliding nozzle gun opening technology. (Development of the new technology for sliding nozzle free opening--III). Akira Nobumoto, et al.	S239
240	Rapid stabilization of steel slag. Yoshihiko Mori, et al.	S240
241	The collapse of slag by Fe _{1-x} S reaction products. Shunsaku Komoda	S241
242	Prevention of dusting for K-BOP slag. Yoshio Aso, et al.	S242
243	Response time and stability of needle sensor. (Development of the oxygen sensor made by a thermal spraying method). Kuniyoshi Urata, et al.	S243
244	Reference Electrode and EMF/O-ppm conversion with respect to ZrO ₂ type oxygen sensor. (Studies of ZrO ₂ oxygen sensor--I). Ikuhei Sakaguchi, et al.	S244
245	Improvement of EMF curve profile of ZrO ₂ oxygen sensor for Al-killed steelmelt. (Studies of ZrO ₂ oxygen sensor--II). Ken-ichi Gomyo, et al.	S245
246	Application of ZrO ₂ oxygen sensor to low-Al steel refining. (Studies of ZrO ₂ oxygen sensor--III). Takaji Takahashi, et al.	S246

APRIL 3, 1985

247	Optimum mold oscillation mode at the high speed casting. (Development of non-sinusoidal oscillation mode in continuous casting of steel--I). Hideaki Mizukami, et al.	S247
248	Effect of non-sinusoidal oscillation mode in 5 ton experimental continuous caster. (Development of non-sinusoidal oscillation mode in continuous casting of steel--II). Hideaki Mizukami, et al.	S248
249	Test result of non-sinusoidal oscillation mode in slab caster. (Development of non-sinusoidal oscillation mode in continuous casting of steel--III). Haruo Miyano, et al.	S249
250	Effect of carbon on flux melting in continuous casting. (Study on the mold powder technology in continuous casting--XV). Tadao Kishi, et al.	S250
251	Investigation on oscillation marks of continuously cast slab by a mold simulator. (Study on the mold powder technology in continuous casting--XVI). Teiichi Ando, et al.	S251
252	Mechanism of formation of surface defects in continuously cast stainless steel slabs containing titanium. Morihiro Hasegawa.	S252
253	Effect of powder characteristics on the melting rate. Hakaru Nakato, et al.	S253
254	Mechanism of the positive segregation and the initiation of the transverse cracks along the oscillation marks. Eiichi Takeuchi, et al.	S254
255	Development of automatic powder feeder (pneumatic type) for continuous casting. Takashi Yanai, et al.	S255
256	Optimum secondary cooling system in CC. (Thermal elastic plastic analysis below CC mould--II). Takayuki Taenaka, et al.	S256
257	Application of mist cooling method in bloom C.C. Toshiyuki Murakami, et al.	S257
258	Cooling characteristics of cross spray nozzle for slab caster. Saburo Moriwaki, et al.	S258
259	Inclusion separation studies in continuous casting tundishes. Elon Martinez, et al.	S259
260	Flow simulation of molten steel in tundish and behavior of non-metallic inclusion. (3-dimensional analysis of bi-phase flow in refining process--II). Masateru Mori, et al.	S260
261	Continuous casting of high-oxygen and ultra low carbon steel with fishscaling resistance. Hiroshi Nishikawa, et al.	S261
262	Production of high carbon-chromium bearing steel in BOF-CC process. Kenji Doi, et al.	S262
263	Reducing an incidence of crack during cold rolling by using dephosphorized hot metal. Eizo Yonenaka, et al.	S263
264	Production of 13 % manganese steel by use of continuous casting. (Development of production of high manganese steel--I). Takashi Hiromatsu, et al.	S264
265	Manufacture of uni-directionally solidified ingots and their quality. (Manufacture of heavy section steel plates by UDS Process--I). Toshio Hori, et al.	S265
266	Mechanical properties of heavy section steel plates by UDS process. (Manufacture of heavy section steel plates by UDS process--II). Shoji Katagishi, et al.	S266
267	Characteristics of A387-22 steel plates with heavy section by UDS process. (Manufacture of heavy section steel plates by UDS process--III). Tetsuo Kikutake, et al.	S267
268	VAR of 18%Ni-9%Co-5%Mo maraging steel. Katsuo Kinoshita, et al.	S268
269	3-dimensional solidification analysis by direct finite difference method. Minoru Yao, et al.	S269
270	Critical condition for the formation of "A" segregation in high-alloy steels. Takashi Sakurai, et al.	S270
271	Estimation of area of the microporosity distribution in the axis of forging ingot. Hitohisa Yamada, et al.	S271
272	Solidification of thin steel slab. (Continuous casting of thin steel slab by horizontal twin-belt caster--I). Seiji Itoyama, et al. ..	S272
273	Application of the horizontal continuous casting billet for hot-forging. (Development of horizontal continuous casting--IVX). Eihachiro Sunami, et al.	S273
274	Outline of horizontal continuous caster. (Development of horizontal continuous caster--I). Hideo Kaneko, et al.	S274
275	Simulation of solidification and reduction of witness mark. (Development of horizontal continuous caster--II). Seiichi Yamaji, et al. ..	S275
276	Solidified structure of billets by horizontal continuous caster. (Development of horizontal continuous caster--III). Akiyoshi Mizuta, et al.	S276
277	Equilibrium study of phosphorus distribution between CaO saturated $Fe_tO-P_2O_5-CaO$ slags and liquid iron. Retsu Nagabayashi, et al. ...	S277

278	Dephosphorization of molten steel by CaO-based flux containing MnO ₂ . Shohei Kohroki, et al.	S278
279	Effects of CaO and MgO on the phosphorus distribution between liquid iron and slags of Na ₂ O-SiO ₂ system. Kyoji Kunisada.	S279
280	Dephosphorization of molten steel by Na ₂ O based slags. Yasutami Fukami, et al.	S280
281	Dephosphorization of hot metal containing chromium by CaO-CaF ₂ -SiO ₂ -Na ₂ O flux. Nobuo Sano, et al.	S281
282	Dephosphorizing power of CaO-CaF ₂ -Na ₂ O based slag. Yoshiteru Kikuchi, et al.	S282
283	Dephosphorization of crude steel containing chromium by CaO-NaF Flux. Shigeru Inoue, et al.	S283
284	Optimum composition of flux for desulfurization of steel. Koichi Endoh, et al.	S284
285	Desulfurization of molten steel in ladle by flux injection. Hidenari Kitaoka, et al.	S285