

- 19 Microcomputer-based instrument and control system to mill line.
Osamu Arai, et al.A73

-- PRODUCTS AND PROPERTIES --

APRIL 3, 1986 13:20 - 17:30 Chairman: Yuzo HOSOI

Theme IV. Recent development of Oil Country Tubular Goods

- 20 Factors influencing the sulfide stress corrosion cracking of high strength oil country tubular goods. Kuniaki Motoda, et al. A77
21 Effect of metallurgical factors on sulfide stress cracking resistance of high strength steels. Hiroshi Asai, et al. A81
22 Mechanical Properties of austenitic high alloy oil country tubular goods. Yoshiichi Ishizawa, et al. A85
23 Corrosion behaviours of high alloy oil country tubular goods in H₂S-CO₂-Cl⁻ environments. Akio Ikeda, et al. A89
24 Effect of H₂S on the corrosion resistance of high alloy OCTG. Katsumi Masamura, et al. A93
25 Critical conditions for application of high alloys in sour gas environments. KOZO Denpo, et al. A97
26 Effect of alloying elements of austenitic alloys on corrosion resistance in H₂S-CO₂-Cl⁻ environments. Haruo Tomari, et al. A101

-- CHEMICAL ANALYSIS • SURFACE TREATMENT --

APRIL 4, 1986 9:30 - 17:00 Chairman: Kichinosuke HIROKAWA
Vice-Chairman: Takashi OHTSUBO

Theme V. Surface Analysis of Steel

--Recent Advance and Remaining Problems--

- 27 Activity of Surface Analysis Subcommittee, the Iron and Steel Analysis Committee of ISIJ. Takashi Ohtsubo. A105
28 Chemical state analysis by X-ray photoelectron spectroscopy. -- WG report of Surface Analysis Subcommittee --. Yasuo Fukuda. A106
29 Quantitative analysis of Auger electron spectroscopy. -- WG report of Surface Analysis Subcommittee --. Norio Gen-nai..... A107
30 Quantitative analysis by X-ray photoelectron spectroscopy. -- WG report of Surface Analysis Subcommittee --. Noriaki Usuki, et al. A110
31 Sputtering yield of metals. -- WG report of Surface Analysis Subcommittee --. Yoshiharu Ohashi. A114
32 Variation of XPS, AES, EELS with the oxidation stages of iron in iron-oxygen system. Masaaki Oki, et al. A118
33 Grain boundary segregation of phosphorus and sulfur in iron alloys. Kenji Abiko, et al. A122
34 Variation of grain boundary segregation of phosphorus in α -iron. Kohei Tatsumi, et al. A126
35 Quantitative analysis of trace elements in steel by IMA using iron implanted reference materials. Satoshi Hashimoto, et al. A130
36 Basic character of glow discharge spectrometry. Shuichi Yamazaki, et al. A134

PAPER PRESENTATIONS

-- IRONMAKING --

APRIL 2, 1986

- 1 Behaviour of the degradation of sinter during reduction. (Investigation of burden properties in blast furnace--II). Masaaki Sakurai, et al. S1
2 Effect of lumpy ore properties on the blast furnace phenomena. Takeshi Sugiyama, et al. S2
3 Relation between JIS-RI and reduction behavior of sinter in a blast furnace. Masaaki Naito, et al..... S3
4 Reduction degradation of sinter in blast furnace. (Study on evaluation method of sinter quality--III). Tsukasa Takada, et al. S4
5 Furnace inside condition under high productivity operation of Tobata No. 4 BF of Nippon Steel Corporation. Shuji Noguchi, et al. S5

6	Burden distribution characteristics of vertical 2-stage hopper type bell-less top. (Construction and blow in of Muroran No. 2 Blast Furnace of Nippon Steel Corporation--I). Hajime Otsuka, et al.	S6
7	Blow in operation at Muroran No. 2 Blast Furnace of Nippon Steel Corporation. (Construction and blow in of Muroran No. 2 Blast Furnace of Nippon Steel Corporation--II). Toshikatsu Narita, et al.	S7
8	Blowing in operation at Kamaishi No. 1 BF of Nippon Steel Corporation. Hironao Matsuoka, et al.	S8
9	Operating for fundry iron at Kamaishi No. 1 BF of Nippon Steel Corporation. Yasusuke Hoshizawa, et al.	S9
10	Effect of dry quenched coke on blast furnace operation. Asao Hatanaka, et al.	S10
11	127 days non shutdown operation of Tobata No. 4 BF of Nippon Steel Corporation. Seigi Matsuda, et al.	S11
12	Action guide system of Sakai No. 2 Blast Furnace operation of Nippon Steel Corporation. Hidejiro Hayashi, et al.	S12
13	Rate of stepwise reduction of fixed beds of sinter with CO-CO ₂ -N ₂ gas mixture. Tateo Usui, et al.	S13
14	Reduction rate of wustite pellets with CO-CO ₂ -H ₂ gas mixtures. Takeaki Murayama, et al.	S14
15	Method for determination of parameters included in Wen's model. Takeaki Murayama, et al.	S15
16	Reduction and desulphurization of chromium ore pellet containing carbonaceous material in flowing CO-H ₂ atmosphere. Hiroshi G. Katayama, et al.	S16
17	Relationship between reducibility and microstructure of synthesized sinter of Fe ₂ O ₃ -binary calcium ferrite. Takayuki Maeda, et al.	S17
18	Effect of the addition of SiO ₂ and Al ₂ O ₃ on the reduction of dense wustite high H ₂ . Nabukazu Shigematsu, et al.	S18
19	Abnormal swelling of hematite pellets containing CaO during the reduction with hydrogen bearing sulphur. Shoji Hayashi, et al.	S19
20	Surface-character of iron produced by solid carbon reduction of FeO. Hae Soo Lee, et al.	S20
21	Thermodynamics of iron oxysulphide melts. Shoji Hayashi, et al.	S21
22	Relation between the effective diffusivity of gas through various metallurgical porous materials and the pore structures. Yoshihito Shigeno, et al.	S22
23	Influence of micro-pore volume of coke on CO ₂ gasification. Hiroshi Haraguchi, et al.	S23
24	Deterioration of coke by H ₂ O gasification at high temperature. Hiroshi Haraguchi, et al.	S24

APRIL 3, 1986

25	Technique of prevention from oxidation of coal in storage pile. Kiyoshi Miura, et al.	S25
26	Coal briquetting with lower binder. Minoru Miyoke, et al.	S26
27	Coking test of the coal preheated by direct contact with crude coke oven gas in commercial coke ovens. (Investigation on the coal preheating by coke oven gas--III). Shigeru Ohashi, et al.	S27
28	Decoking procedure in coal preheating process. (Investigations on the coal preheating by coke oven gas--IV). Masahiro Abe, et al.	S28
29	Estimation of coal dilatation by new method. Shozo Itagaki, et al.	S29
30	In-situ observation of coal carbonization by X-ray computed tomography. Katsuhiko Shiraishi, et al.	S30
31	Measurement of density distribution during coal carbonization by X-ray computed tomography. Katsuhiko Shiraishi, et al.	S31
32	Development of adaptive coking control model for coke ovens. Akihiko Hasegawa, et al.	S32
33	Homogenization of the oven width coke in the test oven. Seiji Nishida, et al.	S33
34	Energy saving by using waste heat of ammonia water in coke plant. Shingo Shibamoto, et al.	S34
35	Application of feedwater preheating equipment for CDQ plant by utilizing waste heat. Toshihide Tahara, et al.	S35
36	Numerical simulation of coke dry quenching plant with circular grate. Hirofumi Furukawa, et al.	S36
37	Reconstruction of self-power plant condenser to high efficiency. Noriyoshi Sakurai, et al.	S37
38	Kinetic model for tar polymerization in gas phase. Hidetaka Suginohe, et al.	S38
39	New process for co-production of SNG and H ₂ from COG. Keizo Yabumoto, et al.	S39

40	Biological treatment of crude NH ₃ liquor from coke plant. Susumu Matsumura, et al.	S40
41	Stable operation activated sludge treatment. Akikazu Nakazaki, et al.	S41
42	Hydrogen sulfide absorption on desulfurization plant of COG. Akira Yamaura, et al.	S42
43	Abrasive resistance of coke after reaction with gas mixtures containing CO ₂ . Yoshihito Shigeno, et al.	S43
44	Estimation of coke strength after solution loss reaction. Tsunao Kamijo, et al.	S44
45	Estimation of coke degradation mechanism in the blast furnace based on the analysis of the deadman coke. Masaji Kitamura, et al.	S45
46	Outline of the burden profile meter installed at Nagoya No. 3 BF of Nippon Steel Corporation. Tohru Ogasawara, et al.	S46
47	Development of microwave profile meter. (Development of burden profile measuring technique using microwave for blast furnace--I). Takuya Kusaka, et al.	S47
48	Practical use of microwave profile meter. (Development of burden profile measuring technique using microwave for blast furnace--II). Yutaka Miyakawa, et al.	S48
49	Development of image-fiber sonde for measurement of radial particle size distribution at furnace top. Shigemi Murakawa, et al.	S49
50	Improvement of burden distribution in blast furnace by two-size separate charging of coke. Akira Matsui, et al.	S50
51	Discharging phenomena of raw materials from large bell. Shunji Takagi, et al.	S51
52	Void fraction and pressure drop in moving bed. (Filling structure and gas flow in moving bed--I). Morimasa Ichida, et al.	S52
53	Behavior of powder and pressure drop in moving bed. (Filling structure and gas flow in moving bed--II). Morimasa Ichida, et al.	S53
54	Investigation of the raw material segregation and analysis of the segregation effect on sinter yield at Kimitsu Nos. 2 and 3 sintering machines of Nippon Steel Corporation. Ei-ichi Shimozaawa, et al.	S54
55	Improvement of particle size segregation of raw material in the large sintering machine. Takashi Terada, et al.	S55
56	Granulation test results of micro pellet. (Development of producing process for micro pellet--I). Akira Takaki, et al.	S56
57	Plant test results of micro pellet for sinter mix. (Development of producing process for micro pellet--II). Akira Takaki, et al.	S57
58	Test operation of iron-ore sintering process applied pre-granulation method. (Development of iron ore and limestone pre-granulation method for sintering process--III). Kozo Takata, et al.	S58
59	Properties of iron ore and limestone pre-granulated sinter. (Development of iron ore and limestone pre-granulation method for sintering process --III). Kazuyoshi Kuriyama, et al.	S59
60	Effects of burnt lime on sinter operation at low productivity. Shusaku Komatsu, et al.	S60
61	Reduction of burnt-lime ratio by application of double layer sintering system at Wakamatsu Sintering Plant of Nippon Steel Corporation. Takafumi Ushirokawa, et al.	S61
62	Effect of size of iron ore with excessive fusibility on the productivity and quality of sinter. (Investigation on the use of a large quantity of iron ore with excessive fusibility--III). Aribumi Niida, et al.	S62
63	Application of surface combustion burner to the ignition furnace of sintering plant. Shigeki Kawakami, et al.	S63
64	Operation of Wakayama No. 4 Sinter Plant of Sumitomo Metal Industries with strand cooling. Takahisa Miyake, et al.	S64
65	Improvement of chimney lining for sintering plant. Kinji Kanematsu, et al. ...	S65

APRIL 4, 1986

66	Kinetics of reaction: SiC(s) + CO(g) = SiO(g) + 2C(s) in the temperature range of 1900 to 2200 °C. Toshikatsu Terui, et al.	S66
67	Desiliconization reaction of pig iron with MnO containing slag in the blast furnace. Chisato Yamagata, et al.	S67
68	Oxygen potentials liquid pig iron and slag tapped from commercial blast furnaces. Masaaki Sakurai, et al.	S68
69	Discussion on Si Transfer in blast furnace based on raceway measurement. Hiroji Satoh, et al.	S69
70	Development of a sideways tuyere sonde for measurement in and around the raceway. Kanji Takeda, et al.	S70
71	Si transfer in the vicinity of the raceway. Kanji Takeda, et al.	S71
72	Test operation with low flame temperature at Fukuyama No. 3 BF of Nippon Kokan K.K. Koichi Tomioka, et al.	S72

73	Operation for producing the pig iron with optimum qualities at Kimitsu No. 2 Blast Furnace of Nippon Steel Corporation. Shigeru Kutsuzawa, et al.	S73
74	Long-term operation with low silicon contents at Fukuyama No. 2 Blast Furnace of Nippon Kokan K.K. Takashi Wada, et al.	S74
75	Production of low [Si] and [S] pig iron in Nagoya No. 3 Blast Furnace at Nippon Steel Corporation. Toshiyuki Osawa, et al.	S75
76	Pulverized coal combustion in blow pipe . (Optimization of pulverized coal injection into blast furnace--I). Shin-ichiro Nomura, et al.	S76
77	Pulverized coal combustion in receway zone and optimization of coal injection. (Optimization of pulverized coal injection into blast furnace--II). Shin-ichiro Nomura, et al.	S77
78	Combustion and atomization characteristics of coal-water slurry. (Study on the combustion behavior in the lower part of blast furnace --II). Hiroyuki Mitsufuji, et al.	S78
79	Development of pulverized fuel combustion technology. Motofumi Kaminaka, et al.	S79
80	Experimental study on liquid flow behavior around the raceway by cold model. Katuhiro Tanaka, et al.	S80
81	Effect of liquid flow on the temperature distribution in the hearth. Koichi Kurita, et al.	S81
82	Analysis of flow and heat transfer in blast furnace hearth. (Technology for long-life blast furnace hearth--I). Kunihiro Kando, et al.	S82
83	NO formation during combustion of coke in various existing state in iron ore sintering process. Albert M. Malama, et al.	S83
84	Conditions for activating the oxidation of magnetite ore fines during sintering. Jun Okazaki, et al.	S84
85	Estimation model of JIS reduction index from structures in sinter. (Production of mineral phase controlled sinter-IX). Hiroshi Fukuyo, et al.	S85
86	Effect of existing stages of raw materials and atmosphere on formation of calcium ferrites in the course of sintering. Takaho Otomo, et al.	S86
87	Change in stress in the course of reduction of the skeleton hematite in sinter. Minoru Asada, et al.	S87
88	Immersion treatment of sinter in CaCl ₂ aqueous solution. Noboru Taguchi, et al.	S88
89	Development of simulation method aiming at quick evaluation of sintering process. (Approximate simulation model of sintering operation--I). Masami Wajima, et al.	S89
90	Melting model for iron ore in sintering process. Shin-ichi Horikawa, et al.	S90
91	Hydration rate of quick lime. Shunji Kasama, et al.	S91
92	Characterization of void in sinter by the X-ray computed tomographic scanner. Syoiti Harato, et al.	S92
93	Measurement of quasi-particle size by picture analysis. Shunsuke Arino, et al.	S93
94	Fundamental investigation of new agglomeration process. (Production of new agglomerate--I). Noboru Sakamoto, et al.	S94
95	Estimation on quality of new agglomerate based on its structure. (Production of new agglomerate--II). Noboru Sakamoto, et al.	S95
96	Effect of binder and water content on property of green briquette of iron ore. Terunobu Doi, et al.	S96
97	Reduction rate of cement-bonded cold pellet. Reijiro Takahashi, et al.	S97
98	Required strength of the cold bonded pellets cured in the yard. Kiyoshi Kojima, et al.	S98
99	Exergy evaluation of fired and cold pellets in ironmaking process. Tomohiro Akiyama, et al.	S99
100	Pilot-plant experiment for waste heat recovery of blast furnace slag. Kazutoshi Iwami, et al.	S100
101	Production test of construction material from blast furnace slag. Hayato Takemura, et al.	S101
102	Integration of ironmaking information system. Busei Takoshima, et al.	S102
103	Total control system for the operation of sintering plant. Masando Wakabayashi, et al.	S103
104	Development of berth plan system for ore and coal ship. Shin-ichiro Yamana, et al.	S104
105	Control system of hot stove thermal condition at Kashima No. 3 Blast Furnace of Sumitomo Metal Industries, Ltd. Atsunori Koike, et al.	S105
106	Results of reducing test of lowest limit temperature of silica bricks in hot stove. Atsushi Kondō, et al.	S106
107	Nippon Steel Nagoya No. 1 BF uppershaft repairing. Nobuyuki Shooji, et al.	S107
108	Smoothing technology of blast furnace shaft brick surface by use of explosive. Noriyuki Maekawa, et al.	S108

- 109 Jointing of wall bricks by plasma spraying. Yuji Narita, et al. S109
 110 Development of Al₂O₃-MgO castable refractories. (Development of refrac-
 tories for desiliconization at the cast house of blast furnace--I).
 Norizi Numata, et al. S110

-- IRONMAKING / STEELMAKING --

APRIL 2, 1986

- 111 Rapid reduction of chrome ore in BOF. (Fundamental study on smelting
 reduction process--III). Toshio Takaoka, et al. S111
 112 Influence of experimental conditions on the reduction rate of chromium
 ore. (Development of smelting method with high Cr content in 10 t
 experimental converter--IV). Takeyuki Hirata, et al. S112
 113 Smelting reduction of chromite ore by the bottom injection into
 de-siliconized iron melt. Masahiro Kawakami, et al. S113
 114 Effect of slag composition and temperature on the reduction rate of
 chrome oxide. Hiroshi Hirata, et al. S114
 115 Effect of oxygen partial pressure on the solubility of MgO·Cr₂O₃.
 Kazuki Morita, et al. S115
 116 Smelting reduction mechanism of chromium ore sinter by solid carbon.
 Shin Fukagawa, et al. S116
 117 Melting and reduction of pellet and briquetted iron ore in slag.
 Naoki Tokumitsu, et al. S117
 118 Concept and total system study of smelting reduction process.
 Masakazu Nakamura, et al. S118
 119 Evaluation of smelting reduction processes by use of simulation model
 based on mass and heat balances. Yoshiyasu Takada, et al. S119
 120 Test on melting of reduced iron and generation of gas by oxygen blowing
 in melting gasifier. (Development of a new iron making process--I).
 Hideyuki Yamaoka, et al. S120
 121 Test on production of reduced iron by CO rich gas in shaft furnace.
 (Development of a new iron making process--II). Hideyuki Yamaoka, et al. ... S121
 122 Test on production of iron by the coupling of shaft reduction furnace
 and melting gasifier. (Development of a new iron making process--III).
 Hideyuki Yamaoka, et al. S122
 123 Reaction mechanism during desiliconization with power blasting in blast
 furnace runner. (Development of hot metal treatment for mass
 production--II). Minoru Wada, et al. S123
 124 Desiliconization at runner of No. 3 BF at Kobe Works, Kobe Steel Works,
 Ltd. Yasuo Yoshida, et al. S124
 125 Development of pure oxygen bottom-blowing continuous process in selective
 oxidation. (Refining of pig iron containing Nb--V).
 Akira Fukuzawa, et al. S125
 126 Refining of pig iron containing Nb by continuous process in selective
 oxidation. (Refining of pig iron containing Nb--VI).
 Akira Fukuzawa, et al. S126

-- STEELMAKING --

APRIL 2, 1986

- 127 Mathematical analysis of solidification behaviour of multicomponent
 alloys. Toshio Fujimura, et al. S127
 128 Mathematical model for formation of MnS with $\delta \rightarrow \gamma$ transformation
 of steel. Yoshiyuki Ueshima, et al. S128
 129 Development of the method for detecting phosphorus segregates
 in steel. (Silver-method, red-method, blue-method).
 Yoshiko Funahashi, et al. S129
 130 Solidification analysis of continuously cast slabs with consideration
 of solute segregation. Sumio Kobayashi, S130
 131 Comparison between theoretical and experimental results of thermal
 analysis. (Numerical analysis of solute redistribution during
 solidification with δ/γ transformation--II). Sumio Kobayashi, et al. S131
 132 Initial solidification analysis in the vicinity of meniscus in
 continuous casting mold. Tsutomu Takamoto, et al. S132
 133 Effect of solidification structure and alloying elements on hot
 ductility of Fe-42%Ni alloys. Yukio Yashima, et al. S133
 134 Measurements of liquidus and solidus surfaces of Fe-Cr-Ni system.
 Akira Yamada, et al. S134

135	Analysis of solidification process in Fe-Cr-Ni system by use of C.M.A. Akira Yamada, et al.	S135
136	A molten steel treatment to enhance the undercooling susceptibility. Tadayoshi Takahashi, et al.	S136
137	Specifications and characteristic of low-head continuous casting test machine. (Development of low-head continuous caster--I). Chihiro Yamaji, et al.	S137
138	Operation result of low-head continuous casting test machine. (Development of low-head continuous caster--II). Fumio Nomura, et al.	S138
139	Quality of slabs produced by the low-head continuous casting test machine. (Development of low-head continuous caster--III). Kousaku Ozawa, et al.	S139
140	Facilities and operations of twin belt type continuous caster. (Development of thin slab casting process--I). Masakazu Koide, et al.	S140
141	Qualities of thin slab produced by twin belt type continuous caster. (Development of thin slab casting process--II). Toshihiko Murakami, et al. ..	S141
142	Casting test of thin slabs by an experimental caster of twin roll type. (A development of a thin slab caster of twin roll type--I). Haruo Sakaguchi, et al.	S142
143	Cooling and solidification characteristics of thin slab casting by twin roll caster. (A development of a thin slab caster of twin roll type--II). Hisaki Nishiyama, et al.	S143
144	Development of mold monitoring system at round billet caster. (Round billet casting process--XI). Hironori Yamamoto, et al.	S144
145	Development of auto starting system at round billet caster. (Round billet casting process--XII). Hironori Yamamoto, et al.	S145
146	Automated starting system of twin round billet casting. (Automation technology of round billet C.C.M. for seamless pipe--I). Masami Nakamura, et al.	S146
147	Hot round billet profile meter. (Automation technology of round billet C.C.M. for seamless pipe--II). Youichi Suzuki, et al.	S147
148	Relation between corrosion resistance and raw-material carbon brands of Al ₂ O ₃ -SiC-C brick for torpedo car. Saburo Miyagawa, et al.	S148
149	Erosion mechanism of bricks in torpedo car for hot metal pretreatment. Takao Suzuki, et al.	S149
150	Life extension of torpedo ladle mouth. (Development of refractories for hot metal pretreatment--II). Akira Ohte, et al.	S150
151	Fracture behavior of Al ₂ O ₃ -SiC-C brick. Tsutomu Sato, et al.	S151
152	Development and improvement of hot metal refining refractory. (Operational results of new steel making process--VII). Hiroshi Sugimoto, et al.	S152
153	Corrosion mechanism of alumina brick by adhered slag in steel making ladle. Tetsuo Sato, et al.	S153
154	Influence of raw material purity on durability of unburned MgO-CaO-C bricks. Yasuo Imaida, et al.	S154
155	Stress analysis on BOF bricks for spall-prevention. Juki Yagi, et al.	S155
156	Improvements of RH-injection refractories. Seiji Asou, et al.	S156
157	Design and operational condition of ladle for arc refining process. Hideaki Fujimoto, et al.	S157

APRIL 3, 1986

158	Effect of carbon content on the solidification structure of a large section concast bloom. Yasuo Hitomi, et al.	S158
159	Effects of alloying elements and cooling rate on austenite grain size of as-cast low alloy steels. Tsuneaki Nagamichi, et al.	S159
160	Effect of austenite structure on surface crack formation of continuously cast slabs. Ken Nakai, et al.	S160
161	Stress Relaxation during hot deformation of low alloy steels. Yasuhiro Maehara, et al.	S161
162	Measurement of stress-strain curves in a small strain range of steels at elevated temperature. Tooru Matsumiya, et al.	S162
163	Improvement of transverse cracking of C.C. slab of hypo-peritectic solidification steel. Shoji Tokushige, et al.	S163
164	Morphological control of carbo-nitride precipitation and hot ductility of low alloy steels. Yasuhiro Maehara, et al.	S164
165	Effect of thermo-mechanical history on surface cracking of as-cast low alloy steel slabs. Kunio Yasumoto, et al.	S165
166	Influence of microalloying element on hot ductility and precipitation of carbonitride in low carbon Nb bearing steel. Shoji Miyagawa, et al.	S166
167	Embrittlement of Nb bearing steel due to precipitation of carbonitride in secondary cooling zone. Shoji Miyagawa, et al.	S167

168	The consideration of LD converter stirring characteristics by water model test. (Influence of furnace profile on refining characteristics in combination blowing converter--I). Ichiro Kudo, et al. ...	S168
169	Influence of furnace profile on the refining reaction in combination blowing converter. (Influence of furnace profile on refining characteristics in combination blowing converter--II). Hisashi Sato, et al.	S169
170	The technical development of converter blowing with circulating oxygen lance and bottom blowing stirrer. Keiji Yoshioka, et al.	S170
171	Development of powder bottom blowing. (Development of new combined blowing with powder bottom blowing--I). Masateru Mori, et al.	S171
172	Metallurgical effect of new combined blowing process with powder blowing. (Development of new combined blowing with powder bottom blowing--II). Satoshi Yoshida, et al.	S172
173	Metallurgical characteristics of reaction in using CO gas as the bottom blowing. (Application of CO gas to BOF--III). Yasuo Kishimoto, et al.	S173
174	Production of high grade stainless steels using dephosphorized hot metal. Akiteru Tamida, et al.	S174
175	Improvement of stainless steel refining in top and bottom blown converter. Yūki Nabeshima, et al.	S175
176	Stainless steel making in large capacity LD converter and cast in bending type continuous caster. Hiromi Ishii, et al.	S176
177	Manganese behavior in top and bottom blowing BOF at higher manganese level. Takashi Okada, et al.	S177
178	Influence of stirring energy on reduction of manganese ore in combined blowing process. Naoki Hirashima, et al.	S178
179	Optimum manganese control method in hot metal dephosphorization top and bottom blowing converter. Ikuo Hoshikawa, et al.	S179
180	Combined blowing technique on the medium and high carbon steel making. (Operation result of new steel making process--VIII). Masaki Nitta, et al.	S180
181	Basic research of post combustion in converter vessel. Minoru Ishikawa, et al.	S181
182	Fundamental study on post combustion in LD converter. (Fundamental study on smelting reduction process--I). Hideo Nakamura, et al.	S182
183	Operation of coal injection process in LD converter. (Development of heat addition method in LD converter--I). Toshiya Harada, et al.	S183
184	Experimental results on coal injection in LD converter. (Development of heat addition method in LD converter--II). Masanao Ohmori, et al.	S184
185	Development of 100 % scrap melting operation using test converter. Shuji Takeuchi, et al.	S185
186	Cooling of hot spot in oxygen blown jet. (Evaporation behavior of metals--I). Kiminari Kawakami.	S186
187	Effect of bubble bursting on the decarburization of Fe-C melt. (Study on fume formation in oxygen steelmaking--III). Hidetake Ishikawa, et al.	S187
188	Estimation of carbon segregation in steel ingot. Takashi Sakurai, et al.	S188
189	Microscopical investigation of inverse V segregation in a large ingot. Toshio Motoi, et al.	S189
190	Improvement in center porosity of continuously cast large section bloom by soft reduction near solidification end. Katsuyoshi Iwata, et al.	S190
191	Experimental study on deformation behaviour of solidifying ingot with soft-reduction. Masafumi Zeze, et al.	S191
192	Theoretical analysis of squeezing conditions to suppress the interdendritic fluid flow due to solidification shrinkage in continuously cast steel strand. (Analytical studies on the fluid flow during the late stage of solidification in continuous casting of steel --III). Ken-ichi Miyazawa, et al.	S192
193	Optimum rate of soft reduction of continuously cast slab. (Study on countermeasures for centerline segregation of continuously cast slab--III). Mamoru Yamada, et al.	S193
194	Morphology of centerline segregation in soft reduction of continuously cast slab. (Study on countermeasures for centerline segregation of continuously cast slab--IV). Shigeaki Ogibayashi, et al.	S194
195	Effect of mold size on center line segregation of continuously cast blooms. Hisao Yamasaki, et al.	S195
196	Effects of electro-magnetic brake on surface quality of medium carbon strand cast slabs. Haruji Okuda, et al.	S196
197	Investigation results of large size bloom by continuous casting process. Yoshimi Omotani, et al.	S197
198	Effects of casting powder characteristics on the permeability of unmelted layer. Hakaru Nakato, et al.	S198

199	Direct measurement of non-metallic inclusion distribution simulated in aqueous model tundish. Shigenori Tanaka, et al.	S199
200	Examination of spinning lance bubbling process in tundish. Kazuhiko Matsuo, et al.	S200
201	Test result of bubbling in CC tundish. (Development of inclusion removal method in tundish--IV). Norifumi Kasai, et al.	S201
202	Effects of compound vortex motion on removal of inclusions. (Development of tundish technology for inclusions--I). Einao Anzai, et al. ..	S202
203	Cleaning of steel by the CaO tundish filter dam. Masayuki Maeda, et al.	S203
204	Adhesion mechanism of alumina in molten steel to ceramic filter. Yasuhiro Kawashima, et al.	S204
205	Removal of non metallic inclusions in tundish with use of ceramic filter of Al killed steel. Yoshio Nuri, et al.	S205
206	Continuous measurement of soluble oxygen in steel in a CC tundish. (A development of continuous measurement of soluble oxygen in steel--I). Yoshiyasu Shirota, et al.	S206
207	Construction of the hot metal pretreatment equipment in Nagoya Works, Nippon Steel Corp. Yutaka Akabayashi, et al.	S207
208	The application of oxygen gas to hot metal pretreatment. Ryoichi Sakomura, et al.	S208
209	Development of dephosphorization flux - BOF slag base flux. (Development of hot metal pretreatment for mass production--I). Tohru Matsuo.	S209
210	Continuous de-Si, de-P, de-S treatment in exclusive furnace. (Operational results of new steel making process--IV). Kiminori Hajika, et al.	S210
211	Hot metal pretreatment operation by slight de-Si treatment. (Operational results of new steel making process--V). Kiminori Hajika, et al.	S211
212	Improvement of injection lance life for pretreatment of hot metal. (Operational results of new steel making process--VI). Tetsuzo Ogura, et al.	S212
213	Construction and operation of hot metal pre-treatment equipment. (Construction and operation of hot metal pre-treatment at Mizushima Works, Kawasaki Steel Corp.--I). Masahito Suitoh, et al.	S213
214	Instrumentation system of hot metal pre-treatment. (Construction and operation of hot metal pre-treatment at Mizushima Works, Kawasaki Steel Corp.--II). Yoshitaka Ohiwa, et al.	S214
215	Construction and operation of hot metal pretreatment equipment in Fukuyama Works, Nippon Kokan K.K. Osamu Yamase, et al.	S215
216	Reduction of chromium-ore in electric arc furnace. Takeshi Ishiguro, et al.	S216
217	Test operation of an electric furnace using the briquetted manganese ore. Katsuyoshi Fukami, et al.	S217
218	Improvement of LF refining. Masayuki Kawachi, et al.	S218
219	Viscosity measurement of molten alumina by counterbalanced sphere apparatus. Kenji Hiroshima, et al.	S219
220	Relation between in slag-metal system mass-transfer rate and stirring conditions of gas-injection. Masahiro Hirasawa, et al.	S220
221	Interaction between oxygen and molybdenum, niobium, vanadium in Fe-O-Mo, Nb, V liquid solution. Yasunori Nakatani, et al.	S221
222	Effect of CaO, MgO, MnO and SiO ₂ on the activity coefficient of P ₂ O ₅ in Fe _t O-P ₂ O ₅ systems. Nobuaki Ohara, et al.	S222
223	Activities of the constituents in Fe _t O-SiO ₂ -MnO-MgO slags. Mitsuru Ejiri, et al.	S223

APRIL 4, 1986

224	Improvement of internal quality in continuously casted stainless steel slabs. Hidenori Tutida, et al.	S224
225	Measurement of δ ferrite content in γ type stainless steel C.C. billet with EPMA. Koetsu Abe, et al.	S225
226	Manufacturing of 12%Cr-steel ingot by ladle refining furnace and ESR process. Mitsuaki Maeda, et al.	S226
227	Vertical stirrer. (Development of in-the-mold stirring method for continuously cast slab--I). Sumio Kobayashi, et al.	S227
228	Improvement of the surface layer quality of continuously cast slab with electromagnetically vertical stirrer. (Development of in-the-mold stirring method for continuously cast slab--II). Jun-ichiro Yoshiyama, et al.	S228
229	Experimentation and consideration about in-mold EMS of continuous caster. (Development of in-mold EMS at slab caster--I). Hikaru Ueta, et al.	S229

230	Improvement of V-segregation by final stage electromagnetic stirring in hot model simulation. Takashi Kanazawa, et al.	S230
231	Fluid flow of carbon and stainless steels by electromagnetic stirring. Kenzo Ayata, et al.	S231
232	Efficiency of revolving-field type electromagnetic stirrer with separated armatures and electromagnetic analysis. Hirofumi Furukawa, et al. ..	S232
233	Development on continuous casting mold for magnetic stirring. Makoto Tsunoi, et al.	S233
234	Design and operation of pure CO recovery plant. Susumu Koizumi, et al.	S234
235	Estimation of contents at blow end by measuring the oxygen content in molten steel. Shin-ichi Nakajima, et al.	S235
236	The on-line monitoring system of bottom blowing nozzle erosion in combined blowing of BOF. Yoshihiro Igaki, et al.	S236
237	Evaluation of vessel vibration of the top and bottom blown converter. Masahiro Yoshida, et al.	S237
238	Generation mechanism of dust in converter. Kyoichi Kameyama, et al.	S238
239	Experimental results on dust formation by small melting furnace. (Study on mechanism of dust formation in converter--I). Takamasa Ohno, et al.	S239
240	Formation behavior of dust in converter. (Study on mechanism of dust formation in converter--II). Ryoji Tsujino, et al.	S240
241	Blowing technology in BOF by using dephosphorized hot metal. (Development of blowing technology in BOF by using pretreated metal--I). Masahiro Kawakami, et al.	S241
242	Technology of decreasing (T.Fe) in slag with less slag blowing. (Development of blowing technology in BOF by using pretreated metal--II). Yasunori Muraki, et al.	S242
243	Characteristics of combined blowing CV using pretreated hot metal. (Construction and operation of hot metal pre-treatment at Mizushima Works, Kawasaki Steel Corp.--II). Hisashi Osanai, et al.	S243
244	Establishment of high heating-up speed technique. (Development of the simple heating-up method in ladle--II). Masatomo Sasagawa, et al.	S244
245	Construction of ladle arc refining equipment. (Development of ladle arc refining process--I). Kunio Kataoka, et al.	S245
246	Stirring characteristics of ladle arc refining process. (Development of ladle arc refining process--II). Tsuyoshi Mimura, et al.	S246
247	Construction and operation of ladle furnace facilities in No.2 steelmaking shop at Mizushima Works, Kawasaki Steel Corp. Masahiro Noguchi, et al.	S247
248	Operation and refining performance of pulsating mixing process. Akio Sato, et al.	S248
249	Desulfurization behavior on powder injection into ladle under vacuum. Junji Nakashima, et al.	S249
250	Powder injection process under reduced pressure and its operation at Kimitsu Works, Nippon Steel Corp. Shuji Kuwajima, et al.	S250
251	Dephosphorization of molten steel by CaO-based flux. Toshiyuki Kaneko, et al.	S251
252	Dephosphorization of iron containing chromium in 50 ton EF-VAD. Hajime Mori, et al.	S252
253	Production of super low phosphorous steel by ladle furnace. Yoshio Watanabe, et al.	S253
254	Nitrogen control in RH degassing process. Nobuhiro Kurokawa, et al.	S254
255	Acceleration of removal of nitrogen by SiO ₂ -powder blowing from a top lance under reduced pressure. Kaoru Shimme, et al.	S255
256	Denitritization rate of molten stainless steel in VOD. Hajime Mori, et al.	S256
257	Development of continuous oxygen estimation technology at RH degasser. Masafumi Ikeda, et al.	S257
258	Refining process of valve spring steel. Kazuya Iemura, et al.	S258
259	Method for prevention of carry-over of molten slag into tundish with floating valve in ladle. Takayuki Taenaka, et al.	S259
260	Effect of atmospheric oxygen on the oxidation rate of [Al] in molten steel. Hideaki Yamamura, et al.	S260
261	Development of RH injection technology. Shigenori Yagura, et al.	S261
262	Analysis of reaction mechanism in RH vacuum degassing system by water model experiment. (Development of RH injection technology--II). Yoshihiko Kawai, et al.	S262
263	Effects of some factors on desulphurization by RH-injection method. (Development of RH-injection technology--III). Koichi Endoh, et al.	S263
264	Recent operation of No.4 CCM in Oita Works, Nippon Steel Corp. Hiroaki Iiboshi, et al.	S264
265	Establishment of technique for high speed casting, 2.5 m/min. (Technique and operation of No.5 CCM at Fukuyama Works, Nippon Kokan K.K. --VI). Koichi Ozawa, et al.	S265

266	Measures for decreasing fuel consumption of slab edge heater. (Technique and operation of No.5 CCM at Fukuyama Works, Nippon Kokan K.K. --VII). Kazutaka Okimoto, et al.	S266
267	Development of full automatic pour technology. Akira Matsushita, et al.	S267
268	Replacement of the steel making process computer system by micro- computers. Yoshito Tanaka, et al.	S268
269	Cost saving operation of No.1 continuous casting machine at Fukuyama Works, Nippon Kokan K.K. Tadashi Uchida, et al.	S269
270	High temperature charging at HCR for plate. Hitoshi Kawashima, et al.	S270
271	Unification of slab conditioning yard. Masahiko Ikeda, et al.	S271
272	Long casting technology of ultra low carbon steel. Noriyuki Shidawara, et al.	S272
273	Techniques for continuous casting of hyper-eutectoid steel (SK2) slab. Kouichi Ooki, et al.	S273
274	Development of the welding material for the slab support under the mold. Masashi Kawamoto, et al.	S274
275	CC-roller bending during casting and effect of slit-roller on roller bending. Atsushi Nishino, et al.	S275
276	Behaviours of roll deformation during casting stoppage. (Study of roll bending in continuous casting machine for steel slab--I). Yasuo Fujiwara, et al.	S276
277	Effect of material component on the opening ratio of SN packing sands. (Development of new technology for sliding nozzle free opening--IV). Teiichi Ando, et al.	S277
278	Development of refractory for high oxygen content steel casting. Hiroshi Shikano, et al.	S278
279	Development of ZrO ₂ sleeve to prevent the clogging in the immersion nozzle for continuous casting machine. Aimei Shiraishi, et al.	S279
280	Formation of Al ₂ O ₃ inclusions with the reaction between Al ₂ O ₃ -graphite refractory and liquid iron. Yoshimori Fukuda, et al.	S280
281	Mechanism of nozzle clogging prevention by Ca addition. Atsushi Ishikawa, et al.	S281
282	Quantitative design for shape of the immersion nozzle. Akio Uehara, et al.	S282
283	Influence of [S], [H], [N] on the occurrence of surface pinholes caused by Ar gas in continuous casting bloom. Kazuo Kanamaru, et al.	S283
284	Solubilities of carbon dioxide in BaO-BaCl ₂ , SrO-SrCl ₂ and CaO-CaCl ₂ fluxes. Hideki Iritani, et al.	S284
285	Solubilities of carbon dioxide in CaO-CaF ₂ -CaCl ₂ , CaO-(MgO, SrO, BaO)- CaCl ₂ molten fluxes. Masafumi Maeda, et al.	S285
286	Kinetic study of carbon dioxide in CaO-CaCl ₂ molten fluxes. Takashi Ikeda, et al.	S286
287	Effects of MnO and Al ₂ O ₃ on phosphorus distribution between Na ₂ O- based slag and liquid iron. Kyoji Kunisada, et al.	S287
288	Phosphorus and manganese distributions between high MnO content slag and molten steel. Shohei Koroki, et al.	S288
289	Oxygen partial pressure in equilibrium with FeO-Fe ₂ O ₃ -BaO melts. Shigeta Hara, et al.	S289
290	Deoxidation of liquid iron with barium. Shuichi Kato, et al.	S290
291	Influence of sintering condition of lime crucible on desulphurization in hot metal. Toru Degawa, et al.	S291
292	Desulphurization behaviour of hot metal with calcia refractories containing MgO, Al ₂ O ₃ , SiO ₂ . Toru Degawa, et al.	S292
293	Splash formation by top blown or submerged gas jet. (Fundamental study on smelting reduction process--II). Katsuhiro Iwasaki, et al.	S293
294	Estimation of sloshing height of liquid metal caused by gas injection. Teruhisa Kishigami, et al.	S294
295	Tuyere accretion growth at gas injection into liquid. Yasuhisa Ozawa, et al.	S295
296	Evaporation of silicon in pig iron by reaction with FeCl ₂ . Hiroyuki Hirasawa, et al.	S296
297	Influence of metallurgical factors on the phosphorus removal from molten crude stainless steel with CaC ₂ -CaF ₂ flux by argon gas pressured. (Study on the refining with high gas pressure--II). Yuji Kawauchi, et al.	S297
298	Laboratorial investigation of desorption of nitrogen from molten steel by reductive gas. Susumu Mukawa, et al.	S298
299	Decarburization reaction of molten stainless steel with Cr ₂ O ₃ -CaO- SiO ₂ slags. Ryuji Nakao, et al.	S299
300	A consideration on the role of lime pore on desulphurization of hot metal. Mitsuru Ueda, et al.	S300
301	Kinetics of desulfurization reaction on powder bottom injection. Mitsuo Higuchi, et al.	S301

-- SHAPING & FABRICATION · INSTRUMENTATION & CONTROL --

APRIL 2, 1986

302	Effect of C and Mo contents on wear resistance of work roll for cold strip mill. Manabu Ohori, et al.	S302
303	Effects of Ni addition on the hardening depth of cold rolling mill roll. Masatake Ishii, et al.	S303
304	Heat treatment for the roll with optimum hardness distribution (for radius direction). Motohiro Egawa, et al.	S304
305	Effect of carbides on high temperature and long time wear properties of materials for hot working rolls. Hiroshi Noguchi, et al.	S305
306	Influence of casting structure on toughness of rear stands work roll in hot strip mills. Hiroshi Fukuzawa, et al.	S306
307	Analysis of temperature and thermal stress of rolls for hot rolling. Yasuhiro Higashida, et al.	S307
308	Measurement method of residual stress of rolls and countermeasure to thermal stress breaking. Toshio Kikuma, et al.	S308
309	Mechanism of defect on stainless steel by ceramic roll. Masahiko Ito, et al.	S309
310	Improvement of roll life by solid lubrication oil. (Application of rolling oil on edge rolling mill--III). Migaku Fujimoto, et al.	S310
311	Application of chrome deposit work roll. Ichiro Aoki, et al.	S311
312	Application of high chrome iron roll for cold rolling. Takaharu Kawamoto, et al.	S312
313	Development of address control system of wire rod in the warehouse. Yasuo Kosuge, et al.	S313
314	Interactive technological information system. Masaki Yagi, et al.	S314
315	Development of electric power control system in Fukuyama Works, Nippon Kokan K.K. Yukio Toyota, et al.	S315
316	Energy control system at Wakayama Steel Works, Sumitomo Metal Industries, Ltd. Mikio Morita, et al.	S316
317	Energy control system. Yoshinori Ookawa, et al.	S317
318	Data management system for condition based maintenance. Shingo Kitajima, et al.	S318
319	Test method for smooth replacement of process computer system. Shin-ichiro Shimoi, et al.	S319
320	Development of a compact process computer using micro-processors. Yasukatsu Tatsumi, et al.	S320
321	Development of rule driven simulator for stowage planning. Isao Ichihara, et al.	S321
322	Pickling with scale breaking rolling. (Development of high speed pickling of hot strip coils--I). Tsuyoshi Sasaki, et al.	S322
323	Solvent extraction method of nitric-hydrofluoric acid. (Recovery of acid and iron from pickling waste liquid of stainless steel--VII). Minoru Hoshino, et al.	S323

APRIL 3, 1986

324	Width reduction technique by vertical rolling mill with 2 200 mm diameter work rolls. Kensuke Mori, et al.	S324
325	Test of non-crop rolling on edge rolling mill. (Development of a new rolling method to get high yield on edge rolling mill--III). Katsumi Takada, et al.	S325
326	Outline of improvement of hydraulic edger. (Improvement of width control system in Fukuyama No. 2 Hot Strip Mill, Nippon Kokan K.K.--I). Hisatomo Eda, et al.	S326
327	Development of width control system by VSB. (Improvement of width control system in Fukuyama No. 2 Hot Strip Mill, Nippon Kokan K.K.--II). Ken Kurihara, et al.	S327
328	Direct linked operation in schedule free rolling. (Schedule free rolling operations in hot strip mill at Yawata Works, Nippon Steel Corporation--I). Hiroshi Omi, et al.	S328
329	Elemental technologies of schedule free rolling. (Schedule free rolling operations in hot strip mill at Yawata Works, Nippon Steel Corporation--II). Akio Karato, et al.	S329
330	Development of mill pacing system for reversible roughing-train. (Schedule free rolling operations in hot strip mill at Yawata Works, Nippon Steel Corporation--III). Michinori Orino, et al.	S330
331	Development of high-accuracy absolute mode AGC in hot strip mill. Yuichi Tsuji, et al.	S331
332	Improvement of looper control system in hot strip mill. Ei Takeda, et al.	S332
333	Strip crown control technology by pair cross mill. Yuichi Hiraishi, et al.	S333

334	Outline of strip crown control during rolling. (Strip crown control during rolling in hot strip finishing mills--I). Tetsuya Ogawa, et al.	S334
335	Simultaneous control method of the strip thickness and crown. (Strip crown control during rolling in hot finishing mills--II). Hiroshi Kaizuka, et al.	S335
336	Effect of taper oscillation rolling on crown of hot strips. (Crown control of hot strips by work roll shift mill using bottom tapered rolls--VII). Youji Utashiro, et al.	S336
337	High accuracy coil cooling temperature control applying Kalman filter. Mitsuhiro Nishio, et al.	S337
338	Application of slit laminar cooling to the runout table cooling process in hot strip mill. Masafumi Miyaguchi, et al.	S338
339	Effect of rolling condition on surface cracking in direct rolling. Hiroshi Ogawa.	S339
340	Effect of slab inner temperature distributions on annihilation of loose structure by new rolling. Tadashi Hashimoto, et al.	S340
341	Relationship between properties of oscillation mark and hot-ductility of continuously casted 18Cr-8Ni stainless steel billet. Yoshihiro Hanai, et al.	S341
342	Development of a diagnosis of low speed bearings using Fe content meter. Matsuo Yoshimoto, et al.	S342
343	Effect of rolling condition on spindle's breaking accident in blooming mill. Shigenori Tsuzuki, et al.	S343
344	Prevention of electrolytic corrosion for the bearing of DC machine at continuous annealing line. Junji Ojio, et al.	S344
345	Development of accelerated cooling and direct quenching facilities. (Development of a new process for manufacturing steel plates by controlled cooling--IV). Yoshikazu Obanya, et al.	S345
346	Development of the cooling equipment with slit-jet nozzle. (Development of a new process for manufacturing steel plates by controlled cooling--V). Hidekatsu Fukumitsu, et al.	S346
347	Water cooling method for direct quenching device of steel plate. (Development of a new process for manufacturing steel plates by controlled cooling--VI). Akinori Otomo, et al.	S347
348	Production of tapered thickness plate with accelerated cooling process. Motohiro Nagata, et al.	S348
349	Investigation of slit laminar cooling in dynamic accelerated cooling of hot plate. Michiharu Hariki, et al.	S349
350	Control of impact drop in plate mill. (Development of very slow speed rolling technique--I). Yasuhiro Yamamoto, et al.	S350
351	The equipment and the operation of new hot leveller of Kashima, Sumitomo Metal Industries, Ltd. Kunihiko Ushio, et al.	S351
352	Plasma cutting device for plate. Takafumi Fukui, et al.	S352
353	An experimental study on plug displacement in cross rolling mills. Kazuhiro Iga, et al.	S353
354	Fundamental study on manufacturing high alloyed steel tubes by Mannesmann process. Yasuhiro Sodani, et al.	S354
355	Development of inner bead shredding equipment at electric resistance welded tube mill. Hideyasu Minami, et al.	S355
356	Apply of constant current control system for flash butt welder in ERW mill. Michiaki Yoshida, et al.	S356
357	Development of ERW pipe for high-strength and high-toughness bend pipe. Osamu Shiotani, et al.	S357
358	Development of UO pipe inner welded-bead milling machine. Yoshihiro Sakagami, et al.	S358
359	Thread load distribution in thread connection. Katsuo Ueno, et al.	S359
360	Simulation test of tees forming. Yasuo Ono, et al.	S360
361	Elastic-plastic analysis of forming processes for material property controlled (Simulation of upset forging of cylinder). Hiroshi Sakuta, et al.	S361

APRIL 4, 1986

362	A new universal rolling method of flat bar. Arihide Kawamura, et al.	S362
363	Development of online set-up calculation for billet rolling. (Development of a computer control technology for the billet mill--II). Takashi Fujimoto, et al.	S363
364	Development of a sectional profile control technology (MFPC) for a tandem mill with grooved rolls. (Development of a computer control technology for the billet mill--III). Kazushi Baba, et al.	S364
365	Outline of coil line. (Coil line of new bar mill in Kobe Works, Kobe Steel, Ltd.--I). Yutaka Ichida, et al.	S365
366	Operation results of coil line. (Coil line of new bar mill in Kobe Works, Kobe Steel, Ltd.--II). Yutaka Ichida, et al.	S366

367	Construction and operation of No. 2 pickling line ~ No. 1 cold tandem fully continuous mills at Mizushima Works, Kawasaki Steel Corporation. (Development of technology on connection pickling line with cold tandem mills--I). Tomio Komatsu, et al.	S367
368	Development of high speed descaling technology. (Development of technology on connection pickling line with cold tandem mills--II). Hiroyasu Yuasa, et al.	S368
369	Development of flying width change technology. (Development of technology on connection pickling line with cold tandem mills--III). Shigeru Kuroda, et al.	S369
370	Operation and facilities of the advanced fully continuous tandem cold rolling mill. (Construction of fully continuous cold rolling mill for ultra-thin gauge steel strip--II). Hidenori Miyake, et al.	S370
371	Basic construction and characteristics of cluster mill. (Characteristics of 12 Hi cluster mill--I). Harumasa Muramoto, et al.	S371
372	Characteristics of cold rolling of cluster mill. (Characteristics of 12 Hi cluster mill--II). Yasuhiro Yamada, et al.	S372
373	Automatic flatness control system of cluster mill. (Characteristics of 12 Hi cluster mill--III). Sadamu Terado, et al.	S373
374	An analysis of roll deformation for sendzimir mill. (A development of shape control in rolling by sendzimir mill--I). Toru Matsuda, et al.	S374
375	Forward slip rate control by lubricant control at rolling. (Development of forward slip rate control--I). Jun Hashimoto, et al.	S375
376	A model for estimation of forward slip rate and investigation of model accuracy. (Development of forward slip rate control--II). Hiroyasu Yamamoto, et al.	S376
377	Characteristics of cold rolling with negative forward slip ratio. (Development of forward slip rate control--III). Toshiyuki Shiraishi, et al.	S377
378	Estimation of strip temperature in cold rolling by using simulation model. Osamu Miyamae, et al.	S378
379	Process control system for cold tandem mill. (Modernization of Wakayama Cold Tandem Mill, Sumitomo Metal Industries, Ltd.--I). Akihiro Koizumi, et al.	S379
380	Development of automatic coil paper-packaging machine. Yoshikazu Jitsukata, et al.	S380
381	Residual stress of very thin steel sheets in process. Tetsu Matoba, et al.	S381
382	Development of new type AGC (YUOT AGC) for cold tandem mill. Tadao Terasaki, et al.	S382
383	Automatic gage control system for sendzimir mill at Hikari Works, Nippon Steel Corporation. Kazuhiro Yanai, et al.	S383
384	Unified analytic solution of one-dimensional unsteady-state conduction. (Development of simulation model for bar rolling--I). Kazuo Arai.	S384
385	Application of unified one-dimensional unsteady-state conduction analytic solution for simulation of bar rolling temperature. (Development of simulation model for bar rolling--II). Kazuo Arai, et al.	S385
386	Material temperature estimation system of bar & rod mill at Mizushima Works, Kawasaki Steel Corporation. (Furnace computer control--I). Shinya Nishijima, et al.	S386
387	Mill pacing control of bar and rod mill in Mizushima Works, Kawasaki Steel Corporation. (Furnace computer control--II). Nobuyuki Honda, et al.	S387
388	Development of furnace computer control of billet mill. Toru Takahashi, et al.	S388
389	Heat treatment furnace control system in cold drawing plant of seamless steel tube. Masami Kanai, et al.	S389
390	Development of continuous annealing furnace for low dew point control. Norio Anzawa, et al.	S390
391	Computer control system for bright annealing furnace. Akira Hata, et al.	S391
392	Oxygen control system in open coil annealer. Yasuhiko Shimatani, et al.	S392
393	Simulation of slab reheating furnace. Yutaka Soejima, et al.	S393
394	Application of optical fiber pyrometer to induction furnace. Michio Mukōkubo, et al.	S394
395	Development of temperature measuring method of materials in the furnace. Michio Mukōkubo, et al.	S395
396	Multiple points thermometer using fiber optics for steel plate. Yaheiji Hattori, et al.	S396
397	Development of a scanning type radiation thermometer. Tomikazu Yagi, et al.	S397
398	On-line measurement of strip temperature during cold rolling of metastable austenitic stainless steel. Teruo Tanaka, et al.	S398

399	Development of shape meter for hot strip rolling. Ken-ichi Matsui, et al.	S399
400	Automatic ultrasonic testing equipment for the plate. Kouzou Maeda, et al.	S400
401	Detection of chevron cracks by the eddy current inspection method at steel wire drawing. Tsuneo Kuwahata, et al.	S401
402	Development of on bead UST. Takahiro Oka, et al.	S402
403	Development of on-line system for detecting ear and tracking in CAL. Haruo Kawaguchi, et al.	S403
404	Development and application of bulge width measuring gage in mandrel mill. Hiromu Oka, et al.	S404
405	Evaluation of laser beam diameter for laser welding. Naoya Hamada, et al.	S405

-- CHEMICAL ANALYSIS . SURFACE TREATMENT --

APRIL 2, 1986

406	Determination of silicon in iron and steel by flow injection analysis. Tsuyoshi Imakita, et al.	S407
407	Determination of trace amounts of silicon in steel by silicon fluoride distillation ICP emission spectrometry. Mitsuharu Okano, et al.	S408
408	Analysis of rare earth permanent magnet (Sm-Co, Nd-Fe-B) by ion chromatography and inductively coupled plasma atomic emission spectroscopy. Kyoko Fujimoto, et al.	S409
409	Determination of impurities in titanium and titanium alloy by ICP emission spectrometry. Fumikichi Mogi, et al.	S410
410	Direct analysis of molten iron and steel by chloride generation and transport method. Takamasa Takahashi, et al.	S411
411	Fluorescent X-ray analysis of chrome ores with glass bead technique. Noriko Yasui, et al.	S412
412	Application of glow discharge mass spectrometry to the steel analysis. Koichi Chiba, et al.	S413
413	Auto analyzer for ferrous oxide in sintered ore. Susumu Yamaguchi, et al. ...	S414
414	Determination of unsmelted CaO in LD-converter slag. Shigeyuki Mori, et al. ..	S415
415	Analysis of α' -phase and carbides in high Cr Ni base alloys. Atsushi Chino, et al.	S416

APRIL 3, 1986

416	Analysis of Zn-Fe electrodeposited steel sheets by electrolysis or dipping in alkali solution. Sachiko Keba, et al.	S417
417	Applications of thin film X-ray diffraction method. Michio Katayama, et al.	S418
418	Quantitative analysis of tin plating layers using glow discharge spectrometry. Ken-ichi Suzuki, et al.	S419
419	Dependence of sputtering yield on incident angle for ion beam. Hironori Tanizaki, et al.	S420

APRIL 2, 1986

420	AC impedance of coated steel under degradation. Shirō Haruyama, et al.	S421
421	Degradation and mass transport of coated steel. Mitsuyori Asari, et al.	S422
422	Atmospheric corrosion resistance of COR-TEN steel treated by the weather coat process. Toshitaka Kajiki, et al.	S423
423	High speed curing properties of surface treated sheets. (Application of induction curing--I). Keiji Yoshida, et al.	S424
424	Evaluation of creepage on painted steel sheet. Hisamitsu Mizuki, et al.	S425
425	Long-term durability of the internal coating in the hot water environment. Kunitoshi Kimura, et al.	S426
426	Frost damage proofed pipe piles covered with plastic materials. Toshiyuki Ohkuma, et al.	S427
427	Effect of brittleness temperature of adhesion on impact resistance of polyethylene-coating at low temperature. (Improvement of adhesion between steel and polyethylene-coating--III). Yoshitaka Kusano, et al.	S428
428	Effect of cooling condition on bondability of polyethylene modified with organic acid to steel. Hiroshi Entani, et al.	S429
429	Corrosion characteristics of marine structure. (Investigation of corrosion protection methods for marine structures--I). Jun-ichi Nagata, et al.	S430

- 430 Corrosion characteristics of metal lining structure. (Investigation of corrosion protection methods for marine structures--II). Kazuhiro Masuda, et al. S431

APRIL 3, 1986

- 431 Equipment and operation of radial cell electrogalvanizing line. Tatsuya Sakamoto, et al. S432
- 432 Production of Zn based alloy plated steel sheets at Kashima electrolytic galvanizing line, Sumitomo Metal Industries, Ltd. Shin-ichi Tsuchiya, et al. S433
- 433 The outline of Kimitsu No.2 electro-galvanizing line, Nippon Steel Corporation. Nobuo Nomoto, et al. S434
- 434 Continuous discharge system of sludge of stainless strip in HNO₃/HF solution. Eiji Miura, et al. S435
- 435 Development of the jet nozzle for electric galvanizing line. Osami Yoshioka, et al. S436
- 436 Analysis of strip behavior in the electrolytic cell. (Development of new electroplating process--IX). Kouji Tanimura, et al. S437
- 437 Simulation of high-speed electro-deposition by the rotating cathode cell. (Development of new electroplating process--X). Ryoichi Yoshihara, et al. S438
- 438 Results of operation and improvements to fabricate products of better quality at No.3 CGL in Keihin Works, Nippon Kokan K.K. Yoshitsugu Ando, et al. S439
- 439 Operation and equipments of new continuous chromium plating line. Katsuji Fukushima, et al. S440
- 440 Features of the coating line for steel sheet for automobile body. Makoto Aikawa, et al. S441
- 441 Influence of granular metallic chromium coating on weldability of tin free steel-chromium type. Hajime Ogata, et al. S442
- 442 The effect of microstructure and composition of tin free steel film on weldability. Nobuyoshi Shimizu, et al. S443
- 443 Prevention of alloying of tin in baking by chromium under layer. (Development of the Sn-Cr double coated steel sheet for welded cans--I). Hisatada Nakakoji, et al. S444
- 444 Effect of oxides on the morphology of surface tin of LTS with preplated nickel. Terunori Fujimoto, et al. S445
- 445 Surface structure of low tin plated steel with Ni-flash treatment. Kazuya Ezure, et al. S446
- 446 Effect of tinplate steel composition on steel-tin couple current. Yoshihiko Yasue, et al. S447
- 447 Influence of surface orientation on chemical conversion treatability and corrosion resistance of zinc coated steel. (Study on the spangle of hot dip metal coated steel--III). Yasushi Fukui, et al. S448
- 448 Effect of alloying rate on adhesion properties of alloy layer on galvanized steel sheet. Toshio Nakamori, et al. S449
- 449 Corrosion factors in the accelerated corrosion test for automobile muffler. (Development of hot dip aluminized steel sheet with excellent characteristics--IV). Takayuki Ohmori, et al. S450
- 450 Microstructure change of coating layer in Zn-5%Al alloy coating. Tetsuya Kiyasu, et al. S451
- 451 Paintability and corrosion resistance of Zn-5%Al-Mg coated steel sheet. Takafumi Yamaji, et al. S452
- 452 Formability of Zn-55Al alloy coated layer on steel sheets. Masato Yamada, et al. S453

APRIL 4, 1986

- 453 Corrosion behavior of Zn-Ni alloy electroplated steel sheet. Masatoshi Iwai, et al. S454
- 454 Evaluation of corrosion resistance of Fe-P/Zn-Fe double layered electroplated steel. Kazuaki Kyouno, et al. S455
- 455 Analysis of perforation corrosion of cold rolled and galvanized steel sheets by extreme-value statistics. Hiroshi Satoh, et al. S456
- 456 Structural analysis of electrodeposited Zn-Mn alloys. Akiyoshi Okado, et al. S457
- 457 Build-up phenomena of coating in the press forming of zinc coated steel sheets. Masato Yamada, et al. S458
- 458 Discussion on corrosion resistance of chromate treatment by polarization behaviors. (The reaction feature of chromate treatment--III). Kazuko Uchida, et al. S459
- 459 The effect of manganese content in steel and slab heat temperature on the phosphatability of ultra low carbon steel. Kazuichi Kajiwara, et al. S460

460	Element analysis of phosphate crystals by TEM-EDX. Masanori Suzuki, et al.	S461
-----	--	------

-- PRODUCTS AND PROPERTIES --

APRIL 2, 1986

461	Development of high strength ERW-OCTG API5AC L-80 for low temperature service. Teruo Ohtani, et al.	S462
462	Hoop stress effect for SSC of casing connection. Eiji Tsuru, et al.	S463
463	Relation between hydrogen embrittlement and acid pickling: (High strength oil country tubular goods). Katsutoshi Ina, et al.	S464
464	Analysis of factors affecting perforating damage. Yukihiro Ebihara, et al.	S465
465	Properties of Cu bearing line pipe steel. Masahiko Murata, et al.	S466
466	Mechanical properties and characteristics of precipitates in Ti, Nb-Ti and V-Ti bearing HSLA steels. Shuji Okaguchi, et al.	S467
467	Development of heavy wall bent pipe with high tensile strength. Tomoya Koseki, et al.	S468
468	Production of heavy wall high strength SAW bent pipe for arctic usage. Hiroki Sakamoto, et al.	S469
469	Transversal and longitudinal yield strength of hot-rolled seamless linepipe. Akira Yagi, et al.	S470
470	HIC initiation limit of electric resistance welded pipe for sour-gas service. Katsutoshi Yamada, et al.	S471
471	Influence of size and distribution of non metallic inclusions on hydrogen induced cracking in H ₂ S saturated synthetic sea water. (Development of quantitative criteria to hydrogen induced cracking sensitivity--I). Akira Ito, et al.	S472
472	Influence of pretreatment and heating rate on microstructure and toughness of martensitic steel. Nobuo Shikanai, et al.	S473
473	Effect of structures prior to heating on austenitization in low carbon steels. Toshiaki Yutori.	S474
474	Fine structure and mechanical properties in hyper-eutectoid steel by cyclic heat treatment. Hisahiro Sakai, et al.	S475
475	$\gamma \rightarrow \alpha$ transformation and carbide precipitation of chromium steel. Takeshi Utsunomiya, et al.	S476
476	Effect of boron additions on the $\gamma \rightarrow \alpha$ transformation of medium carbon steels. (Study of the transformation control of medium carbon steels--I). Toshimi Tarui, et al.	S477
477	Transformation structure during isothermal holding and continuous cooling in HSLA steel. Hideyuki Ohtsuka, et al.	S478
478	Effect of austenite grain size on the ferrite transformation behavior from work-hardened austenite. Hideyuki Ohtsuka, et al.	S479
479	Micromechanism of ferrite-pearlite transformation in a control-rolled low carbon steel. Hirosuke Inagaki.	S480
480	Effect of carbon and manganese content and rolling condition on proeutectoid ferrite formation in accelerated cooling. Yoshiyuki Saito, et al.	S481
481	Mechanical properties of FeO-MnO S.S. and FeO-MgO S.S. at high temperature. Fumio Matsuno, et al.	S482
482	Effect of Nb and S on hot ductility of HSLA steel in hot charge rolling process. Yoshihiro Kamada, et al.	S483
483	Properties of ERW boiler tubes for thermal power plant after long term actual service. Tohru Okazawa, et al.	S484
484	Sintering of grain boundary cavities in 1.3Mn-0.5Mo-0.5Ni steel. Junro Kyono, et al.	S485
485	Effect of prior austenite grain size on high temperature creep properties of a Cr-Mo-V steel. Narihito Ohi, et al.	S486
486	High temperature creep deformation of a Cr-Mo-V steel. Kazuhiro Kimura, et al.	S487
487	Creep crack growth monitoring by the electrical potential technique. Akio Fuji, et al.	S488
488	Effect of alloying elements on creep rupture strength under high pressure and high temperature hydrogen atmospheres. Takuichi Imanaka.	S489
489	Creep-rupture and creep strain-time properties of 2 1/4 Cr-1Mo tubes in 100 000 h. Yoshio Monma, et al.	S490
490	Creep-rupture and strain-time properties of SUS304HTB in 100 000 h. Akimitsu Miyazaki, et al.	S491
491	Segregation of solute elements to surface of grain boundary cavity and its effects. Seiichi Ikeda, et al.	S492

492	Creep rupture properties of 18Cr-10Ni austenitic cast steels. Masayuki Yamada, et al.	S493
493	Effect of $M_{23}C_6$ and MC carbides on the creep rupture strength of 18%Cr-10%Ni-Ti-Nb steel. Yusuke Minami, et al.	S494
494	Surface cracking during creep in type 321 stainless steel. Hideo Tanaka, et al.	S495
495	Effect of Cr depleted zone on oxidation resistance of SUS410 cold-rolled sheet. Kazuya Miura, et al.	S496
496	Initial oxidation behavior of ferritic stainless steels. Toshiko Suzuki, et al.	S497
497	Descaling behavior of SUS304 stainless steel hot coil in HNO_3/HF solution. Isao Itoh, et al.	S498
498	Influence of bright annealing on colored film formation on stainless steel. Yoshikazu Nakamura, et al.	S499
499	Improvement of hot workability for austenitic stainless steels containing little delta-ferrite and study on its estimation method. Masao Koike, et al.	S500
500	Improvement of hot workability of high alloy austenitic stainless steels. (A study of hot workability of austenitic stainless steels--III). Masamitsu Tsuchinaga, et al.	S501
501	Effect of S and Mg contents on hot workability of Ni-Cu-S alloy. Yasushi Haruna.	S502
502	Effects of rolling and cooling conditions on mechanical properties and carbide precipitation of austenitic stainless steel. Kazuaki Matsumoto, et al.	S503
503	Effect of annealing condition of hot-rolled sheet on plastic anisotropy of cold-rolled sheet in SUS304 steel. Akifumi Hiramatsu, et al.	S504
504	Transformation behavior and mechanical properties in ultrafine grain austenitic stainless steels. Kouki Tomimura, et al.	S505
505	Effect of Si on toughness of high N austenitic stainless steel after aging treatment. Satoshi Araki, et al.	S506
506	Effect of internal hydrogen on crack growth behavior of austenitic stainless steels. Yoshio Miyoshi, et al.	S507
507	Effects of C and Si on low cyclic fatigue behavior of austenitic stainless steels. Masahiko Kogita, et al.	S508

APRIL 3, 1986

508	Technical explanation of "electrolytic nitriding process". Shinzoh Satoh.	
509	Effects of heat treatment conditions on grain coarsening behavior in carburizing steels. Toshiyuki Tsuge, et al.	S509
510	Some properties of multiple-melted case hardening steel. Mikiya Yamana, et al.	S510
511	Effect of C content on properties of Cr-V nitrocarburizing steel. Susumu Kanbara, et al.	S511
512	Effect of alloying elements on properties of high manganese non-magnetic steel wire rods. (Studies of high strength non-magnetic steel--II). Syoji Nishimura, et al.	S512
513	Grain refining of Fe-36%Mn non-magnetic steel by low temperature deformation and subsequent recrystallization. Masaharu Yamaguchi, et al. ...	S513
514	Development of new high Mn-Cr-Fe non-magnetic steel for centrifugal casting process. Atsunobu Shintani, et al.	S514
515	Mechanical properties of the austenitic high Mn-high Al steels at cryogenic temperatures--VII. Michiyuki Ichinose, et al.	S515
516	Some properties of 7.5Ni-4Co ultra high strength steel. Kouichiro Tada, et al.	S516
517	Low temperature strength and fatigue properties of welded alloy A286. Keiji Hiraga, et al.	S517
518	Effect of chemical composition and heat treatment on mechanical properties of low C-Mn-Nb cast steels. (Development of carbon- steel castings suitable for fusion welding for low-temperature service--I). Yoshitaka Iwabuchi, et al.	S518
519	Mechanical properties of weldment of a low C-Mn-Nb cast steel. (Development of carbon-steel castings suitable for fusion welding for low-temperature service--II). Kiyoharu Azekoshi, et al.	S519
520	Development of heavy section 3.5Ni-Cr-Mo steel forgings with superior low temperature toughness. Kiyoshi Uchida, et al.	S520
521	Metallurgical factors of brittle crack arrest capability on 9 % Ni steel. Naoki Saitoh, et al.	S521
522	Low temperature embrittlement in high Mn iron alloys. Yō Tomota, et al.	S522
523	Fracture toughness of heavy thick nodular cast iron for structural applications. Yasuhiko Mori, et al.	S523

524	Influence of silicon content on the intergranular fracture embrittlement of ferritic spheroidal graphite cast iron. T. S. Lui, et al.	S524
525	Effect of specimen size on dynamic fracture toughness obtained by instrumented Charpy test. Masaki Kamimura, et al.	S525
526	Crack position detector for fatigue test pieces. Masaichi Inomata, et al.	S526
527	Improving the fatigue strength of carburized steel. Toyofumi Hasegawa, et al.	S527
528	Axial tension fatigue strength in air of sucker rod assembly. (Fatigue performance of sucker rod for oil production--I). Hideo Komatsu, et al.	S528
529	Fatigue strength in air of rod body. (Fatigue performance of sucker rod for oil production--II). Haruo Sakamoto, et al.	S529
530	Crack arrest test of rail steel. (Crack arrest properties of rail steel--I). Yutaka Matsuda, et al.	S530
531	Effect of residual stress on crack propagating path. (Crack arrest properties of rail steel--II). Yutaka Matsuda, et al.	S531
532	Effect of wheel and rail profiles on wear and fatigue behavior of high strength rail. (The study of contact problem between rail and wheel--II). Meiji Sato, et al.	S532
533	Contact rolling fatigue life of bearing steel made by LD converter process. Yasuhide Fujioka, et al.	S533
534	Fracture characteristics of bearing quality steels. Kazuhiro Kobayashi, et al.	S534
535	Effect of vanadium on hardenability of high carbon steels. Hiroshi Majima, et al.	S535
536	Relationship between hardness and transformation temperature in the mixed structure of low carbon steel. Yasushi Tsukano, et al.	S536
537	Prediction of tensile strength of hot rolled sheets by calculation models of structure change during rolling and cooling. Masayoshi Suehiro, et al.	S537
538	Calculation model of mechanical property for hot rolled steel strip. (Development of controlling technique of mechanical properties in hot strip direct rolling process--IXX). Manabu Takahashi, et al.	S538
539	Application of mechanical property calculation model to hot rolled steel strip. (Development of controlling technique of mechanical properties in hot strip direct rolling process--XX). Manabu Takahashi, et al.	S539
540	Phase transformation after hot rolling in B bearing interstitial free steels. Yoshihiro Hosoya, et al.	S540
541	Estimation of Nb content in solution for hot rolled steel sheet. (Investigation of the estimation of mechanical properties for Nb-added hot rolled steel sheet--II). Akio Tosaka, et al.	S541
542	Residual austenite and its effect on the mechanical properties of the hot rolled 0.1~0.2 C steel sheet which was heavily deformed and rapidly cooled. (Study on thermomechanical control process of continuous hot rolling--II). Yoshikazu Matsumura, et al.	S542
543	Relationship between transformation kinetics measured by transformation detector and mechanical properties of hot rolled steel. Masahiko Morita, et al.	S543
544	45 kgf/mm ² high strength hot rolled steel sheet with good YS-El balance. Osamu Kawano, et al.	S544
545	Development of 70 and 80 kgf/mm ² high strength hot rolled steel sheets with good formability. Osamu Kawano, et al.	S545
546	Development of hot rolled coil for high grade electric welded pipe. Akira Ito, et al.	S546
547	Effects of microstructure and cold forming on stretch flangeability of laser cut hole in hot rolled steel sheet. Yoshiki Tanaka, et al.	S547
548	Effect of chemical composition on property of flash butt welded zone of high strength sheet steel. Shun-ichi Hashimoto, et al.	S548
549	Improvement of the ratio of fatigue endurance limit to tensile strength in hot rolled steel sheets. Yoshio Hashimoto, et al.	S549
550	Descaling behavior of low-carbon steel hot strip in HCl. Teruo Yoshida, et al.	S550
551	Estimation of hydrogen attack limit to steel by gradient hydrogen concentration method. Katsuyoshi Miyamoto, et al.	S551
552	Effect of Al, Ti, B and N on hydrogen attack. (Hydrogen attack of Cr-Mo steel for pressure vessels--II). Takahiro Kushida, et al.	S552
553	Effect of carbide forming elements on hydrogen embrittlement and hydrogen attack in Cr-Mo pressure vessel steel. Tadamichi Sakai, et al.	S553
554	Nucleation and growth of bubbles formed by hydrogen attack in 2.25Cr-1Mo steel. Hirofumi Miyaji, et al.	S554

555	Diffusion behaviour of hydrogen in Cr-Mo steels under high pressures and high temperatures and effect of hydrogen attack on diffusivity of hydrogen. Takuichi Imanaka.	S555
556	Stress-strain behaviour of Cr-Mo steels under high pressure and high temperature hydrogen. Takuichi Imanaka.	S556
557	Developments of tensile-compression testing machine under the conditions at high temperature and high pressure hydrogen and the effect of surface conditions of specimens on stress-strain behaviour. Michio Miki, et al.	S557
558	Effect of Cu, Ni, Cr and Mo on hydrogen entering the steel. Mitsuo Kimura, et al.	S558
559	Evaluation of microcracking in temper embrittled Cr-Mo steel by AE source characterization. Teruo Kishi, et al.	S559
560	Three-dimensional location of debonding of MnS in A533B steel by AE technique. (Characterization of microcracking--I). Takanori Ohira, et al.	S560
561	Quantitative AE source characterization of microfracture in A533B steel. (Characterization of microcracking--II). Takanori Ohira, et al.	S561
562	Acoustic emission behavior during disbonding of stainless overlay. (Quantitative analysis of disbonding of stainless overlay by measurement of acoustic emission--I). Shigenori Yuyama, et al.	S562
563	Comparison between detected AE waveform due to disbonding of stainless overlay and simulated waveform. (Quantitative analysis of disbonding of stainless overlay by measurement of acoustic emission--II). Shigenori Yuyama, et al.	S563
564	Effect of dissolved oxygen concentration on fatigue crack growth behaviour of a nuclear pressure vessel steel in high temperature pressurized water. Norio Nagata, et al.	S564
565	Low cycle fatigue behaviours of pressure vessel steels in a simulated BWR environment. Shunji Sato, et al.	S565
566	Effects of processing variables on the mechanical properties of B bearing low alloy steel. Tetsuo Kikutake, et al.	S566
567	Morphology and distribution of carbides and mechanical properties in 2 1/4 Cr-1Mo steels. Jun-ichi Shimomura, et al.	S567
568	Application of SA508, Cl.3 steel with lowered Si content to heavy thick forgings for nuclear power plant. Ikuo Sato, et al.	S568
569	Embrittlement after aging of 9%Cr-1%Mo-VNb steels. Hitoshi Hayakawa, et al.	S569
570	Properties of 9Cr-1Mo-V-Nb steel after various heat treatments. Hiroshi Tachibana, et al.	S570
571	Effect of C, N and B on the mechanical properties of 9Cr-0.5Mo-1.6W-V-Nb heat resisting steels. Katsuro Oda, et al.	S571
572	Manufacturing technique and material properties of heavy-gauge 9Cr-1Mo steel forgings. Hidefumi Tani, et al.	S572
573	Effect of C, N and B contents on high strength ferritic heat-resisting steels. Kentaro Asakura, et al.	S573
574	Effects of alloying elements and heat treatment on the creep rupture strength of a 10Cr-Mo-W-V-Nb steel. Kō Yō Ryuu, et al.	S574
575	Tempering of Cr-W and Cr-V ferritic steels. Fujio Abe, et al.	S575
576	Impact properties of Cr-W and Cr-V ferritic steels. Fujio Abe, et al.	S576
577	Mechanical properties and microstructure change in ferritic steels irradiated in "JOYO(fast breeder reactor)". Akira Kohyama, et al.	S577
578	Influence of heat treatment condition on high temperature properties of 12 Cr heat resistant alloys. Kiyoshi Imai, et al.	S578
579	Effect of C, N and Si content on creep rupture strength and impact properties of 12Cr-2Mo-V-Nb steel. Hiroyuki Uchida, et al.	S579
580	Creep rupture strength and Charpy impact properties of JPCA-2 for fusion reactor candidate materials. Kentaro Asakura, et al.	S580
581	Effects of Mo and V on mechanical properties of an iron-base alloy. (Investigation of the high temperature strength of 15Cr-26Ni-1.25Mo iron base alloy--VII). Katsumi Iijima, et al.	S581
582	Characteristics of a large forged iron-base heat resistant alloy rotor. Takemitsu Honjo, et al.	S582
583	Effect of C, Ti and Al on mechanical properties of γ' precipitation hardening Fe-base superalloys. Tōru Suzuki, et al.	S583
584	Grain boundary precipitation strengthening of α_2 -W phase during high temperature creep of Ni-20Cr-20W alloy. Masao Takeyama, et al.	S584
585	Effects of Mn, Si and Ti on high temperature creep properties of Ni-20Cr and Ni-20Cr-20W alloys. Masao Takeyama, et al.	S585
586	Effect of W addition on creep rupture strength of 0.5C-27Cr-40Ni-Nb, Ti centrifugally cast tube. Takanari Okuda, et al.	S586

587	Critical design of nickel-base single crystal superalloys. (Alloy design of nickel base single crystal superalloys--IV). Natsuo Yukawa, et al.	S587
588	Creep-rupture properties of critical-designed single crystal alloys. (Alloy design of nickel base single crystal superalloys--V). Natsuo Yukawa, et al.	S588
589	The effect of alloying elements on the accelerated oxidation of nickel-base single crystal superalloys. Masahiro Kawakami, et al.	S589
590	The effects of impurities and alloying elements on the weld ductility of 27 % Cr ferritic stainless steel. (A study on high purity ferritic stainless steel--I). Hirotaka Nakagawa, et al.	S590
591	The effects of impurities on corrosion resistance of 27 % Cr ferritic stainless steel. (A study on high purity ferritic stainless steel--II). Shuji Hashizume, et al.	S591
592	Controlling factors of toughness in 27 % Cr ferritic stainless steels. Tetsuo Sakiyama, et al.	S592
593	Effect of microstructure of overlay weld metal on the hydrogen-induced disbonding. Toshiaki Saitoh, et al.	S593
594	Effects of Mn, Si and S on weldability of austenitic stainless steels. Keiji Osaki, et al.	S594
595	Effect of Ti, Nb, Al and manufacturing condition on deep drawing-induced embrittlement of ferritic stainless steel. Katsuhisa Miyakusu, et al.	S595
596	Microstructure change of stabilized ferritic single phase stainless steel during hot rolling and annealing. Kouichi Yamazaki, et al.	S596
597	Laser surface hardening and the microstructure of martensitic stainless steels. Yuichi Seki, et al.	S597
598	Solution properties of martensitic stainless steel containing a large quantity of nitrogen. Akio Yamamoto, et al.	S598
599	Corrosion resistance of high Si duplex stainless steel. (Development of a duplex stainless steel with high corrosion resistance to nitric acid--I). Haruhiko Kajimura, et al.	S599
600	Weldability of high Si duplex stainless steel. (Development of a duplex stainless steel with high corrosion resistance to nitric acid--II). Minoru Miura, et al.	S600
601	Mechanical properties and corrosion resistance of duplex stainless steel weldment. Yu-ichi Komizo, et al.	S601
602	Effect of nitrogen on corrosion resistance of 22Cr duplex stainless steel. Hiroyuki Tsuge, et al.	S602
603	Pitting corrosion resistance of duplex stainless steel weldments. Toshihiko Koseki, et al.	S603
604	Effect of heat input on pitting resistance at heat affected zone of duplex stainless steel. Tomoaki Hyodo, et al.	S604
605	Effect of chemical composition and phase balance on cast duplex stainless steel. Masao Sato, et al.	S605
606	Effect of chemical compositions on microstructure of weld metal for duplex stainless steel. Minoru Miura, et al.	S606
607	Relationship between SCC and localized corrosion of duplex stainless steel in H ₂ S-CO ₂ -Cl ⁻ environment. Masakatsu Ueda, et al.	S607
608	Anisotropy of tensile behaviour in a duplex stainless steel sheet. Kosaku Ushioda, et al.	S608

APRIL 4, 1986

609	Relationship between boron behavior during direct quenching and hardenability of Ti-B bearing 80 kgf/mm ² class steel plate. Makoto Imanaka, et al.	S609
610	Effect of Mo addition on mechanical properties of direct quenching and tempering high strength plate. Tomoya Koseki, et al.	S610
611	Effects of boron and hardenability on notch-toughness of heat affected zone. (Study of toughness of welded joint of 80 kgf/mm ² class high tensile strength steel for low temperature service--II). Hidetaka Chiba, et al.	S611
612	The development of high toughness HT100 with heavy thickness. Seiichi Watanabe, et al.	S612
613	Influence of chemical compositions and rolling conditions on strength and toughness of direct-quenched and tempered HT100. Seiichi Watanabe, et al.	S613
614	Development of heavy gauge 100 kg/mm ² class high tensile strength steel with high toughness and weldability by direct quench process. (Study for 100 kg/mm ² class high tensile strength steel--II). Yoshihiro Okamura, et al.	S614
615	Development of heavy section 100 kgf/mm ² class steel plate with superior weldability. Makoto Imanaka, et al.	S615

616	Effect of Al and B contents on toughness of large heat input welds of steel plates, for arctic offshore structures. (Investigation on large heat input weldability of steel plates with 50 kgf/mm ² grade for arctic offshore structures--II). Jun Furusawa, et al.	S616
617	Development of 50 kgf/mm ² tensile strength steel for offshore structures by accelerated cooling process. Kazushi Onishi, et al.	S617
618	Effect of Nb on properties of high-strength steel plates with lowered carbon equivalent. (The development of 42 kgf/mm ² class yield strength steel plates for arctic offshore structure--I). Toyoaki Shiwaku, et al.	S618
619	Characteristics of extra low C - Nb steel plates with 42 kgf/mm ² class yield strength for offshore structure. (The development of 42 kgf/mm ² class yield strength steel plates for arctic offshore structure--II). Toyoaki Shiwaku, et al.	S619
620	Influence of alloying elements on toughness of simulated HAZ. Yokimi Kawashima, et al.	S620
621	Influence of martensite island on COD value of the most embrittled zone of a welded joint. (Development of steel plates with improved COD value in weld fusion zone--VIII). Shuji Aihara, et al.	S621
622	Influence of chemical compositions on COD value of the most embrittled zone of a welded joint. (Development of steel plates with improved COD value in weld fusion zone--IX). Toshiaki Haze, et al.	S622
623	Influence of strength distribution on COD value of a welded joint. (Study on brittle fracture of steels with mechanical and metallurgical inhomogeneity--II). Shuji Aihara, et al.	S623
624	Effect of chemical compositions and microstructures on strength and toughness of controlled rolled and cooled steels. (Research about the property control of the controlled cooled thick plates--VI). Hiroshi Yoshikawa, et al.	S624
625	Improvement of HAZ toughness in HSLA steel by Ti-Oxide particles. (Study on steels of high HAZ toughness through fine oxide dispersion--I). Hiroyuki Homma, et al.	S625
626	Mechanism for improvement of HAZ toughness and microstructure in steels containing Ti-oxide particles. (Study on steels of high HAZ toughness through fine oxide dispersion--II). Kōichi Yamamoto, et al.	S626
627	Transformation behavior in the Heat Affected Zone (HAZ) of Ti-oxide steel. (Study on steels of high HAZ toughness through fine oxide dispersion--III). Noboru Aikawa, et al.	S627
628	Development of cold rolled steel sheet for one coat enameling by using B-bearing Al-killed steel. Teruo Suzuki, et al.	S628
629	Mechanical properties of cast, direct cold-rolled and annealed sheet steels. Atsuki Okamoto.	S629
630	Effect of cold rolling and annealing conditions on mechanical properties of ultra thin cold rolled steel sheet. (Development of ultra thin cold rolled steel sheet of ultra deep drawing quality--I). Takafusa Iwai, et al.	S630
631	Effect of nitrogen content and grain size on ductility of ultra low-carbon cold-rolled steel sheets. Masataka Sakoh, et al.	S631
632	Difference of bake-hardening value caused by the strain path. Yasuharu Sakuma, et al.	S632
633	Dent-resistance of deep-drawable and bake-hardenable steel sheet. Mitsumasa Kurosawa, et al.	S633
634	Improvement of bending formability of ultra high strength cold rolled steel sheets. Yaichiro Mizuyama, et al.	S634
635	Effect of intercritical heating condition on the development of retained austenite. (Study of the steel sheet containing retained austenite--III). Yasuharu Sakuma, et al.	S635
636	Effects of Ti additions and hot- and cold-rolling conditions on the recrystallization behavior during continuous annealing of very low carbon cold rolled steel sheet. Hiroshi Hayakawa, et al.	S636
637	Effect of hot rolling condition on mechanical properties of cold-rolled extra-low-carbon steel sheet with Ti, Nb addition. Takashi Matsumoto, et al.	S637
638	Effect of coiling temperature of hot rolling on \bar{F} value of continuously annealed steel sheets. Yasuzi Tanaka, et al.	S638
639	Control of the cold rolling texture in a low carbon steels through the addition of P and Ti. Hirosuke Inagaki.	S639
640	Effect of manganese on the recrystallization behavior and texture formation of cold-rolled low carbon steel sheets. Tatsuya Oda, et al.	S640
641	Effect of nitrogen on recrystallization textures of cold rolled extra-low-carbon steel sheets. Kiyoshi Kusabiraki, et al.	S641

642	Effect of coincidence boundaries on the secondary recrystallization behaviour of grain-oriented silicon steel. (Study on the secondary recrystallization behavior of grain-oriented silicon steel containing AlN as an inhibitor--VI). Jirou Harase, et al.	S642
643	On the method of prediction of recrystallization behavior from the coincidence orientation relationship between the arbitrarily chosen grain and matrix grains. Ryo Shimizu, et al.	S643
644	Laser induced plastic deformation in {110}<001> oriented 3%Si-Fe crystals. Masayuki Okamoto, et al.	S644
645	Machinability of cast carbon steels for machine structural use. Satoyuki Ishizaki, et al.	S645
646	Machinability and Pb inclusions morphology of continuously cast leaded free machining steels. Masashi Sato, et al.	S646
647	Influence of bismuth on machinability of SUS304. Sadayuki Nakamura, et al.	S647
648	Effect of shape and size of MnS on the machinability in low carbon resulphurized steels. Tsuyoshi Kouoka, et al.	S648
649	Effect of tool materials on MnS layer forming on the tool face. (Improvement of machinability of continuously cast low carbon free cutting steel--V). Sakae Katayama, et al.	S649
650	Wear of leaded free-machining steels. Sadao Shoji, et al.	S650
651	The Influence of carbide distribution on the cutting life of SKH51 drill. Ken Kashiwagi, et al.	S651
652	Development of direct patenting wire rods for prestressed concrete. Masataka Inoue, et al.	S652
653	Analysis of wire breakage in the manufacturing of higher strength steel cord. Yasuhiro Oki, et al.	S653
654	Work hardening characteristic of titanium bearing low-carbon steel wire rod. (Study on low-carbon steel wire rod with high workability--III). Hiroshi Ohba, et al.	S654
655	Improvement of fracture toughness of welded region for high strength 90 kgf/mm ² steel chain. Masanori Sakamoto, et al.	S655
656	Development of normalizing type high strength bar steel for hot forging use. Kazuyoshi Onishi.	S656
657	Effects of hot forging conditions on microalloyed steels for hot forging. Shin-ichi Suzuki, et al.	S657
658	High toughness microalloyed steels with ferrite-bainite structure. Ichie Nomura, et al.	S658
659	Effect of heating condition on the decarburization of high silicon spring steel. Katsunori Takada, et al.	S659
660	Development of the high strength wire rods of large diameter for non heat treated fasteners. Hideo Kanisawa, et al.	S660
661	Baking conditions of carburized bolts with electrogalvanized plate (The bolts of delayed fracture--I). Nobukazu Suzuki, et al.	S661
662	Development of 210 kgf/mm ² grade high strength galvanizing wire for ACSR. Yukio Yamaoka, et al.	S662
663	Corrosion resistance of ferritic stainless steels in coal fired boilers. Naotsugu Yamanouchi, et al.	S663
664	Effect of chemical compositions and heat treatment condition on creep rupture strength and microstructure of 12 % Cr steels for boiler. (Development of high strength 12Cr-1Mo-1W-V-Nb steel tube for boiler--I). Atsurou Iseda, et al.	S664
665	Mechanical properties and hot corrosion behavior of 12 % Cr heat resistant steels for boiler after service exposure. (Development of high strength 12Cr-1Mo-1W-V-Nb steel tube for boiler--II). Fujimitsu Masuyama, et al.	S665
666	Properties of chromized Ni-plated austenitic stainless steel. Hirofumi Makiura, et al.	S666
667	High temperature corrosion properties of double walled tubes for ultra super critical boiler. Hirofumi Makiura, et al.	S667
668	High temperature corrosion properties of chromized austenitic stainless steels. Hirofumi Makiura, et al.	S668
669	Hot corrosion of Mn-Al steels--VII. Masazumi Koike, et al.	S669
670	High temperature steam oxidation behavior of high strength austenite heat resistant steel. (Study of high strength austenite heat resistant steel--VII). Mizuo Sakakibara, et al.	S670
671	Effects of additional elements on high temperature properties of 30Cr-60Ni alloy. Hiroyuki Doi, et al.	S671
672	The elevated temperature strength and microstructure of high strength corrosion resistant austenitic steels for boiler. Yoshiatsu Sawaragi, et al.	S672
673	Effect of frequency on high-cycle fatigue properties of a carbon steel at intermediate temperatures. Kenji Kanazawa, et al.	S673

674	High temperature long life fatigue of type 304 stainless steel. Kazuo Ogawa, et al.	S674
675	Effect of fatigue loading condition on rupture life under combined creep-fatigue loadings for SUS316 stainless steel. Kiyoshi Kubo, et al.	S675
676	Mapping of low cycle fatigue mechanisms at elevated temperatures for an austenitic stainless steel. Kenji Kanazawa, et al.	S676
677	Investigation on detection method. (Detection of high temperature low cycle fatigue crack initiation by DC potential drop method--I). Shozo Azuma, et al.	S677
678	Crack initiation, propagation vs. potential drop. (Detection of high temperature low cycle fatigue crack initiation by DC potential drop method--II). Shozo Azuma, et al.	S678
679	Corrosion fatigue behavior of high strength steels in low temperature sea water. Ryuichiro Ebara, et al.	S679
680	Stress corrosion crack growth rate of Ni-Cr-Mo-V steel for offshore structure in synthetic seawater. Toshihiro Abe, et al.	S680
681	Corrosion fatigue property of structural alloys in ASTM sea water. Hiroyuki Masuda, et al.	S681
682	Prediction of corrosion fatigue life for low alloy steels. Chitoshi Masuda, et al.	S682
683	A quantitative analysis of passive film damage process during corrosion fatigue. Masashi Ono, et al.	S683
684	Stress corrosion cracking of SUS316 steel coarse equiaxed crystals in MgCl ₂ solution. Kenzo Kon, et al.	S684
685	Effect of the grain boundary phosphorus segregation on the SCC susceptibility of NiCrMoV steels in caustic wet environment. Tateo Ohhashi, et al.	S685
686	Stress corrosion cracking and countermeasure for SUS304 stud bolt in heating furnace. Shigeru Mizoguti, et al.	S686
687	Corrosion behavior of mild steel in methanol solution. Yoshitaka Nakagawa, et al.	S687
688	Effect of the Ni content on corrosion resistance of high Ni alloys in acid solutions. Toshiyasu Nishimura, et al.	S688
689	The corrosion resistance of parent metal and weld of high purity 18 % Cr ferritic stainless steel. Masahiro Katahira, et al.	S689
690	Anodic dissolution of sulfide inclusions. (Study on pit initiation site--II). Kenjiro Ito, et al.	S690
691	Effects of sulphur inclusion content and of SO ₄ ²⁻ concentration on electrochemical behaviour of A533B cl.1 steels ⁴ in high temperature pressurized waters conditions. Yasuyuki Katada, et al.	S691
692	3-dimensional image analysis of corrosion fatigue fracture surface. Kenjiro Komai, et al.	S692
693	Fatigue properties in water of die mold steels for Al alloys casting. Takeshi Terabayashi, et al.	S693

-- NEW MATERIALS AND NEW PROCESSING --

APRIL 2, 1986

694	Effect of annealing temperature on grain size of Ti-15V-3Cr-3Sn-3Al cold rolled sheet. Hideo Takatori, et al.	S694
695	Recrystallization and grain growth of Ti-15V-3Cr-3Sn-3Al alloy. Hiroyoshi Suenaga, et al.	S695
696	Effects of thermomechanical processing variables on mechanical properties of Ti-15V-3Cr-3Sn-3Al alloy plate. Hiroyoshi Suenaga, et al.	S696
697	Microstructure and mechanical properties of Ti-15V-3Cr-3Sn-3Al alloy. Makio Gunji, et al.	S697
698	Properties of a beta-type Ti-22V-4Al alloy. Yuzo Ohtakara, et al.	S698
699	Metallurgical aspects of recent developments in titanium alloys. Osamu Izumi.	S699
700	Effects of processing condition on the properties of Ti-8Al-1Mo-1V alloy. Atsushi Takemura, et al.	S701
701	Low temperature aging behavior of Ti-3Al-2.5V alloy after cold working. Yoshihito Sugimoto, et al.	S702
702	Creep characteristics of Ti-6Al-4V ELI at room temperature. Toshio Matsumoto, et al.	S703
703	Mechanical properties of high-oxygen Ti-6Al-4V alloy. Minoru Okada, et al.	S704
704	Transformation characteristics of Ti-6Al-4V alloy on continuous cooling. Hideki Fujii, et al.	S705
705	Materials design of ceramic composites (Toughening). Kōichi Nihara.	S706

706	Development of ceramic particle dispersed composite materials. (Application of ceramic composite materials to the skid button of reheating furnace--I). Manabu Seguchi, et al.	S708
707	Material properties evaluation of ceramic particle dispersed composites. (Application of ceramic composite materials to the skid button of reheating furnace--II). Kazuo Okamura, et al.	S709
708	Damage and life of $\text{Si}_3\text{N}_4\cdot\text{SiC}$ in lubricated rolling/sliding contact. Hideo Sekiguchi, et al.	S710
709	Improvement of mechanical properties of TiB_2 Ceramics with Mo_2CoB_2 type boride. Tadashi Takahashi, et al.	S711
710	Fabrication of carbon-carbon composites by using carbon fibers impregnated with resin, and their properties. Tongshik Chang, et al.	S712
711	Anti-oxidation treatment and oxidation rate of carbon matrix/carbon fiber composites. Kazuhiro S. Goto, et al.	S713
712	Wettability of graphite with liquid Cu-Cr alloy. Kiyoshi Nogi, et al.	S714
713	Wettability of SiC , Si_3N_4 and SiO_2 with liquid Cu-Si alloy. Kiyoshi Nogi, et al.	S715

APRIL 3, 1986

714	Modification of solidification structures by pulse electric discharge. Masayuki Nakada, et al.	S716
715	Physico-chemical study on formation of thin film of oxides containing Li^+ ion by PVD. Kazuhiro S. Goto, et al.	S717
716	Effect of direct magnetic field on suppressing surface wave of molten metal. Toshiyuki Kozuka, et al.	S718
717	Refining by high temperature beam under high vacuum condition. (Evaporation behavior of metals--II). Kiminari Kawakami.	S719
718	The properties of a plasma arc in a vacuum. Kaoru Ichikawa, et al.	S720
719	The operation characteristics and control items on manufacturing for the O_2 sensors for molten metal. Takayuki Kato, et al.	S721
720	The comparison and study of the market salable solid electrolyte for the O_2 sensors for molten metal. Takayuki Kato, et al.	S722
721	Equilibrium potentials and current-overvoltage relations at $\text{Fe(Pt)/molten slag}$ electrodes under different oxygen pressures. Kazuhiro Nagata, et al.	S723
722	Relation between thermal electromotive force of MgO -stabilized zirconia as solid electrolyte and oxygen partial pressure in atmosphere. Xiao Fang Song, et al.	S724
723	Partial conductivity parameters by electron and positive hole in magnesia stabilized zirconia as solid electrolyte. Minoru Sasabe, et al.	S725
724	Measurements of activities of P_2O_5 at the temperatures of hot metal pre-treatments. Hiroyasu Fujiwara, et al.	S726
725	Analysis of titanium and its alloy. Satoshi Kitamura.	S727
726	Break down of passive film on titanium in the solution system NaCl-HCl . Takashi Watanabe, et al.	S728
727	Corrosion behaviour of corrosion resistant titanium alloy (Ti-Ru-Ni). Kazuhiro Taki, et al.	S729
728	The role of Mo and Ni in crevice corrosion resistance of G12 titanium. Takanori Kidoh, et al.	S730
729	The oxide films formed on Ti-6Al-4V alloys by anodizing treatment. Junichiro Murayama, et al.	S731
730	Effect of corrosive environment on fretting fatigue strength of Ti-6Al-4V alloy. Kazuo Toyama, et al.	S732
731	The influence of planar anisotropy of Ti sheet on failures in shape occurred in cup deep drawing. Takuzi Shindoh, et al.	S733
732	Cold rolling properties of commercially pure titanium strip. Masahito Fukuda, et al.	S734
733	Hot rolling texture of Ti-6Al-4V sheets. (Development of Ti-6Al-4V sheets--I). Masao Koike, et al.	S735
734	Material properties of Ti-6Al-4V sheets produced in commercial scale. (Development of Ti-6Al-4V sheets--II). Seishi Ishiyama, et al.	S736
735	Effect of microstructure on fracture toughness in Ti-6Al-2Sn-4Zr-2Mo alloy. Tsutomu Oka, et al.	S737
736	Hydrogen embrittlement of Ti-6Al-2Sn-4Zr-6Mo alloy. Mitsuo Niinomi, et al.	S738
737	Fatigue and fracture toughness properties of large titanium alloy forging. Yoshimasa Ito, et al.	S739
738	Improvement of the fatigue properties of blended elemental Ti-4.5Al-5Mo-1.5Cr alloy by microstructural modification. Masuo Hagiwara, et al.	S740
739	The effect of thermal cycles on the fracture toughness at the simulated weld heat-affected zone of Ti-6Al-4V. Takao Horiya, et al.	S741

740	Tensile strength of electron beam welded joint in beta titanium alloys. Mitsutane Fujita, et al.	S742
741	Segregation of alloying elements in weld metal of beta titanium alloys. Mitsutane Fujita, et al.	S743
742	Radiation effects in electron beam welded titanium and Ti-6Al-4V. Akira Kohyama, et al.	S744
743	Effect of tool materials on tool damage when machining titanium alloys. Sakae Katayama, et al.	S745
744	Manipulation of superalloy microstructures and properties. Yukiya G. Nakagawa, et al.	S746
745	Statistical analysis of strength in structural fiber reinforced metals. Yutaka Kagawa, et al.	S748
746	Interfacial behavior of B/Al composites. Yoshikazu Shinohara, et al.	S749
747	Radiation effects in SiC/Al composite material. Akira Kohyama, et al.	S750
748	Strength and brittleness of the directionally solidified Ni ₃ Al(γ')-Ni ₃ Nb(δ) eutectic alloy. Masaaki Fukuchi, et al.	S751
749	Fabrication of F.R.M. (Al alloy - Ti short fiber) by mashy-state extrusion. Manabu Kiuchi, et al.	S752
750	Bending strength of short fiber reinforced aluminum composites by squeeze casting. Hideharu Fukunaga, et al.	S753
751	Properties of cores made of resin precoated magnetic powder. Kumi Ochiai, et al.	S754
752	Bonding condition of rolled titanium clad steels. Seishiro Yoshiwara, et al.	S755
753	Evaluation of damping properties of composite vibration damping steel sheets by dynamic mechanical analyzer. Kazuyuki Hiraoka, et al.	S756
754	Improvement effect of sprayed Zn coating on internal friction of steel plate. Osamu Kamiya, et al.	S757
755	Effect of surface pre-treatments on the durability of composite light-weight steel sheets. Yoshihiro Matsumoto, et al.	S758
756	Formability of laminated steel. (Improvement in the quality of laminated steel--I). Nobuyuki Kino, et al.	S759
757	Differential thickness laminated steel. (Improvement in the quality of laminated steel--II). Nobuyuki Kino, et al.	S760
758	Differential strength laminated steel. (Improvement in the quality of laminated steel--III). Nobuyuki Kino, et al.	S761

APRIL 4, 1986

759	Expectations for rapidly solidified metals and rapid solidification processings. Itsuo Ohnaka.	S762
760	Effect of alloying elements on the properties of nitrogen-containing P/M high speed steels. Minoru Hirano, et al.	S764
761	Effect of heat treatment condition on the properties of nitrogen-containing P/M high speed steels. Minoru Hirano, et al.	S765
762	Analytical study on behavior of cylindrical molten jet in a rapid solidification process of fine metallic wires. Yoshio Abe, et al.	S766
763	A rapid solidification process for fabrication of a perfect spherical ball of an amorphous alloy. Hiroshi Kimura, et al.	S767
764	Theoretical analysis of twin-roll rapid solidification process with taking account of supercooling phenomena of melt. Ken-ichi Miyazawa, et al.	S768
765	Measurement of heat transfer coefficient between melt and chill. Toshio Suzuki, et al.	S769
766	Properties of rapidly solidified Fe-C binary alloy. Syoichi Sekiguchi, et al.	S770
767	Relationship between structure of splat-cooled Fe-Cr-Ni two phase alloy and its chemical composition. Moriyuki Mushiake, et al.	S771
768	Production and properties of cast iron sheet produced from molten state by twin-roll method. Yoshihiro Yanagi, et al.	S772
769	TEM microstructure of P/M superalloy sample made from melt spun ribbons. Yukiya G. Nakagawa, et al.	S773
770	Strip casting by twin roller method with different diameter. Isao Ikuta, et al.	S774
771	Microstructures and mechanical properties of Cu-Al-Ni shape memory alloys produced by twin-roller method with different diameter. Hisashi Andoh, et al.	S775
772	Microstructures and mechanical properties of stainless foils produced by twin-roller method with different diameter. Tetsuroh Minemura, et al.	S776
773	Recent developments in research on the micrograin superplasticity. Shigenori Hori.	S777
774	Recent development on the superplasticity during phase transformation. Imao Tamura.	S779

775 Grain refinement and superplasticity in Al-Zn-Mg-Cu alloys. Kenji Higashi.	S781
776 Grain refining and superplasticity of high strength aluminium alloys. Masaru Kobayashi, et al.	S782
777 Fabricating of fiber reinforced metal using superplastic alloy powder. Hirokuni Yamamoto, et al.	S783
778 Deformation behavior of a superplastic Zn-Al eutectoid in tensile tests of constant strain rate. Hideki Yamazaki, et al.	S784
779 The mechanism of superplastic deformation of $\alpha+\beta$ titanium alloys. (Discussion from plastic anisotropy). Satoshi Yamazaki, et al.	S785
780 Dependence of Young's modulus on strain rate in Sn-38Pb superplastic materials. Tomei Hatayama, et al.	S786
781 Characteristics of pressure transmission in Sn-38Pb superplastic materials. Tatuya Morisige, et al.	S787
782 An experiment on hot dipping of Al-Zn eutectoid-base superplastic alloy onto sheet steel and some properties of the coated steel. Yoshinobu Motohashi, et al.	S788
783 Relation between total elongation and shape of fractured specimen in superplastic materials. Muneco Oka, et al.	S789
784 Grain refinement and superplastic behavior in a low alloy steel. (Effects of warm working and heat treatment). Yukio Ito, et al.	S790
785 Effects of extrusion temperature and pre-extrusion hiping in Gatorizing process. Shizuo Nakazawa, et al.	S791

~ ~ ~ ~ ~

© Copyright 1986, ISIJ
 This publication, or any part thereof, may not be reproduced in any form
 without the written permission of the ISIJ.